according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/
 Trade name
 71-917
 Print date
 06/28/2023

 Version/ Issue date:
 11 / 03/28/2022
 Page
 1 of 9

COLORS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Color for candles

Item number/ Trade name

71-917

ur

TE5E-Y6QY-W000-2GT9

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use Coloration of hydrocarbons, waxes, oils and fats

1.3 Details of the supplier of the safety data sheet

Company/undertaking identification

Name bekro chemie GmbH & Co. KG

 Street/POB-No.: 1
 Industriestrasse 104

 City
 D-66802 Ueberherrn

 Phone #
 +49 6836 9198 0

 Telefax #
 +49 6836 9198 10

 E-mail
 info@bekro.de

1.4 Emergency telephone

number

Name Bekro Chemie GmbH (Mo - Thu 8.00 - 16.30, Fr 8.00 - 14.30)

Phone # +49 6836 9198 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

Eye Dam. 1; H318 Causes serious eye damage. Repr. 2; H361f Suspected of damaging fertility.

2.2 Label elements





Signal word

Danger

Nature of Hazard

GHS05 Corrosion GHS08 Health hazard

Hazard statements

H318 Causes serious eye damage.

H361f Suspected of damaging fertility.

Safety precautions

H412 Harmful to aquatic life with long lasting effects.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P405 Store locked up.

P501 Dispose of contents/container to hazardous waste.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P273 Avoid release to the environment.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/ Trade name
 71-917
 Print date
 06/28/2023

 Version/ Issue date:
 11 / 03/28/2022
 Page
 2 of

COLORS

Hazard components for labelling

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

Special provisions concerning the labelling of certain mixtures

2.3 Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture of waxes, colouring agents and additives

3.2 Mixtures

Hazardous ingredients

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate: 3 % - 9,99 %

CAS-Number: 52829-07-9

EINECS / ELINCS / NLP: 258-207-9

REACH registration No.: 01-2119537297-32

Classification according to EC regulation 1272/2008 (CLP):

Aquatic Acute 1 (M1); H400 / Aquatic Chronic 2; H411 / Eye Dam. 1; H318 / Repr. 2; H361f

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information If you feel unwell, seek medical advice.

In case of inhalation Move victim to fresh air. Seek medical aid in case of troubles.

In case of skin contact Thoroughly wash skin with soap and water.

After eye contact Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding

eyelids apart. Seek medical attention if irritation persists.

After swallowing Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek

medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No data available

4.3 Indication of any immediate medical attention and special treatment needed

Information to physician No data available

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name 71-917 Print date

06/28/2023 Version/ Issue date: 03/28/2022 Page **3** of 11 /

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide, water spray jet, extinguishing powder, foam.

Extinguishing media which must not be used for safety reasons

Full water jet

5.2 Special hazards arising from the substance or mixture

Possible combustion products Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment

for firefighters

Wear self-contained breathing apparatus.

Additional information Do not allow water used to extinguish fire to enter drains, ground or waterways.

> Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the

COLORS

authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid causing dust. Clean soiled areas with a conventional household cleaner.

6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling Avoid contact with eyes and skin. When using do not eat, drink, smoke, sniff.

Make sure there is sufficient air exchange and / or that working rooms are air

suctioned. Avoid dust formation.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms Keep away from sources of ignition and heat. Store in a cool dry place. Store in and containers

a well-ventilated place. Keep container tightly closed. Protect from direct

sunlight.

Storage class 11

7.3 Specific end use(s)

General use Coloration of hydrocarbons, waxes, oils and fats

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/ Trade name
 71-917
 Print date
 06/28/2023

 Version/ Issue date:
 11 / 03/28/2022
 Page
 4 of 9

8.2 Exposure controls

measures

Respiratory protection With correct and proper use, and under normal conditions, breathing protection

is not required. Provide good ventilation and/or an exhaust system in the work

COLORS

area. Wear a dust mask, in case of excessive dust.

Hand protection Wear suitable gloves.- according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part

1,3

Eye protection Goggles according to EN 166.

Body protection Wear suitable protective clothing and shoes.

General protection and hygiene Keep away from food and drinks. When using do not eat, drink or smoke. Wash

hands before breaks and after work. Wash contaminated clothing prior to re-use.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form solid
Colour bright green
Odour characteristic
Important health, safety and environmental information

	min	max			
Melting point/freezing point	60 °C				
Initial boiling point and boiling range	130 °C				
Flammability					
Explosion limits					
Flash point/flash point range	150 °C				
Ignition temperature	> 200 °C				
PH					
Viscosity					
	0 m²/s				
Solubility					
Partition coefficient: n-octanol/water					
Vapour pressure					
Density and/or relative density					
Relative vapour density					
Bulk density					
Flow time 4mm (DIN)					
Water solubility	Product is difficult to dissolve in water.				

9.2 Other information

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name Version/ Issue date:

71-917

11 / 03/28/2022

COLORS

Print date Page **06/28/2023 5** of

SECTION 10: Stability and reactivity

10.1 Reactivity Non-reactive

10.2 Chemical stability Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoidAvoid dust formation. Avoid dust deposits. Keep away from sources of ignition -

No smoking. Take precautionary measures against static discharges.

10.5 Incompatible materials strong acids and bases, strong oxidizing agents

10.6 Hazardous decomposition products Hazardous vapours may form during fires. In case of fire may be liberated:

Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

General remarks

No toxicological tests were conducted with the mixture.

Toxicological tests: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

orai	LD50	3/00.0	mg/kg	-
Rat				
inhalative	LC50		mg/L	-
Rat				·
Eye irritation:			irreversible damage	OECD 405
Rabbit	-	-		
Mutagenicity:			not a mutagen	OECD 471 (Ames
dermal	LD50	3170.0	mg/kg	-
Rat	-	-	•	•
Reproductive toxicity			Suspected of damaging fertility.	OECD 443
Rat	•			
Skin sensitisation			not sensitising	OECD 406
guinea pig	-		•	•

11.2 Information on other hazards

Endocrine disrupting properties No data available Further details No data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity No data available

Ecotoxicological effects: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

bib(2/2/0/0 tetrametry) i piperrayi) bebacate				
acute Daphnia toxicity	NOEC (48h) =	4.0	mg/L	
Daphnia magna (Big water flea)				
acute Daphnia toxicity	EC50 (48h) =	8.58	mg/L	
Daphnia magna (Big water flea)				
acute fish toxicity	LC50 (96h) =	4.4	mg/L	

Lepomis macrochirus (Bluegill)

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/ Trade name
 71-917
 Print date
 06/28/2023

 Version/ Issue date:
 11 / 03/28/2022
 Page
 6 of 9

COLORS

Bacteria toxicity	1	IC50 (72h) =	0.705	mg/L
-------------------	---	--------------	-------	------

Pseudokirchneriella subcapitata

12.2 Persistence and degradability

Evaluation text No data available
Degree of elimination No data available
Analytical method No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation Dispose of waste according to applicable legislation. Discharge into the

environment must be avoided.

<u>Package</u>

Recommendation Dispose of waste according to applicable legislation. Non-contaminated packages

may be recycled. Handle contaminated packages in the same way as the substance

itself.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

COLORS

Item number/ Trade name Version/ Issue date:

71-917

11 / 03/28/2022

Print date Page **06/28/2023 7** of

SECTION 14: Transport information

14.1 UN number

Class ADR/RID

ADR, IATA, IMDG ---

14.2 UN proper shipping name

Product designation: ADR/RID --Proper shipping name: IATA-DGR --Proper shipping name: IMDG ---

14.3 Transport hazard class(es)

Classification code
ADR/RID

Class IATA-DGR
Subrisk IATA-DGR

Class IMDG
Subrisk IMDG

14.4 Packing group

ADR, IATA, IMDG

No packaging for dangerous goods required

14.5 Environmental hazards

Marine Pollutant - IMDG ---EmS ---Stowage and segregation ----

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

--

Additional information

EQ --Limited quantities --Special Provisions --Tunnel restriction --Transport category --Kemmler-number ---

No dangerous good in sense of these transport regulations.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



Item number/ Trade name Version/ Issue date:

71-917

11 / 03/28/2022

Print date Page **06/28/2023 8** of

SECTION 15: Regulatory information

$\underline{\textbf{15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture}$

National regulations

Germany

Storage class 11
Water Hazard Class 2
Incident regulation ---


Information on working limitations Observe employment restrictions for young people. Observe employment

restrictions for expectant or nursing mothers.

15.2 Chemical Safety Assessment

Chemical Safety Assessment No substance safety evaluation was conducted with the mixture/ substance.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



COLORS

SECTION 16: Other information

Hazard statements (CLP)

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H361f Suspected of damaging fertility.

Reason of change General revision

Abbreviations

--- no data, not determined or not applicable

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No. 1907/2006)

OECD Organisation for Economic Co-operation and Development

LD50 Median lethal dose

LC50 Median lethal concentration EC50 Median effective dose

IC50 Median inhibitory concentration VCI Verband der chemischen Industrie

CAS Chemical Abstract Service

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

NLP No Longer Polymers

CLP Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging

EG European Union

WGK water hazard class (according to AwSV, Appendix 1 (5.2))

AGW Occupational Exposure Limit

ADR Accord Européen relatif au transport international des marchandises dangereuses par route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

RID Règlement concernant le transport international ferroviaire des machandises dangereuses (Regulation on

the international carriage of dangerous goods by rail)

IATA International Air Transport Association
IMDG International Martime Dangerous Goods

MARPOL International Convention for the Prevention of Pollution From Ships (MARine POLlution)

EmS Emergency Schedules

PBT persistent, bioaccumulative and toxic vPvB very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.