according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



Item number/ Trade name Version/Issue date:	78-3287 8 / 03/28/2022		Print date Page	06/28/2023 1 of 10
SECTION 1: Identification of the	substance/mixture and of the co	ompany/undertaking		
1.1 Product identifier				
Item number/ Trade name UFI	Color for candles 78-3287 4Q9Y-574G-Y201-0RU4			
1.2 Relevant identified uses of the s	ubstance or mixture and uses advise	ed against		
General use	Coloration of hydrocarbons, waxes	s, oils and fats		
1.3 Details of the supplier of the saf	ety data sheet			
Company/undertaking identification				
Name	bekro chemie GmbH & Co. KG			
Street/POB-No.: 1	Industriestrasse 104			
City Phone #	D-66802 Ueberherrn +49 6836 9198 0			
Telefax #	+49 6836 9198 0			
ieleidx #	+49 0020 9198 10			

1.4 Emergency telephone

number Name Phone #

E-mail

Bekro Chemie GmbH (Mo - Thu 8.00 - 16.30, Fr 8.00 - 14.30) +49 6836 9198 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects. Eye Dam. 1; H318 Causes serious eye damage. Repr. 2; H361f Suspected of damaging fertility. Skin Sens. 1A; H317 May cause an allergic skin reaction.

2.2 Label elements

Signal word	Danger
Nature of Hazard	GHS05 Corrosion GHS07 Exclamation mark GHS08 Health hazard
Hazard statements	H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H361f Suspected of damaging fertility. H412 Harmful to aquatic life with long lasting effects.
Safety precautions	 P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P321 Specific treatment (see ### on this label).

info@bekro.de

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



tem number/ Trade name /ersion/ Issue date:	78-3287 8 / 03/28/2022	Print date Page	06/28/2023 2 of 10
	P363 Wash contaminated clothing before reuse.		
	P501 Dispose of contents/container to hazardous waste.		
	P302+P352 IF ON SKIN: Wash with plenty of water/soap.		
	P333+P313 If skin irritation or rash occurs: Get medical advice/atter	ntion.	
	P405 Store locked up.		
	P308+P313 IF exposed or concerned: Get medical advice/attention.		
	P273 Avoid release to the environment.		
Hazard components for la	belling		
-	bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate		
	C.I. Solvent Blue 63		
Special provisions concern	ning the labelling of certain mixtures		

2.3 Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture of waxes, colouring agents and additives

3.2 Mixtures

Hazardous ingredients

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate: 3 % - 9,99 % CAS-Number: 52829-07-9 EINECS / ELINCS / NLP: 258-207-9 REACH registration No.: 01-2119537297-32 Classification according to EC regulation 1272/2008 (CLP): Aquatic Acute 1 (M1); H400 / Aquatic Chronic 2; H411 / Eye Dam. 1; H318 / Repr. 2; H361f Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.: 0,1 % - 0,99 % CAS-Number: 84605-20-9 Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 4; H413 C.I. Solvent Blue 63: 0,1 % - 0,99 % CAS-Number: 6408-50-0 EINECS / ELINCS / NLP: 229-059-2 Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 4; H413 / Skin Sens. 1A; H317

Full text of H- and EUH-phrases: see section 16.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



Item number/ Trade name Version/ Issue date:	'8-3287 8 / 03/28/2022	Print date Page	06/28/2023 3 of	3 10
SECTION 4: First aid measures				
4.1 Description of first aid measures General information In case of inhalation In case of skin contact After eye contact After swallowing	If you feel unwell, seek medical advice. Move victim to fresh air. Seek medical aid in case of trouble Thoroughly wash skin with soap and water. Immediately flush eyes with plenty of flowing water for 10 eyelids apart. Seek medical attention if irritation persists. Do NOT induce vomiting. Rinse mouth immediately and drin medical treatment in case of troubles.	to 15 minutes ho		
4.2 Most important symptoms and eff Symptoms				
	cal attention and special treatment needed			
Information to physician	No data available			
SECTION 5: Firefighting measure	6			
5.1 Extinguishing media Suitable extinguishing media	Carbon dioxide , water spray jet , extinguishing powder , fo	am.		
Extinguishing media which must not be used for safety reasons	Full water jet			
5.2 Special hazards arising from the s	ubstance or mixture			
Possible combustion products	Nitrogen oxides (NOx), carbon monoxide and carbon dioxid	е		
5.3 Advice for firefighters Special protective equipment for firefighters	Wear self-contained breathing apparatus.			
Additional information	Do not allow water used to extinguish fire to enter drains, on Do not allow fire water to penetrate into surface or ground dispose of contaminated extinguishing water according to the authorities.	water. You have	to	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid causing dust. Clean soiled areas with a conventional household cleaner.

6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



28/2023 4 of 1		/ 03/28/	8	78-3287		Item number/ Version/ Issue
				d storage	: Handling and	SECTION 7
	, smoke, sniff. rooms are air	•	sure ther	Avoid Make	ons for safe han safe handling	
	y place. Store in om direct		away fror -ventilate		nts for storerooms	
				11	SS	Storage clas
		vdrocarbon:			e	7.3 Specific of General use
					end use(s) e	7.3 Specific (General use

8.1 Control parameters

8.2 Exposure controls

Respiratory protection	With correct and proper use, and under normal conditions, breathing protection is not required. Provide good ventilation and/or an exhaust system in the work area. Wear a dust mask, in case of excessive dust.
Hand protection	Wear suitable gloves according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part 1,3
Eye protection	Goggles according to EN 166.
Body protection	Wear suitable protective clothing and shoes.
General protection and hygiene measures	Keep away from food and drinks. When using do not eat, drink or smoke. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



Item number/ Trade name Version/ Issue date: 78-3287 8 /

 O3/28/2022
 Print date

 Page
 Page

: date 06/28/2023 Page 5 of

10

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form			solid
Colour			greenish blue
Odour			characteristic
_	 		

Important health, safety and environmental information

	min	max	
Melting point/freezing point	> 60 °C		
Initial boiling point and boiling range	> 130 °C		
Flammability			
Explosion limits			
Flash point/flash point range	> 150 °C		
Ignition temperature	> 200 °C		
PH			
Viscosity			
	0 m²/s		
Solubility			
Partition coefficient: n-octanol/water			
Vapour pressure			
Density and/or relative density			
Relative vapour density			
Bulk density			
Flow time 4mm (DIN)			
Water solubility	Product is diff	icult to dissolve ir	n water.

9.2 Other information

SECTION 10: Stability and reactivity						
10.1 Reactivity	Non-reactive					
10.2 Chemical stability	Product is stable under normal storage conditions.					
10.3 Possibility of hazardous reactions	No data available					
10.4 Conditions to avoid	Avoid dust formation. Avoid dust deposits. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.					
10.5 Incompatible materials	strong acids and bases, strong oxidizing agents					
10.6 Hazardous decomposition products	Hazardous vapours may form during fires. In case of fire may be liberated: Nitrogen oxides (NOx), carbon monoxide and carbon dioxide					

SECTION	11:	Toxicol	ogical	information
---------	-----	---------	--------	-------------

11.1 Information on toxicological effects

General remarks

No toxicological tests were conducted with the mixture.

Toxicological tests: components

bis(2,2,6,6-tetramethyl-4-piperidyl) seba	icate	-		
oral	LD50	3700.0	mg/kg	-
Rat				
inhalative	LC50		mg/L	-
Rat				

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

LC50 (96h) =

IC50 (72h) =

acute fish toxicity Lepomis macrochirus (Bluegill)

Bacteria toxicity

4.4

0.705

mg/L

mg/L



em number/ Trade name ersion/ Issue date:	78-3287 8	/ 03/2	8/2022	Print date Page	06/28/2023 6 of 10
		1	iwayawihla dama sa		
Eye irritation: Rabbit			irreversible damage		OECD 405
		1			
Mutagenicity:			not a mutagen		OECD 471 (Ame
dowers		2170.0			
dermal _{Rat}	LD50	3170.0	mg/kg		-
			Currented of demonstration fourtility		
Reproductive toxicity			Suspected of damaging fertility.		OECD 443
Skin sensitisation			not consitising		OECD 406
guinea pig			not sensitising		
Toxicological tests: components Amines, polyethylenepoly-, reaction	on products with	succinic a	anhydride polyisobutenyl derivs		
oral	LD50	5000.0	mg/kg		-
Rat					
dermal	LD50	2000.0	mg/kg		-
Rat					
STOT-repeated exposure	NOAEL(C	1000.0	mg/kg		OECD 407
	<u>_</u>				
In vitro mutagenicity/genotoxicity			not a mutagen		OECD 471 (Ame
In vivo mutagenicity/genotoxicity			negative		-
C.I. Solvent Blue 63 oral Rat	LD50	2000.0	mg/kg		OECD 420
		1			0505 (20
Skin irritation:			Not an irritant		OECD 439
The structure bin and	i	1	Net inite-st		0500 437
Eye irritation: Rabbit			Not an irritant		OECD 437
			nonstivo		OECD 471 (Ama
germ cell mutagenicity <i>In vitro mutagenicity</i>			negative		OECD 471 (Ame
Skin sensitisation		1	conciticing		-
Quantitative structure-activity relationship (QSAR			sensitising		-
1.2 Information on other hazards Endocrine disrupting properties Further details		No data a No data a			
ECTION 12: Ecological information	tion				
2.1 Toxicity Aquatic toxicity Ecotoxicological effects: compone	No data availa	ble			
bis(2,2,6,6-tetramethyl-4-piperidy	-	40	mg/l		
acute Daphnia toxicity Daphnia magna (Big water flea)	NOEC (48h) =	4.0	mg/L		
	EC50 (48h) =	8.58	mg/L		
Daphnia magna (Big water flea)	· · · ·		<u>, </u>		

_

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



Item number/ Trade name	78-3287			Print date	06/28/202	:3
Version/ Issue date:		8 / 03/28/2022		Page	7 of	10
Pseudokirchneriella subcapitata						
Ecotoxicological effects: con	<u>iponents</u>					
Amines, polyethylenepoly-, r	eaction products wi	th succinic ar	nhydride polyisobutenyl derivs.			
Fish toxicity:	LL50 (96h) >	1000.0	mg/L			
Oncorhynchus mykiss						
Daphnia toxicity:	EL50 (48h) >	1000.0	mg/L			
Daphnia magna (Big water flea)						
Algae toxicity:	EL50 (96) >	100.0	mg/L			
Pseudokirchneriella subcapitata		-				
Ecotoxicological effects: con	<u>nponents</u>					
C.I. Solvent Blue 63						
Daphnia toxicity:	EC50(48h) >	100.0	mg/L			
Daphnia magna (Big water flea)			•			
Toxicity to microorganisms	EC50(72h) >	100.0	mg/L			

12.2 Persistence and degradability

Pseudokirchneriella subcapitata

Evaluation text	No data available
Degree of elimination	No data available
Analytical method	No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation

Dispose of waste according to applicable legislation. Discharge into the environment must be avoided.

Package

Recommendation

Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



Item number/ Trade name Version/Issue date:	78-3287 8 / 03/28/2022	Print date Page	06/28/2023 8 of 10
SECTION 14: Transport information	ation		
<u>14.1 UN number</u>			
ADR, IATA, IMDG			
14.2 UN proper shipping name			
Product designation: ADR/RID Proper shipping name: IATA-DGR Proper shipping name: IMDG	 		
<u>14.3 Transport hazard class(es)</u>			
Class ADR/RID Classification code ADR/RID			
Class IATA-DGR Subrisk IATA-DGR			
Class IMDG Subrisk IMDG			
14.4 Packing group ADR, IATA, IMDG	No packaging for dangerous goods required		
14.5 Environmental hazards Marine Pollutant - IMDG EmS Stowage and segregation			
14.6 Special precautions for user			
14.7 Maritime transport in bulk acc	cording to IMO instruments		
Additional information EQ Limited quantities			

Limited quantities	
Special Provisions	
Tunnel restriction	
Transport category	
Kemmler-number	
	No dangerous good in sense of these transport regulations.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

78-3287



Print date

Page

06/28/2023

9 of

10

Item number/ Trade name Version/Issue date:

8 / 03/28/2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Germany</u>	
Storage class	11
Water Hazard Class	2
Incident regulation	
Information on working limitations	Observe employment restrictions for young people. Observe employment restrictions for expectant or nursing mothers.

15.2 Chemical Safety Assessment

Chemical Safety Assessment

No substance safety evaluation was conducted with the mixture/ substance.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



Item number/ Trade name Version/Issue date:

78-3287

8 / 03/28/2022

Print date Page

06/28/2023 10 of 10

SECTION 16: Other information

Hazard statements (CLP)

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- H361f Suspected of damaging fertility.

Reason of change General revision

Abbreviations

 REACH	no data, not determined or not applicable Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No. 1907/2006)
OECD	Organisation for Economic Co-operation and Development
LD50	Median lethal dose
LC50	Median lethal concentration
EC50	Median effective dose
IC50	Median inhibitory concentration
VCI	Verband der chemischen Industrie
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
NLP	No Longer Polymers
CLP	Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging
EG	European Union
WGK	water hazard class (according to AwSV, Appendix 1 (5.2))
AGW	Occupational Exposure Limit
ADR	Accord Européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID	Règlement concernant le transport international ferroviaire des machandises dangereuses (Regulation on the international carriage of dangerous goods by rail)
IATA	International Air Transport Association
IMDG	International Martime Dangerous Goods
MARPOL	International Convention for the Prevention of Pollution From Ships (MARine POLlution)
EmS	Emergency Schedules
PBT	persistent, bioaccumulative and toxic
vPvB	very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.