

# **FRUITTY ROSE**

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7/25/2023 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

Product form	: Mixture
Trade name	: FRUITTY ROSE
UFI	: 1TN2-U49A-M00F-YXTR
Product code	: Parf_Fruitty_Rose
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	:	Professional use, Industrial use
Industrial/Professional use spec	:	Industrial
		For professional use only
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626 contact@kitlumanari.ro | www.kitlumanari.ro

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

### 2.2. Label elements



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: Aldehyde C-16; Orange oil ; Hexyl salicylate; Cyclamal; Geraniol; Nerol; Citronellol Pure;
	Helional; Triplal (Vertocitral); Floralozone; Bourgeonal; delta-Damascone; Melonal
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	10 – 19.9925	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	6.6 – 13.2731	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	3 – 5.9065	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	2.7 – 5.498	Acute Tox. 4 (Oral), H302
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	2 – 3.9819	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dimethylbenzyl carbinyl acetate(DMBCA)	CAS-No.: 151-05-3 EC-No.: 205-781-3	1.7 – 3.3846	Aquatic Chronic 3, H412

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	1.7 – 3.3183	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	1.3 – 2.6546	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	1.3 – 2.6546	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	1 – 1.991	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Diethyl malonate	CAS-No.: 105-53-3 EC-No.: 203-305-9 REACH-no: 01-2119886972- 18	1 – 1.991	Eye Irrit. 2, H319
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.6 – 1.62596	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Aldehyde C-14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0.8 – 1.5928	Aquatic Chronic 3, H412
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.636 – 1.41564	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.36 – 1.1614	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.5 – 1.0618	Aquatic Chronic 3, H412
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.4 – 0.8627	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Undecavertol	CAS-No.: 81782-77-6 EC-No.: 279-815-0	0.4 – 0.7964	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.3 – 0.5973	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.3 – 0.5973	Not classified
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0.3 – 0.5309	Acute Tox. 4 (Oral), H302
bourgeonal	CAS-No.: 18127-01-0 EC-No.: 242-016-2	0.2 - 0.4998	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.2 – 0.3318	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Melonal	CAS-No.: 106-72-9 EC-No.: 203-427-2	0.1 – 0.2655	Skin Sens. 1B, H317
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.1 – 0.2655	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.012 – 0.069684	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.
First-aid measures after skin contact	: If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Irritation. May cause an allergic skin reaction.</li> <li>Eye irritation.</li> </ul>

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective ed	quipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material. Store away from other materials.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage,	including any incompatibilities
Storage conditions	: Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA 5 mg/m <sup>3</sup>		
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA) 40 mg/m <sup>3</sup>		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1] 45 mg/m <sup>3</sup>		
HTP (OEL TWA) [2]	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	22 mg/m $^{\rm s}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category Skin notation		
Latvia - Occupational Exposure Limits		
OEL TWA 5 mg/m <sup>3</sup>		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m <sup>3</sup>		
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA) 240 mg/m <sup>3</sup>		
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m <sup>3</sup>	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	

Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1] 22 mg/m <sup>3</sup> (aerosol, vapour)		
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
DEL TWA	32 mg/m³ (vapor and aerosol)	
DEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
reland - Occupational Exposure Limits		
DEL TWA [2]	5 ppm	
DEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
DEL TWA [ppm]	5 ppm (inhalable fraction; vapor)	
DEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
DEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
DEL TWA	62 mg/m <sup>3</sup>	
DEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
DEL TWA [1]	TWA [1] 61 mg/m <sup>3</sup>	
DEL TWA [2]	10 ppm	
DEL STEL	122 mg/m³	
EL STEL [ppm] 20 ppm		
reland - Occupational Exposure Limits		
DEL TWA [2]	10 ppm	
DEL STEL [ppm]	30 ppm (calculated)	

Benzyl acetate (140-11-4)		
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits	·	
OEL TWA [ppm]	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
OEL TWA [ppm]	8 ppm	
OEL STEL	80 mg/m³	
OEL STEL [ppm]	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1] 62 mg/m <sup>3</sup>		
VLA-ED (OEL TWA) [2]	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	TWA [ppm] 10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Ethyl acetoacetate (141-97-9)		
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
OEL TWA [ppm]	19 ppm	
OEL STEL	200 mg/m <sup>3</sup>	
OEL STEL [ppm]	38 ppm	
Benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	4.4 mg/m³	
HTP (OEL TWA) [2]	1 ppm	
HTP (OEL C)	17.4 mg/m <sup>3</sup>	
HTP (OEL C) [ppm]]	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	AK (OEL TWA) 5 mg/m <sup>3</sup>	
CK (OEL STEL)	10 mg/m <sup>3</sup>	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	

Benzaldehyde (100-52-7)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	40 mg/m <sup>3</sup>	
Camphor (76-22-2)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	13 mg/m³	
MAK (OEL TWA) [ppm]	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	12 mg/m <sup>3</sup>	
OEL TWA [ppm]	2 ppm	
OEL STEL	19 mg/m³	
OEL STEL [ppm]	3 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
OEL STEL	18 mg/m <sup>3</sup>	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	13 mg/m <sup>3</sup>	
GVI (OEL TWA) [2]	2 ppm	
KGVI (OEL STEL)	19 mg/m³	
KGVI (OEL STEL) [ppm]	3 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1] 12 mg/m <sup>3</sup>		
OEL TWA [2]	2 ppm	
OEL STEL	24 mg/m <sup>3</sup>	
OEL STEL [ppm]	4 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	1.9 mg/m <sup>3</sup>	
HTP (OEL TWA) [2]	0.3 ppm	
HTP (OEL STEL)	5.7 mg/m <sup>3</sup>	
HTP (OEL STEL) [ppm]	0.9 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	12 mg/m³	
VME (OEL TWA) [ppm]	2 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	12 mg/m³ (inhalable fraction)	
OEL STEL	18 mg/m³	

Camphor (76-22-2)		
Ireland - Occupational Exposure Limits		
OEL TWA [1]	12 mg/m³	
OEL TWA [2]	2 ppm	
OEL STEL	18 mg/m³	
OEL STEL [ppm]	3 ppm	
Lithuania - Occupational Exposure Limits	·	
IPRV (OEL TWA)	3 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	12 mg/m³	
NDSCh (OEL STEL)	18 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	2 ppm	
OEL STEL [ppm]	3 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	1 mg/m <sup>3</sup>	
OEL TWA [ppm]	6 ppm	
OEL STEL	3 mg/m <sup>3</sup>	
OEL STEL [ppm]	18 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	13 mg/m³	
NPHV (OEL TWA) [2]	2 ppm	
NPHV (OEL C)	26 mg/m³	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	13 mg/m³	
VLA-ED (OEL TWA) [2]	2 ppm	
VLA-EC (OEL STEL)	19 mg/m³	
VLA-EC (OEL STEL) [ppm]	3 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	13 mg/m <sup>3</sup>	
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	19 mg/m <sup>3</sup>	
EL STEL (OEL STEL) [ppm] 3 ppm		
Norway - Occupational Exposure Limits		
renseverdi (OEL TWA) [1] 12 mg/m <sup>3</sup>		
Grenseverdi (OEL TWA) [2]	2 ppm	
Korttidsverdi (OEL STEL)	18 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	4 ppm (value calculated)	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Camphor (76-22-2)		
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1] 13 mg/m <sup>3</sup> (aerosol, vapour)		
MAK (OEL TWA) [2] 2 ppm (aerosol, vapour)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm] 2 ppm (synthetic)		
ACGIH OEL STEL [ppm]	3 ppm (synthetic)	
ACGIH chemical category	H chemical category Not Classifiable as a Human Carcinogen synthetic	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Environmental exposure controls:** Avoid release to the environment.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Other information:

Do not eat, drink or smoke during use.

**SECTION 9: Physical and chemical properties** 

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 74 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 0.98
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified			
Benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg		
Aldehyde C-16 (77-83-8)			
LD50 oral rat	5470 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
Orange oil (8008-57-9)			
LD50 oral rat	4400 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)		
LD50 oral rat	1320 mg/kg		
LD50 dermal rat > 2000 mg/kg			
Hexyl salicylate (6259-76-3)			
LD50 oral rat	> 5 g/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)			
D50 oral rat 3300 mg/kg			
LD50 oral	3300 mg/kg bodyweight		
Cyclamal (103-95-7)			
LD50 oral rat	3810 mg/kg		
LD50 oral	3810 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg		
Benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg		
LD50 oral	1620 mg/kg bodyweight		
D50 dermal 2500 mg/kg bodyweight			
Cedarwood oil, Virginia (8000-27-9)			
LD50 oral rat > 5 g/kg			
Geraniol (106-24-1)			
LD50 oral rat	3600 mg/kg		
LD50 oral	D50 oral 3600 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg		

LBG0 onl rat4600 mg/kg bodyweightLDG0 onl4500 mg/kg bodyweightLDG0 onl rabbit9 kg hadChronellor Pure (106-22-9)4500 mg/kgLDS0 onl rat4500 mg/kg hadLDS0 onl rat4500 mg/kg hadLDS0 onl rat2600 mg/kgLDS0 onl rat2600 mg/kgLDS0 onl rat2600 mg/kgLDS0 onl rat4800 mg/kg hadLDS0 onl rat4800 mg/kgLDS0 onl rat4800 mg/kgLDS0 onl rat4800 mg/kgLDS0 onl rat14000 m/kgLDS0 onl rat14000 m/kgLDS0 onl rat14000 mg/kgLDS0 onl rat14000 mg/kgLDS0 onl rat1500 mg/kgLDS0 onl rat2400 mg/kg hadLDS0 onl rat1500 mg/kgLDS0 onl rat1500 mg/kgLDS0 onl rat3900 mg/kg had/weightLDS0 onl rat3900 mg/kg had/weightLDS0 onl rat1222 mg/kgLDS0 onl rat1222 mg/kgLDS0 onl rat1222 mg/kgLDS0 onl rat1222 mg/kgLDS0 onl rat1220 mg/kgLDS0 onl rat1220 mg/kgLDS0 onl rat1220 mg/kgLDS0 onl rat1200 mg/kg had/weightLDS0 onl rat1200 mg/kg had/weightLDS0 onl rat120	Nerol (106-25-2)		
LD50 demai rabbit> 5 g/kgCitroneliol Pure (106-22-9)LD50 oral rat3450 mg/kg DodyweightLD50 oral rat3450 mg/kg DodyweightLD50 demai rabbit2550 mg/kg DodyweightLD50 demai rabbit2550 mg/kg DodyweightCitral (5392-40-5)LD50 demai rabbit2550 mg/kgLD50 demai rabbit4 000 mg/kgCitral (5392-40-5)LD50 demai rabbit2 000 mg/kgDiethyl malonate (105-63-3)LD50 oral rat1 000 µl/kgLD50 oral rat1 0500 mg/kgColspan="2">Colspan="2"Colspan="2">Colspan="2" <td>LD50 oral rat</td> <td>4500 mg/kg</td>	LD50 oral rat	4500 mg/kg	
Circonelio Pure (196-22-9)LD50 onal rat3450 mg/kgLD50 foral3450 mg/kg bodywightLD50 dermal rabbit2550 mg/kg bodywightLD50 dermal rabbit2550 mg/kg dodywightLD50 dermal rabbit2550 mg/kg dodywightLD50 dermal rabbit2550 mg/kg dodywightLD50 dermal rabbit2550 mg/kg dodywightLD50 dermal rabbit2500 mg/kgHellonal (1205-17-0)2500 mg/kgLD50 dermal rabbit2500 mg/kgDiothyl matonato (105-63-3)2400 mg/kgLD50 dermal rabbit> 10500 mg/kgLD50 dermal rabbit2600 mg/kgAldehyde C-14 (104-67-6)2500 mg/kgLD50 dermal rabbit2500 mg/kgLD50 dermal rabbit2500 mg/kgLD50 dermal rabbit2500 mg/kgLD50 dermal ratbit2500 mg/kgLD50 dermal rabbit3000 mg/kg bodywightLD50 dermal rabbit3000 mg/kgLD50 dermal rabbit3000 mg/kgLD50 dermal rabbit3000 mg/kgLD50 dermal rabbit3000 mg	LD50 oral	4500 mg/kg bodyweight	
LD50 oral rat4450 mg/kg bodyweightLD50 oral3450 mg/kg bodyweightLD50 dermal rabbit2500 mg/kgCitral (5392-40-5)4960 mg/kgLD50 oral rat4960 mg/kgLD50 oral rat250 mg/kgLD50 oral rat250 mg/kgLD50 oral rat250 mg/kgLD50 oral rat9400 mg/kgLD50 oral rat14900 mg/kgDiothyl malonate (105-53-3)1500 mg/kgLD50 oral rat14900 mg/kgLD50 oral rat14900 mg/kgLD50 oral rat16900 mg/kgLD50 oral rat2400 mg/kgLD50 oral rat2400 mg/kgLD50 oral rat2400 mg/kgLD50 oral rat3000 mg/kg bodyweightLD50 oral rat1922 mg/kgLD50 oral rat1922 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat1922 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat25	LD50 dermal rabbit	> 5 g/kg	
L050 oral         3450 mg/kg bodyweight           L050 demal rabbit         2650 mg/kg bodyweight           L050 demal rabbit         2650 mg/kg bodyweight           Citral (5392-40-5)         250 mg/kg bodyweight           L050 oral rat         4960 mg/kg           L050 demal rabbit         250 mg/kg bodyweight           L050 oral rat         4960 mg/kg           L050 demal rabbit         > 2000 mg/kg           Dictryl malonato (105-53-3)         14900 µl/kg           L050 demal rabbit         > 69800 mg/kg           L050 demal rabbit         > 69800 mg/kg           L050 demal rabbit         > 69800 mg/kg           L050 demal rabbit         > 2000 mg/kg			
LDS0 demal rabbi2680 mg/kgLDS0 demal2680 mg/kg bodyweightCitral (5392-40-5)4960 mg/kgLDS0 demal rabbi4960 mg/kgLDS0 demal rabbit2500 mg/kgHelional (1205-17-0)> 2000 mg/kgDiothyi maionate (105-53-3)19600 mg/kgLDS0 demal rabbit> 19690 mg/kgLDS0 demal rabbit> 19690 mg/kgLDS0 demal rabbit> 19690 mg/kgLDS0 demal rabbit> 2000 mg/kgBerzyl acetate (140-47-6)18500 mg/kgLDS0 demal rabbit> 2000 mg/kgBerzyl acetate (140-11-4)2490 mg/kg DodyweightLDS0 demal rabbit> 5000 mg/kgBooral rat2490 mg/kg DodyweightLDS0 demal rabbit> 5000 mg/kgBrozyl acetate (140-11-4)2490 mg/kg DodyweightLDS0 demal rabbit> 5000 mg/kgBrozyl acetate (140-11-4)2490 mg/kg DodyweightLDS0 demal rabbit> 5000 mg/kgTripial (Vertocitral) (6803-49-6)2490 mg/kg DodyweightLDS0 demal rabbit> 5000 mg/kgBrozyl acetate (141-97-9)2492 mg/kgLDS0 demal rabbit> 5000 mg/kgBrozolari at2500 mg/kgBrozolari at2500 mg/kgLDS0 demal rabbit> 5000 mg/kgBrozolari at2500 mg/kgBrozolari at Dist> 5000 mg/kgBrozolari at Dist> 5000 mg/kgBrozolari at Dist> 2500 mg/kgLDS0 demal rabbit> 2500 mg/kgBrozolari at Dist> 2500 mg/kgLDS0 demal rabbit> 2500 mg/kg	LD50 oral rat	3450 mg/kg	
LD50 dermal         2650 mg/kg bodyweight           Citral (5392-40-5)         4980 mg/kg           LD50 dermal rabbit         2250 mg/kg           Helional (1205-17-0)         2000 mg/kg           Didbyl malonata (105-53-3)         1900 µ/kg           LD50 dermal rabbit         > 2000 mg/kg           Didbyl malonata (105-53-3)         1900 µ/kg           LD50 dermal rabbit         > 16960 mg/kg           LD50 dermal rabbit         > 16960 mg/kg           LD50 dermal rabbit         > 2000 mg/kg           Borayl actata (104-67-6)         18500 mg/kg           LD50 dermal rabbit         > 2000 mg/kg           Borayl acetata (140-11-4)         18500 mg/kg           LD50 dermal rabbit         > 2000 mg/kg           D50 oral rat         2490 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           D50 oral rat         2490 mg/kg           LD50 oral rat         2490 mg/kg           LD50 oral rat         2490 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           D50 oral rat         2490 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           D50 oral rat         2490 mg/kg           LD50 dermal rabbit         > 50000 mg/kg           D50 ora	LD50 oral	3450 mg/kg bodyweight	
Citral (5392-40-5)           LD50 oral rat         4960 mg/kg           LD50 dermal rabbit         2250 mg/kg           Helional (1205-17-0)            LD50 dermal rabbit         > 2000 mg/kg           Diethyl malonate (105-53-3)            LD50 oral rat         14900 µl/kg           LD50 dermal rabbit         > 19960 mg/kg           LD50 oral rat         14900 µl/kg           LD50 oral rat         18500 mg/kg           LD50 oral rat         18500 mg/kg           LD50 oral rat         2000 mg/kg           Benzyl acetate (140-17-6)            LD50 oral rat         2490 mg/kg           LD50 oral rat         2490 mg/kg bodyweight           LD50 oral rat         2490 mg/kg bodyweight           LD50 oral rat         3900 mg/kg bodyweight           LD50 oral rat         2490 mg/kg           LD50 oral rat         2500 mg/kg           LD50 oral rat         21292	LD50 dermal rabbit	2650 mg/kg	
LDS0 oral rat4960 mg/kgLD60 dermal rabbit250 mg/kgHelional (1205-17-0)LD50 dermal rabbit> 2000 mg/kgDietnyl malonate (105-53-3)LD50 oral rat14900 µl/kgLD50 dermal rabbit> 16960 mg/kgAldehyde C-14 (104-67-6)LD50 oral rat18500 mg/kgLD50 oral rat18500 mg/kgLD50 oral rat2000 mg/kgBerzyl acetate (140-11-4)LD50 oral rat2490 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2900 mg/kgLD50 oral rat2900 mg/kgLD50 oral rat2920 mg/kgLD50 oral rat2900 mg/kg <td>LD50 dermal</td> <td>2650 mg/kg bodyweight</td>	LD50 dermal	2650 mg/kg bodyweight	
LD50 dermal rabbit     2250 mg/kg       Helional (1205-17-0)     2000 mg/kg       Diethyl malonato (105-53-3)     14900 µl/kg       LD50 dermal rabbit     14900 µl/kg       LD50 dermal rabbit     > 16860 mg/kg       Aldehyde C-14 (104-67-6)     1500 mg/kg       LD50 dermal rat     16500 mg/kg       Borzyl acetae (140-11-4)     2000 mg/kg       LD50 dermal rat     2490 mg/kg       LD50 dermal ratbit     2490 mg/kg       LD50 dermal rabbit     900 mg/kg bodyweight       LD50 dermal rabbit     900 mg/kg bodyweight       LD50 dermal rabbit     900 mg/kg       Ethyl acetoacetate (141-97-9)     1000 mg/kg       LD50 dermal rabbit     900 mg/kg       LD50 dermal rabbit     900 mg/kg       LD50 dermal rabbit     9100 mg/kg       LD50 dermal rabbit     1292 mg/kg       LD50 der	Citral (5392-40-5)		
Helional (1205-17-0)         LD50 dermal rabbit       > 2000 mg/kg         Diethyl malonate (105-53-3)         LD50 oral rat       14900 µl/kg         LD50 oral rat       14900 µl/kg         LD50 oral rat       14900 µl/kg         LD50 oral rat       16960 mg/kg         Aldehyde C-14 (104-67-6)       1550 oral/kg         LD50 oral rat       18500 mg/kg         LD50 oral rat       2400 mg/kg         LD50 oral rat       2490 mg/kg         LD50 oral rat       2490 mg/kg bodyweight         LD50 oral rat       2490 mg/kg bodyweight         LD50 oral rat       3900 mg/kg         LD50 oral rat       3900 mg/kg         LD50 oral rat       1292 mg/kg         LD50 oral rat       2700 mg/kg         LD50 oral rat       25	LD50 oral rat	4960 mg/kg	
LD50 dermal rabbit       > 2000 mg/kg         Diethyl malonate (105-53-3)       14900 µl/kg         LD50 dermal rabbit       > 16960 mg/kg         Aldehyde C-14 (104-67-6)       1500 oral rat         LD50 dermal rabbit       > 2000 mg/kg         LD50 dermal rat       18600 mg/kg         LD50 dermal rat       2400 mg/kg         LD50 oral rat       2490 mg/kg         LD50 oral rat       3900 mg/kg         LD50 oral rat       3900 mg/kg         LD50 oral rat       292 mg/kg         LD50 oral rat       1292 mg/kg         LD50 oral rat       1292 mg/kg         LD50 oral rat       2700 mg/kg         LD50 oral rat       2700 mg/kg         LD50 oral rat       2500 mg/kg bodyweight         LD50 oral rat       2700 mg/kg         LD50 oral rat	LD50 dermal rabbit	2250 mg/kg	
Diethyl malonate (105-53-3)           LD50 oral rat         14900 µl/kg           LD50 dermal rabbit         > 16960 mg/kg           Aldehyde C-14 (104-67-6)            LD50 oral rat         18500 mg/kg           D50 dermal rabbit         > 2000 mg/kg           Benzyl acetate (140-11-4)         2490 mg/kg           LD50 oral rat         2490 mg/kg bodyweight           LD50 oral rat         2490 mg/kg bodyweight           LD50 oral rat         3900 mg/kg           D50 oral rat         3900 mg/kg           LD50 oral rat         1922 mg/kg           LD50 oral rat         1292 mg/kg           LD50 oral rat         1290 mg/kg           LD50 oral rat         2700 mg/kg           LD50 oral rat         2500 m	Helional (1205-17-0)		
LD50 oral rat14900 µl/kgLD50 dermal rabbit> 16960 mg/kgAtdehyde C-14 (104-67-6)18500 mg/kgLD50 oral rat18500 mg/kgBenzyl acetate (140-11-4)24000 mg/kgLD50 oral rat2490 mg/kgLD50 oral rat2490 mg/kgLD50 oral rat5000 mg/kg bodyweightLD50 oral rat9000 mg/kg bodyweightLD50 oral rat9000 mg/kg bodyweightLD50 oral rat9000 mg/kg bodyweightLD50 oral rat9000 mg/kg bodyweightLD50 oral rat9800 mg/kg bodyweightLD50 oral rat19800 mg/kgEthyl acetoacetate (141-97-9)9800 mg/kgLD50 oral rat19800 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat2100 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 oral ratbit> 5 g/kgCH14-Damascone (57378-68-4)-	LD50 dermal rabbit	> 2000 mg/kg	
LD50 dermal rabbit       > 16960 mg/kg         Aldehyde C-14 (104-67-6)       18500 mg/kg         LD50 oral rat       18500 mg/kg         Benzyl acetate (140-11-4)       > 2000 mg/kg         LD50 oral rat       2490 mg/kg bodyweight         LD50 oral rat       2490 mg/kg bodyweight         LD50 oral rabbit       > 5000 mg/kg bodyweight         LD50 oral rat       3900 mg/kg bodyweight         Ethyl acetoacetate (141-97-9)       Ethyl acetoacetate (141-97-9)         LD50 oral rat       3980 mg/kg         LD50 oral rat       1292 mg/kg         LD50 oral rat       2700 mg/kg         bourgeonal (18127-01-0)       2700 mg/kg         LD50 oral rat       2700 mg/kg bodyweight         LD50 oral rat       2500 mg/kg bodyweight         LD50 oral rat       2700 mg/kg         LD50 oral rat       5 g/kg	Diethyl malonate (105-53-3)		
Aidehyde C-14 (104-67-6)LD50 oral rat18500 mg/kgLD50 oral rat> 2000 mg/kgBenzyl acetate (140-11-4)2490 mg/kgLD50 oral rat2490 mg/kg bodyweightLD50 oral rat2490 mg/kg bodyweightLD50 oral rat3000 mg/kg bodyweightLD50 oral rat3000 mg/kgLD50 oral rat3000 mg/kg bodyweightLD50 oral rat3000 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightLD50 oral rat3980 mg/kgLD50 oral rat2980 mg/kgLD50 oral rat2920 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 oral rabbit> 5 g/kgdefta-Damascone (67378-68-4)-	LD50 oral rat	14900 µl/kg	
LD50 oral rat18500 mg/kgLD50 dermal rat> 2000 mg/kgBenzyl acetate (140-11-4)2490 mg/kgLD50 oral rat2490 mg/kg bodyweightLD50 oral rat2490 mg/kg bodyweightLD50 oral> 5000 mg/kgTriplal (Vertocitral) (68039-49-6)Joon mg/kg bodyweightLD50 oral3900 mg/kg bodyweightEthyl acetoacetate (141-97-9)Joon mg/kg bodyweightLD50 oral rat3980 mg/kgLD50 oral rat3980 mg/kgLD50 oral rat1920 mg/kgLD50 oral rat1920 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat2100 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat2500 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 oral rat2500 mg/kg bodyweight	LD50 dermal rabbit	> 16960 mg/kg	
LD50 dermal rat       > 2000 mg/kg         Benzyl acetate (140-11-4)       2490 mg/kg         LD50 oral rat       2490 mg/kg bodyweight         LD50 oral       2490 mg/kg bodyweight         LD50 dermal rabbit       > 5000 mg/kg         Triplal (Vertocitral) (68039-49-6)       Joon mg/kg bodyweight         LD50 oral       3900 mg/kg bodyweight         Ethyl acetoacetate (141-97-9)       Joon mg/kg         LD50 oral rat       3980 mg/kg         LD50 oral rat       3980 mg/kg         LD50 oral rat       1980 mg/kg         LD50 oral rat       2900 mg/kg         Benzaldehyde (100-52-7)       Joon mg/kg         LD50 oral rat       1292 mg/kg         LD50 oral rat       1292 mg/kg         LD50 oral rat       2700 mg/kg         LD50 oral rat       2500 mg/kg bodyweight         LD50 oral rat       2500 mg/kg bodyweight         LD50 oral rat       2500 mg/kg bodyweight	Aldehyde C-14 (104-67-6)		
Benzyl acetate (140-11-4)           LD50 oral rat         2490 mg/kg           LD50 oral rat         2490 mg/kg bodyweight           LD50 dermal rabbit         > 5000 mg/kg           Tripial (Vertocitral) (68039-49-6)         Ethyl acetoacetate (141-97-9)           LD50 oral rat         3900 mg/kg bodyweight           Ethyl acetoacetate (141-97-9)         Ethyl acetoacetate (141-97-9)           LD50 oral rat         3980 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Ebo oral rat         1292 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Benzaldehyde (100-52-7)         Ethyl acetoacetate (18127-01-0)           LD50 oral rat         1292 mg/kg           LD50 oral rat         2700 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           LD50 oral rat         2500 mg/kg bodyweight           LD50 oral rat         2500 mg/kg           LD50 oral rat         2500 mg/kg bodyweight           LD50 oral rat         5 g/kg	LD50 oral rat	18500 mg/kg	
LD50 oral rat2490 mg/kgLD50 oral2490 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kgTriplal (Vertocitral) (68039-49-6)Triplal (Vertocitral) (68039-49-6)LD50 oral3900 mg/kg bodyweightEthyl acetoacetate (141-97-9)Triplal (Vertocitral) (68039-49-6)LD50 oral rat3980 mg/kgLD50 oral rat3980 mg/kgLD50 oral rat1980 mg/kgLD50 oral rat2980 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 oral rat2500 mg/kg bodyweight	LD50 dermal rat	> 2000 mg/kg	
LD50 oral2490 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kgTriplal (Vertocitral) (68039-49-6)3900 mg/kg bodyweightLD50 oral3900 mg/kg bodyweightEthyl acetoacetate (141-97-9)1000 mg/kgLD50 oral rat3980 mg/kgLD50 dermal rabbit> 5000 mg/kgBenzaldehyde (100-52-7)1292 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat1292 mg/kgLD50 dermal rabbit> 1250 mg/kgbourgeonal (18127-01-0)1250 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 oral rat2500 mg/kgdelta-Damascone (57378-68-4)> 5 g/kg	Benzyl acetate (140-11-4)		
LD50 dermal rabbit> 5000 mg/kgTriplal (Vertocitral) (68039-49-6)LD50 oral3900 mg/kg bodyweightEthyl acetoacetate (141-97-9)LD50 oral rat3980 mg/kgLD50 dermal rabbit> 5000 mg/kgBenzaldehyde (100-52-7)LD50 oral rat1292 mg/kgLD50 oral rat2150 mg/kgD50 oral rat2150 mg/kgLD50 oral rat1292 mg/kgLD50 oral rat2150 mg/kgLD50 oral rat2700 mg/kgbourgeonal (18127-01-0)2700 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 oral rat2500 mg/kg bodyweightLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 oral rat2500 mg/kg bodyweightD50 oral rat2500 mg/kg bodyweightLD50 rat rat2500 mg/kg bodyweight	LD50 oral rat	2490 mg/kg	
Triplal (Vertocitral) (68039-49-6)         LD50 oral       3900 mg/kg bodyweight         Ethyl acetoacetate (141-97-9)         LD50 oral rat       3980 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Benzaldehyde (100-52-7)       1292 mg/kg         LD50 dermal rabbit       > 1250 mg/kg         D50 dermal rabbit       > 1250 mg/kg         LD50 oral rat       2700 mg/kg         LD50 oral rat       2500 mg/kg bodyweight         LD50 oral rat       2500 mg/kg bodyweight         LD50 dermal rabbit       > 5 g/kg	LD50 oral	2490 mg/kg bodyweight	
LD50 oral       3900 mg/kg bodyweight         Ethyl acetoacetate (141-97-9)         LD50 oral rat       3980 mg/kg         LD50 dermal rabbit       > 5000 mg/kg         Benzaldehyde (100-52-7)       2000 mg/kg         LD50 oral rat       1292 mg/kg         LD50 dermal rabbit       > 1250 mg/kg         LD50 oral rat       1292 mg/kg         LD50 dermal rabbit       > 1250 mg/kg         D50 oral rat       2700 mg/kg         LD50 oral rat       2700 mg/kg         LD50 oral rat       5 g/kg         LD50 dermal rabbit       > 5 g/kg	LD50 dermal rabbit	> 5000 mg/kg	
Ethyl acetoacetate (141-97-9)LD50 oral rat3980 mg/kgLD50 dermal rabbit> 5000 mg/kgBenzaldehyde (100-52-7)LD50 oral rat1292 mg/kgLD50 dermal rabbit> 1292 mg/kgLD50 dermal rabbit> 1250 mg/kgbourgeonal (18127-01-0)2700 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 dermal rabbit> 5 g/kg	Triplal (Vertocitral) (68039-49-6)		
LD50 oral rat         3980 mg/kg           LD50 dermal rabbit         > 5000 mg/kg           Benzaldehyde (100-52-7)         I292 mg/kg           LD50 oral rat         1292 mg/kg           LD50 dermal rabbit         > 1250 mg/kg           D50 dermal rabbit         > 1250 mg/kg           LD50 oral rat         2700 mg/kg           LD50 oral rat         2700 mg/kg           LD50 oral rat         5 000 mg/kg bodyweight           LD50 oral rat         5 g/kg	LD50 oral	3900 mg/kg bodyweight	
LD50 dermal rabbit> 5000 mg/kgBenzaldehyde (100-52-7)1292 mg/kgLD50 oral rat1292 mg/kgLD50 dermal rabbit> 1250 mg/kgbourgeonal (18127-01-0)2700 mg/kgLD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 dermal rabbit> 5 g/kgdelta-Damascone (57378-68-4)	Ethyl acetoacetate (141-97-9)		
Benzaldehyde (100-52-7)       LD50 oral rat     1292 mg/kg       LD50 dermal rabbit     > 1250 mg/kg       bourgeonal (18127-01-0)     2700 mg/kg       LD50 oral rat     2700 mg/kg       LD50 oral rat     2500 mg/kg bodyweight       LD50 dermal rabbit     > 5 g/kg	LD50 oral rat	3980 mg/kg	
LD50 oral rat1292 mg/kgLD50 dermal rabbit> 1250 mg/kgbourgeonal (18127-01-0)LD50 oral rat2700 mg/kgLD50 oral rat2500 mg/kg bodyweightLD50 dermal rabbit> 5 g/kgdelta-Damascone (57378-68-4)-	LD50 dermal rabbit	> 5000 mg/kg	
LD50 dermal rabbit     > 1250 mg/kg       bourgeonal (18127-01-0)     2700 mg/kg       LD50 oral rat     2700 mg/kg       LD50 oral     2500 mg/kg bodyweight       LD50 dermal rabbit     > 5 g/kg	Benzaldehyde (100-52-7)		
bourgeonal (18127-01-0)         LD50 oral rat       2700 mg/kg         LD50 oral       2500 mg/kg bodyweight         LD50 dermal rabbit       > 5 g/kg         delta-Damascone (57378-68-4)       -	LD50 oral rat 1292 mg/kg		
LD50 oral rat     2700 mg/kg       LD50 oral     2500 mg/kg bodyweight       LD50 dermal rabbit     > 5 g/kg	LD50 dermal rabbit	> 1250 mg/kg	
LD50 oral     2500 mg/kg bodyweight       LD50 dermal rabbit     > 5 g/kg       delta-Damascone (57378-68-4)	bourgeonal (18127-01-0)		
LD50 dermal rabbit > 5 g/kg delta-Damascone (57378-68-4)	LD50 oral rat	2700 mg/kg	
delta-Damascone (57378-68-4)	LD50 oral	2500 mg/kg bodyweight	
	LD50 dermal rabbit	> 5 g/kg	
LD50 oral 1400 mg/kg bodyweight	delta-Damascone (57378-68-4)		
	LD50 oral	1400 mg/kg bodyweight	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Melonal (106-72-9)		
LD50 oral rat	> 5 g/kg	
Camphor (76-22-2)		
D50 oral 1500 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
Serious eye damage/irritation:Respiratory or skin sensitisation:Germ cell mutagenicity:Carcinogenicity:	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
	Not classified Not classified	
Camphor (76-22-2)		
STOT-single exposure	May cause damage to organs.	
STOT-repeated exposure :	Not classified	
bourgeonal (18127-01-0)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard :	Not classified	
Benzyl benzoate (120-51-4)		
Viscosity, kinematic	cosity, kinematic 7.456 mm²/s	
Orange oil (8008-57-9)		
Hydrocarbon	Yes	
11.2. Information on other hazards		

## 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and	:	Based on available data, the classification criteria are not met
symptoms		

## **SECTION 12: Ecological information**

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
Diethyl malonate (105-53-3)	
LC50 - Fish [1]	10.3 – 13.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	202.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	508.2 mg/l (Species: Desmodesmus subspicatus)
Aldehyde C-14 (104-67-6)	
LC50 - Fish [1]	569 mg/l 96 h
EC50 - Crustacea [1]	5.85 mg/l 48 h
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h
Ethyl acetoacetate (141-97-9)	
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
Benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
12.2. Persistence and degradability	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

Bioaccumulative potential       Not established.         Benzyl benzoate (120-51-4)         Partition coefficient n-octanol/water (Log Pow)       3.97 (at 25 °C)         Bioaccumulative potential       Not established.         Aldehyde C-16 (77-83-8)       Partition coefficient n-octanol/water (Log Pow)       2.4 (at 25 °C (cis isomer)         Oxypheyton (Raspberry ketone) crystals (5471-51-2)       Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)       Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)       Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)         Cyclamal (103-95-7)       Partition coefficient n-octanol/water (Log Pow)       3.4 (at 35 °C)       Benzyl alcohol (100-51-6)         Partition coefficient n-octanol/water (Log Pow)       1.05       Geraniol (106-24-1)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)       Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)       Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 30 °C (at pH 6.5)       Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)       Citronellol Pure (106-22-9)         Partition coe	12.3. Bioaccumulative potential		
Benzyl benzoate (120-51-4)         Partition coefficient n-octanol/water (Log Pow)       3.97 (at 25 °C)         Bioaccumulative potential       Not established.         Aldehyde C-16 (77-83-8)       Partition coefficient n-octanol/water (Log Pow)       2.4 (at 25 °C (cis isomer)         Oxypheylon (Raspberry ketone) crystals (5471-51-2)       Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)       Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)       Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Partition coefficient n-octanol/water (Log Pow)       3.97 (at 25 °C)         Bioaccumulative potential       Not established.         Atdehyde C-16 (77-83-8)       Partition coefficient n-octanol/water (Log Pow)       2.4 (at 25 °C (cis isomer)         Oxypheylon (Raspberry ketone) crystals (5471-51-2)       Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)       Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)       Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Bioaccumulative potential       Not established.         Aldehyde C-16 (77-83-8)       Partition coefficient n-octanol/water (Log Pow)       2.4 (at 25 °C (cis isomer)         Oxypheylon (Raspberry ketone) crystals (5471-51-2)       Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)       Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)       Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Aldehyde C-16 (77-83-8)         Partition coefficient n-octanol/water (Log Pow)       2.4 (at 25 °C (cis isomer)         Oxypheylon (Raspberry ketone) crystals (5471-51-2)         Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)         Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)         Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Partition coefficient n-octanol/water (Log Pow)       2.4 (at 25 °C (cis isomer)         Oxypheylon (Raspberry ketone) crystals (5471-51-2)         Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)         Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)         Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Oxypheylon (Raspberry ketone) crystals (5471-51-2)         Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)         Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)         Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Partition coefficient n-octanol/water (Log Pow)       1.33 (at 20 °C)         Hexyl salicylate (6259-76-3)         Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)         Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Hexyl salicylate (6259-76-3)         Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)         Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Partition coefficient n-octanol/water (Log Pow)       5.5 (at 30 °C (at pH 7)         Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)         Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)         Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Partition coefficient n-octanol/water (Log Pow)       3.64 (at 25 °C (at pH >6-<7)			
Cyclamal (103-95-7)         Partition coefficient n-octanol/water (Log Pow)       3.4 (at 35 °C)         Benzyl alcohol (100-51-6)         Partition coefficient n-octanol/water (Log Pow)       1.05         Geraniol (106-24-1)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)         Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Partition coefficient n-octanol/water (Log Pow)       3.4 (at 35 °C)         Benzyl alcohol (100-51-6)         Partition coefficient n-octanol/water (Log Pow)       1.05         Geraniol (106-24-1)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)         Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Benzyl alcohol (100-51-6)         Partition coefficient n-octanol/water (Log Pow)       1.05         Geraniol (106-24-1)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)         Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Partition coefficient n-octanol/water (Log Pow)       1.05         Geraniol (106-24-1)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)         Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Geraniol (106-24-1)         Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)         Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Partition coefficient n-octanol/water (Log Pow)       2.6 (at 25 °C)         Nerol (106-25-2)       Partition coefficient n-octanol/water (Log Pow)         2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)         3.41 (at 25 °C)			
Nerol (106-25-2)         Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Partition coefficient n-octanol/water (Log Pow)       2.76 (at 30 °C (at pH 6.5)         Citronellol Pure (106-22-9)         Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Citronellol Pure (106-22-9)       Partition coefficient n-octanol/water (Log Pow)       3.41 (at 25 °C)			
Partition coefficient n-octanol/water (Log Pow) 3.41 (at 25 °C)			
Citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)     2.76 (at 25 °C)			
Helional (1205-17-0)			
Partition coefficient n-octanol/water (Log Pow)     2.4 (at 25 °C)			
Diethyl malonate (105-53-3)			
Partition coefficient n-octanol/water (Log Pow) 0.96			
Aldehyde C-14 (104-67-6)			
Partition coefficient n-octanol/water (Log Pow)     3.6 (at 25 °C)			
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)			
Undecavertol (81782-77-6)			
Partition coefficient n-octanol/water (Log Pow) 3.9 (at 30 °C (at pH 7)			

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl acetoacetate (141-97-9)		
Partition coefficient n-octanol/water (Log Pow) 0.8 (at 20 °C)		
Benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
bourgeonal (18127-01-0)		
Partition coefficient n-octanol/water (Log Pow)	3.2 (at 20 °C (at pH 7)	
Melonal (106-72-9)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)	
Camphor (76-22-2)		
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials HP Code	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> <li>HP3 - "Flammable:" <ul> <li>flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> <li>flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;</li> <li>flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;</li> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> <li>HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.</li> <li>HP4 - "Irritant - skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.</li> <li>HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for or or more sectors of the environment</li> </ul> </li> </ul>

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n accordance with ADR / IME				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Hexyl salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)
Transport document descr	iption		I	
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexyl salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), 9 III
14.3. Transport hazard o	class(es)		1	
9	9	9	9	9
14.4. Packing group				
Ш	Ш	Ш	Ш	III
14.5. Environmental haz	ards			·
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	ı	1	1

### Overland transport

Classification code (ADR)	: M6	
Special provisions (ADR)	: 274, 335, 375, 601	
Limited quantities (ADR)	: 51	
Excepted quantities (ADR)	: E1	
Packing instructions (ADR)	: P001, IBC03, LP01, R001	
Special packing provisions (ADR)	: PP1	
Mixed packing provisions (ADR)	: MP19	
Portable tank and bulk container instructio	ons (ADR) : T4	
Portable tank and bulk container special p	rovisions : TP1, TP29	
(ADR)		
Tank code (ADR)	: LGBV	
Vehicle for tank carriage	: AT	
Transport category (ADR)	: 3	
Special provisions for carriage - Packages	s (ADR) : V12	
Special provisions for carriage - Loading,	unloading : CV13	
and handling (ADR)		
Hazard identification number (Kemler No.)	) : 90	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates

Orange plates	· <b>90</b>
	<u>90</u> 3082
	3082
Tunnel restriction code (ADR)	: - 
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001 : PP1
Special packing provisions (IMDG) IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	. 51
PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: E1 : Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	. MG
Classification code (ADN) Special provisions (ADN)	: M6 : 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport Classification code (RID)	: M6
Special provisions (RID)	274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

## 14.7. Maritime transport in bulk according to IMO instruments

## Not applicable

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	; Benzyl benzoate ; Aldehyde C-16 ; Orange oil ; Hexyl salicylate ; Cyclamal ; Benzyl alcohol ; Cedarwood oil, Virginia ; Geraniol ; Nerol ; Citronellol Pure ; Citral ; Helional ; Diethyl malonate ; Triplal (Vertocitral) ; Floralozone ; Benzaldehyde ; bourgeonal ; delta- Damascone ; Melonal	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	; Benzyl benzoate ; Aldehyde C-16 ; Orange oil ; Hexyl salicylate ; Dimethylbenzyl carbinyl acetate(DMBCA) ; Cyclamal ; Cedarwood oil, Virginia ; Helional ; Aldehyde C-14 ; Benzyl acetate ; Triplal (Vertocitral) ; Undecavertol ; Floralozone ; bourgeonal ; delta-Damascone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ;Camphor	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

Employment restrictions	<ul> <li>Observe restrictions according Act on the Protection of Working Mothers (MuSchG).</li> <li>Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).</li> </ul>
Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Is not subject of the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	<ul> <li>Orange oil ,Cedarwood oil, Virginia,Triplal (Vertocitral),Floralozone are listed</li> <li>Orange oil ,Cedarwood oil, Virginia,Triplal (Vertocitral),Floralozone are listed</li> <li>None of the components are listed</li> <li>None of the components are listed</li> <li>None of the components are listed</li> </ul>
Denmark	
Class for fire hazard Store unit Classification remarks	<ul> <li>Class III-1</li> <li>50 liter</li> <li>Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed</li> </ul>
Danish National Regulations	<ul> <li>Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> </ul>
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acr	ronyms:	
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road		

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 2	Flammable solids, Category 2	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H371	May cause damage to organs.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	

## The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.