

# **GREEN TEA FANTASY**

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/22/2023 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : Green Tea Fantasy
UFI : EA4X-32Q3-Y004-32F0
Product code : Parf\_Green\_Tea
Type of product : Perfumes, fragrances
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626

contact@kitlumanari.ro | www.kitlumanari.ro

## 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Skin corrosion/irritation, Category 2 H315 Skin sensitisation, Category 1 H317 Germ cell mutagenicity, Category 2 H341 Carcinogenicity, Category 2 H351 Reproductive toxicity, Category 2 H361 Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411 Full text of H- and EUH-statements: see section 16

# Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. Suspected of causing cancer. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. May be fatal if swallowed and enters airways.

5/22/2023 (Issue date) EN (English) 1/18

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Contains : Benzyl benzoate; Bergamot oil; Lemon oil ; ACETYL HEXAMETHYL TETRALIN; Linalool;

Cyclamal; Iso E Super; Citronellol Pure; Linalyl acetate; Anise oil (Spanish); Hydroxy; Majantol; Helional; Neryl acetate; 2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-

; Clove leaf oil ; Ginger oil; Lime oil distilled ; Elemi oil; Triplal (Vertocitral); Orange oil

Hazard statements (CLP) : H302 - Harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H341 - Suspected of causing genetic defects.

H351 - Suspected of causing cancer.

H361 - Suspected of damaging fertility or the unborn child. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Extra phrases : For professional users only.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	27.5 – 55	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	2.3 – 4.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bergamot oil	CAS-No.: 8007-75-8 EC-No.: 289-612-9	2 – 4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	1.5 – 3	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1.3 – 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.9 – 1.75	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.8 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Majantol	CAS-No.: 103694-68-4 EC-No.: 403-140-4 EC Index-No.: 603-138-00-5	0.006 – 1.2	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Anise oil (Spanish)	CAS-No.: 8007-70-3 EC-No.: 616-914-3	0.5 – 1	Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.43398 – 0.86796	Not classified
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.4006 – 0.762	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.4 – 0.75	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Neryl acetate	CAS-No.: 141-12-8 EC-No.: 205-459-2	0.3 – 0.5	Skin Sens. 1B, H317

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.3 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Elemi oil	CAS-No.: 8023-89-0	0.2 – 0.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.24644 – 0.39288	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.2 – 0.3	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Clove leaf oil	CAS-No.: 8000-34-8 EC-No.: 616-772-2	0.2 – 0.3	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0)	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
zingiber officinale (ginger) root oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2, 616-904-9	0.1 – 0.1	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after ingestion Risk of lung oedema.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

: Do not attempt to take action without suitable protective equipment. Self-contained Protection during firefighting

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or Methods for cleaning up

public waters.

: Dispose of materials or solid residues at an authorized site. Other information

# 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

> personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood.

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this Hygiene measures

product. Always wash hands after handling the product. Contaminated work clothing should

not be allowed out of the workplace.

5/22/2023 (Issue date) EN (English) 5/18

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

Carbitol (111-90-0)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	35 mg/m³		
MAK (OEL TWA) [ppm]	6 ppm		
MAK (OEL STEL)	140 mg/m³		
MAK (OEL STEL) [ppm]	24 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	50.1 mg/m³		
OEL TWA [ppm]	10 ppm		
OEL chemical category	Skin notation		
Germany - Occupational Exposure Limits (TRGS 90	0)		
AGW (OEL TWA) [1]	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Slovenia - Occupational Exposure Limits			
OEL TWA	35 mg/m³		
OEL TWA [ppm]	6 ppm		
OEL STEL	70 mg/m³		
OEL STEL [ppm]	12 ppm		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	80 mg/m³		
NGV (OEL TWA) [ppm]	15 ppm		
KTV (OEL STEL)	170 mg/m³		
KTV (OEL STEL) [ppm]	30 ppm		
OEL chemical category	Skin notation		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)		
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)		

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.

## 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

## **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

: Not available Odour threshold Melting point : Not applicable : Not available Freezing point : Not available Boiling point Flammability : Not applicable : Not available **Explosive limits** Lower explosion limit : Not available Upper explosion limit : Not available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flash point : 84.1 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ Not available Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : Not available Density · ≈ 0.98 Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ATE CLP (oral)	867.58 mg/kg bodyweight	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral 1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bergamot oil (8007-75-8)		
LD50 oral rat	11520 mg/kg	
Lemon oil (8008-56-8)		
LD50 oral rat	2840 mg/kg	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 oral rat	570 mg/kg	
LD50 oral	1000 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg	
LD50 dermal	2650 mg/kg bodyweight	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Anise oil (Spanish) (8007-70-3)		
LD50 oral rat	2250 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
Hydroxy (107-75-5)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Carbitol (111-90-0)		
LD50 oral rat	10502 mg/kg	
LD50 dermal rabbit	9143 mg/kg	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h)	
Majantol (103694-68-4)		
LD50 oral	3440 mg/kg bodyweight	
LD50 dermal rabbit	> 5 ml/kg	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Neryl acetate (141-12-8)			
LD50 oral rat	> 5 g/kg		
LD50 dermal rabbit	> 6 ml/kg		
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0)			
LD50 oral	1670 mg/kg bodyweight		
LD50 dermal rat	2150 – 2780 mg/kg		
LD50 dermal	2900 mg/kg bodyweight		
Clove leaf oil (8000-34-8)			
LD50 oral rat	1370 mg/kg		
LD50 oral	2650 mg/kg bodyweight		
LD50 dermal rabbit	1200 mg/kg		
LD50 dermal	2500 mg/kg bodyweight		
zingiber officinale (ginger) root oil (8007-08-7)			
LD50 oral rat	> 5 g/kg		
Lime oil distilled (8008-26-2)			
LD50 oral rat	5600 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Elemi oil (8023-89-0)			
LD50 oral rat	3370 mg/kg		
LD50 oral	3370 mg/kg bodyweight		
LD50 dermal	2500 mg/kg bodyweight		
Triplal (Vertocitral) (68039-49-6)			
LD50 oral	3900 mg/kg bodyweight		
Orange oil (8008-57-9)			
LD50 oral rat	4400 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Skin corrosion/irritation :	Causes skin irritation.		
Serious eye damage/irritation :	Not classified		
	May cause an allergic skin reaction.		
	Suspected of causing genetic defects.		
	Suspected of causing cancer. Suspected of damaging fertility or the unborn child.		
	Not classified		
STOT-single exposure :	Not classified		
	May be fatal if swallowed and enters airways.		
Benzyl benzoate (120-51-4)			
Viscosity, kinematic	7.456 mm²/s		
Orange oil (8008-57-9)			
Hydrocarbon	Yes		

# 11.2. Information on other hazards

No additional information available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects.

(chronic)

on one			
Benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
NOEC (chronic)	0.168 mg/l		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])		
Carbitol (111-90-0)			
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])		
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)		

# 12.2. Persistence and degradability

Benzyl benzoate (120-51-4)		
Persistence and degradability  May cause long-term adverse effects in the environment.		
Cedarwood oil, Texas (68990-83-0)		
Persistence and degradability Not established.		

# 12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Partition coefficient n-octanol/water (Log Pow) 5.7 (at 24 °C)		
Cyclamal (103-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)	
Cedarwood oil, Texas (68990-83-0)		
Bioaccumulative potential Not established.		
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydroxy (107-75-5)		
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
Majantol (103694-68-4)		
Partition coefficient n-octanol/water (Log Pow)	3.07 (at 20 °C)	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
Neryl acetate (141-12-8)		
Partition coefficient n-octanol/water (Log Pow)	3.98 (at 37 °C (at pH 7.2)	
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0)		
BCF - Fish [1]	(>8.4 - <20)	
Partition coefficient n-octanol/water (Log Pow)	3.66 (at 25 °C (at pH 5.82)	

# 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

5/22/2023 (Issue date) EN (English) 12/18

**HP Code** 

- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
  - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
  - HP7 "Carcinogenic:" waste which induces cancer or increases its incidence
  - HP10 "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.
  - HP11 "Mutagenic:" waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell.
  - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID			
14.1. UN number or ID number							
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082			
14.2. UN proper shippin	14.2. UN proper shipping name						
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)			
Transport document descr	iption						
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III			
14.3. Transport hazard class(es)							
9	9	9	9	9			
			9	<b>1 1 1 2 2</b>			
14.4. Packing group							
III	III	III	III	III			

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

# **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Bergamot oil ; Lemon oil ; Lime oil distilled ; Elemi oil ; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

LO TESTITUTO IIST	(REACH Annex XVII)	
Reference code	Applicable on	Entry title or description
3(b)	; Benzyl benzoate; Bergamot oil; Lemon oil; Linalool; Cyclamal; Iso E Super; Cedarwood oil, Texas; Citronellol Pure; Linalyl acetate; Anise oil (Spanish); Hydroxy; Majantol; Helional; Neryl acetate; Damascone alpha-(E)-1-(2,6,6- Trimethyl-2-cyclohexen-1- yl)-2-buten-1-one (24720-09-0); Clove leaf oil; zingiber officinale (ginger) root oil; Lime oil distilled; Elemi oil; Triplal (Vertocitral); Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	; Benzyl benzoate; Bergamot oil; Lemon oil; Cyclamal; Iso E Super; Cedarwood oil, Texas; Anise oil (Spanish); Majantol; Helional; Damascone alpha- (E)-1-(2,6,6- Trimethyl-2-cyclohexen-1- yl)-2-buten-1-one (24720-09-0); zingiber officinale (ginger) root oil; Lime oil distilled; Elemi oil; Triplal (Vertocitral); Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Bergamot oil ; Lemon oil ; Lime oil distilled ; Elemi oil ; Orange oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Bergamot oil,Lemon oil ,Cedarwood oil, Texas,Ginger oil,Triplal (Vertocitral),Orange oil are

listed

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

O The City of the

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: Bergamot oil,Lemon oil,Ginger oil,Triplal (Vertocitral),Orange oil are listed

: None of the components are listed

None of the components are listedNone of the components are listed

**Denmark** 

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H360FD	May damage fertility. May damage the unborn child.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 1A	Reproductive toxicity, Category 1A	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.