

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/8/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: MAGNOLIA
UFI	: AX07-M2N1-V00F-EUHY
Product code	: Parf_Magnolia
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Industrial use,Professional use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626 contact@kitlumanari.ro | www.kitlumanari.ro

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 1272/200)8 [CLP]	
Skin sensitisation, Category 1	H317	
Hazardous to the aquatic environment – Chronic Hazard,	H412	
Category 3		
Full text of H- and EUH-statements: see section 16		

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) N	No. 1272/2008 [CLP]
Lissend mista museus (CLD)	

Hazard pictograms (CLP)

: GHS07 : Warning

Signal word (CLP)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	 Hydroxy; Amyl cinnamic aldehyde; Geranyl acetate; Iso E Super; Cyclamal; Benzyl salicylate; Grapefruit oil; COUMARIN; Eugenol; Floralozone; Petitgrain oil; Geranium oil Egyptian ; Cinnamic aldehyde
Hazard statements (CLP)	 H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label).
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed somers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.45 – 1.7	Eye Irrit. 2, H319
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5	0.8 – 1.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.71548 – 1.32322	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.6 – 1.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Diethyl malonate	CAS-No.: 105-53-3 EC-No.: 203-305-9 REACH-no: 01-2119886972- 18	0.6 – 1.15	Eye Irrit. 2, H319
lso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.5 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.4 – 0.85	Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.4 – 0.775	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.2 – 0.4	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.225 – 0.4	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.1 – 0.25	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.14466 – 0.21699	Not classified
Grapefruit oil	CAS-No.: 8016-20-4 EC-No.: 600-007-4	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.1002 – 0.153	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.10001 – 0.15001	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Petitgrain oil	CAS-No.: 8014-17-3 EC-No.: 277-143-2, 616-946- 8 REACH-no: 01-2120748358- 44	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423- 50	0.1 – 0.1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.005 – 0.0125	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	< 0.001	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.001	Flam. Liq. 3, H226
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 0.001	Flam. Liq. 3, H226

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	 Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel. 	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.	
Emergency procedures	· Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Prevent entr	y to sewers and public waters. Notify authorities if liquid enters sewers or public waters.	

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Avoid breathing fume, gas, mist, spray, vapours. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions Incompatible products Incompatible materials Storage temperature Storage area Special rules on packaging Packaging materials	 Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 25 °C Store in a well-ventilated place. Store away from heat. Store in a closed container. Do not store in corrodable metal. 	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m ³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Carbitol (111-90-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	35 mg/m³	

Safety Data Sheet

Carbitol (111-90-0)	
	6 ppm
MAK (OEL STEL)	140 mg/m³
	24 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	50.1 mg/m ³
	10 ppm
OEL chemical category	Skin notation
Germany - Occupational Exposure Limits (TRG	SS 900)
AGW (OEL TWA)	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Slovenia - Occupational Exposure Limits	
OEL TWA	35 mg/m³
	6 ppm
OEL STEL	70 mg/m ³
	12 ppm
Sweden - Occupational Exposure Limits	· · ·
NGV (OEL TWA)	80 mg/m ³
	15 ppm
KGV (OEL STEL)	170 mg/m³
	30 ppm
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)
(R)-p-mentha-1,8-diene; d-limonene (5989	-27-5)
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	140 mg/m³
	25 ppm
HTP (OEL STEL)	280 mg/m³
	50 ppm
Germany - Occupational Exposure Limits (TRG	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m ³

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)
	5 ppm
OEL STEL	112 mg/m ³
	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	168 mg/m³
	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	· · · · · ·
Grenseverdi (OEL TWA)	140 mg/m ³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Lim	its
MAK (OEL TWA)	40 mg/m ³
	7 ppm
KZGW (OEL STEL)	80 mg/m³
	14 ppm
OEL chemical category	Sensitizer
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	· · · · · ·
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m ³
	25 ppm
TPRV (OEL STEL)	300 mg/m ³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen

Safety Data Sheet

.alphaPinene (80-56-8)		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	113 mg/m³	
	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
	25 ppm	
KGV (OEL STEL)	300 mg/m ³	
	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
.betaPinene (127-91-3)		
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
	25 ppm	
TPRV (OEL STEL)	300 mg/m ³	
	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.betaPinene (127-91-3)		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	113 mg/m³	
	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
	25 ppm	
KGV (OEL STEL)	300 mg/m ³	
	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m ³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses. Chemical goggles or safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold Melting point Freezing point Boiling point Flammability Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient proctanol/water (log Kow)	 Liquid light yellow. amber. Conforms to standard. Floral. Sweet. characteristic. Not available Not applicable Not available Not available Not available Not available > 93 °C Not available
Viscosity, kinematic	: Not available
Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C	 Not available Not available Not available Not available Not available ≈ 0.93 Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information	SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined	d in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified		
Hydroxy (107-75-5)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		
Amyl cinnamic aldehyde (122-40-7)			
LD50 oral rat	3730 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)		
Geranyl acetate (105-87-3)			
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)		
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)			
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
Diethyl malonate (105-53-3)			
LD50 oral rat	14900 μl/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 16960 mg/kg (Source: ECHA_API)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
Cyclamal (103-95-7)			
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)		

Safety Data Sheet

Cyclamal (103-95-7)	Cyclamal (103-95-7)		
LD50 oral	3810 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
Benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)		
LD50 oral	2200 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Grapefruit oil (8016-20-4)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
COUMARIN (91-64-5)			
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)		
LD50 oral	290 mg/kg bodyweight		
LD50 dermal rat	293 mg/kg (Source: ECHA_API)		
Eugenol (97-53-0)			
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)		
LD50 oral	2500 mg/kg bodyweight		
Carbitol (111-90-0)			
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)		
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)		
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)		
Petitgrain oil (8014-17-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 oral	4029 mg/kg bodyweight		
Geranium oil Egyptian (8000-46-2)			
LD50 oral	4811 mg/kg bodyweight		
LD50 dermal	2500 mg/kg bodyweight		
Cinnamic aldehyde (104-55-2)			
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)		
LD50 oral	2200 mg/kg bodyweight		
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)		
LD50 dermal	1100 mg/kg bodyweight		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
.alphaPinene (80-56-8)			
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)		
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)		

Safety Data Sheet

.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Germ cell mutagenicity Additional information Carcinogenicity Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27	/-5)	
IARC group	3 - Not classifiable	
Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information Aspiration hazard Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 	
11.2. Information on other hazards		
 11.2.1. Endocrine disrupting properties No additional information available 11.2.2. Other information Potential adverse human health effects and symptoms 	: Based on available data, the classification criteria are not met	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water Hazardous to the aquatic environment, short–term (acute)	 Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects. 	
Diethyl malonate (105-53-3)		
1 C50 - Fish [1]	10.3 – 13.4 mg/l (Exposure time: 96 h - Species: Pimenhales prometas [flow-through]	

	LC50 - Fish [1]	10.3 – 13.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
	EC50 - Crustacea [1]	202.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Safety Data Sheet

ECS0 72h - Agae [1]S092 rogl (Species: Desmodesmus subspicatus)13.46.7.3-Inexatrydro-4.6.5.7.8.3-Inexamethylicolog (Science Science	Diethyl malonate (105-53-3)			
LC60 - Fish [1] 0.452 mgf Waft, 19664-27682. LC20 - Other equalic organisms [1] > 0.14 mgf REACH DOSSIER Pimephales promotas EC50 - Crustacea [2] 280 µgf REACH Dossier EC50 - Other aqualic organisms [1] 0.131 mg1 REACH Dossier EC50 - Other aqualic organisms [1] 0.131 mg1 REACH Dossier EC50 - Fish [1] 10.3 mg1 (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) Intervention [static] Source: ECHA] C30 - Fish [1] 10000 mg1 (Exposure time: 96 h - Species: Leponis macrochius [static] Source: ECHA] C400 - Fish [1] 10000 mg1 (Exposure time: 96 h - Species: Leponis macrochius [static] Source: EPA] LC50 - Fish [2] 19100 - 2380 mg1 (Exposure time: 96 h - Species: Leponis macrochius [static] Source: EPA] LC50 - Fish [2] 3440 - 4670 mg1 (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1.8-diene; d-limonene (5989-27-5) IC60 - Fish [1] LC50 - Fish [1] 0.619 - 0.786 mg1 (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) .alpha - Pinene (80-56-8) IC50 - Crustacea [1] LC50 - Fish [1] 0.28 mg1 (Exposure time: 96 h - Species: Disphila magna) 12.2. Persistence and degradability May cause long-term adverse effects in the environment. Not estabilished. Hydroxy (107-75-5)<	EC50 72h - Algae [1]	508.2 mg/l (Species: Desmodesmus subspicatus)		
LC50 - Other equatic organisms [1] > 0.14 mgil REACH DOSSIER Pimephales promelas EC50 - Crustacea [2] 260 µgil REACH Dossier EC50 - Other equatic organisms [1] 0.131 mgil REACH Dossier Benzyl salicylate (116-56-1) LC50 - Fish [1] LC50 - Fish [1] 1.03 mgil (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) LC50 - Fish [1] LC50 - Fish [1] 10000 mgil (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: ECHA) Carbitol (111-90-0) LC50 - Fish [2] LC50 - Fish [2] 19100 - 2300 mgil (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: ECHA) LC50 - Fish [2] 19100 - 2300 mgil (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) LC50 - Fish [2] 3940 - 4670 mgil (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonen (5999-27-5) LC50 - Fish [2] LC50 - Fish [2] 35 mgil (Exposure time: 96 h - Species: Disphila magna) LC50 - Fish [2] 35 mgil (Exposure time: 96 h - Species: Disphila magna) LC50 - Fish [2] 35 mgil (Exposure time: 96 h - Species: Disphila magna) LC50 - Fish [2] 35 mgil (Exposure time: 96 h - Species: Disphila magna) LC50 - Fish [2] D28 mgil (Exposure time: 96 h - Species: Disphi	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
EC50 - Crustacea [2] 260 µg/ REACH Dossier EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier Benzyl salicylate (118-58-1) Image: Comparison (1) LC50 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) Image: Comparison (1) LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Leponis macrochirus [static] Source: ECHA) Carbitol (111-90-0) Image: Comparison (1) LC50 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Leponis macrochirus [static] Source: EPA) EC50 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna) (R)-p-mentha-1.8-diene; d-limonene (5889-27-5) Image: Comparison (2) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Principhales promelas [flow-through] Source: EPA) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Principhales promelas [flow-through] Source: EPA) LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Dimphales promelas [flow-through] Source: IUCLID) EC50 - Crustacea [1] 41 mg/l (Exposure time: 96 h - Species: Dimphales promelas [flow] Source: IUCLID) EC50 - Crustacea [1] 0.28 mg/l (Exposure time: 96 h - Species: Dimphales promelas [flow] Source: IUCLID) EC50 - Crustacea [1] 14 mg/l (Exposure time: 96 h - Species: Dimphales promelas [flow] Source: IUCLID) EC50 - Crustacea [1] 41 mg/l (Exp	LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
EC50 - Other aquatic organisms [1] 0.131 mg/l REACH Dossier Benzyl salicylate (118-58-1) LC50 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Carbitol (111-90-0) LC50 - Fish [1] LC50 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Leponis macrochirus [static] Source: EPA) LC50 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Leponis macrochirus [flow-through] Source: EPA) LC50 - Fish [2] 0.131 mg/l REACH Dossure time: 96 h - Species: Leponis macrochirus [flow-through] Source: EPA) LC50 - Fish [2] 0.130 mg/l (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (\$989-27-5) LC50 - Fish [1] LC50 - Fish [1] D.19 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) .alpha -Pinene (80-56-8) LC50 - Fish [1] LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Daphnia magna) 12.2. Persistence and degradability May class long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Garanyl actate (105-87-3)	LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
Benzyl salicylate (118-58-1) LC50 - Fish [1] 1.33 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Carbitol (111-90-0) LC50 - Fish [2] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LC50 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA] EC50 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LC50 - Fish [2] LC50 - Fish [1] 0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss Source: UOCLID) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss Source: UOCLID) EC50 - Crustacea [1] 0.28 mg/l (Exposure time: 96 h - Species: Daphnia magna) 12.2. Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3)<	EC50 - Crustacea [2]	260 μg/l REACH Dossier		
LCS9 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio renio [semi-static] Source: ECHA) Eugenol (97-53-0) LCS0 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio renio [semi-static] Source: ECHA) Carbitol (111-90-0) LCS0 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LCS0 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) ECS0 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-dienc; d-limonene (5989-27-5) LCS0 - Fish [2] LCS0 - Fish [2] 0.819 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through] Source: EPA) LCS0 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IVCLID) LCS0 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Dimephales prometas [static] Source: IUCLID) ECS0 - Crustacea [1] 0.28 mg/l (Exposure time: 96 h - Species: Daphnia magna) 12.2. Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnanic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability	EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		
Eugenol (87-53-0) LCS0 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Leponis macrochirus [static] Source: ECHA) Carbitol (111-90-0) LCS0 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Leponis macrochirus [static] Source: EPA) LCS0 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Leponis macrochirus [static] Source: EPA) ECS0 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 96 h - Species: Daphnia magna) (R)-p-montha-1,8-diene; d-limonene (5989-27-5) LCS0 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) LCS0 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) LCS0 - Fish [1] 0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) LCS0 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUGLID) ECS0 - Crustacea [1] 41 mg/l (Exposure time: 96 h - Species: Daphnia magna) 12.2. Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradabie Amyl cinnanica aldehyde (122-40-7) Persistence and degradability Rapidly degradabie Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradabie </td <td>Benzyl salicylate (118-58-1)</td> <td></td>	Benzyl salicylate (118-58-1)			
LCS0 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Carbitol (111-90-0) LCS0 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LCS0 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) ECS0 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-dlene; d-limonene (5989-27-5) LCS0 - Fish [1] LCS0 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) JaphaPinene (80-58-8) LCS0 - Fish [1] LCS0 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) ECS0 - Crustacea [1] 41 mg/l (Exposure time: 96 h - Species: Daphnia magna) 12.2. Persistence and degradability May cause long-term: 48 h - Species: Daphnia magna) 14.2. Persistence and degradability May cause long-term: adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Carayl acetate (105-87-3) Persistence and degradability Rapidly degradable Carayl acetate (105-87-3) Persistence and degradability Rapidly degradable Benzyl acetate (10-11-4) Persistence and	LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Carbitol (111-90-0) LC50 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LC50 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) EC50 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LC50 - Fish [1] LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Daphnia magna) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) .alphaPinene (80-56-8)	Eugenol (97-53-0)			
LCS0 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LCS0 - Fish [2] 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) EC50 - Crustacea [1] 3940 - 4670 mg/l (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) (Exposure time: 96 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) alphaPinene (80-56-8) (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) EC50 - Crustacea [1] 0.28 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acctate (105-87-3) Persistence and degradability Rapidly degradable	LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
LC50 - Fish [2] 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) EC50 - Crustacea [1] 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LC50 - Fish [1] 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) alphaPinene (80-56-8) 35 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss Source: IDA) alphaPinene (80-56-8) 5 LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Dimephales promelas [static] Source: IUCLID) EC50 - Crustacea [1] 41 mg/l (Exposure time: 96 h - Species: Dimephales promelas [static] Source: IUCLID) EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly	Carbitol (111-90-0)			
Source: EPA) EC50 - Crustacea [1] 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LC50 - Fish [1] 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) .alphaPrinene (80-56-8)	LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LC50 - Fish [1] 0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) .alphaPinene (80-56-8)	LC50 - Fish [2]			
LC50 - Fish [1] 0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) alphaPinene (80-56-8)	EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Source: EPA) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) .alphaPinene (80-56-8) LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4)	(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
.alphaPinene (80-56-8) LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability MagNOLIA Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Iso E Super (54464-57-2) Iso E Super (54464-57-2)	LC50 - Fish [1]			
LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability Mag cause long-term adverse effects in the environment. Not established. MAGNOLIA May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable	LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
EC50 - Crustacea [1] 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability MAGNOLIA Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly degradable Benzyl acetate (1464-57-2)	.alphaPinene (80-56-8)			
12.2. Persistence and degradability MAGNOLIA Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable	LC50 - Fish [1] 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static			
MAGNOLIA Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Iso E Super (54464-57-2) Iso E Super (54464-57-2)	EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Persistence and degradability May cause long-term adverse effects in the environment. Not established. Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixet isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Iso E Super (54464-57-2) Iso E Super (54464-57-2)	12.2. Persistence and degradability			
Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly degradable Iso E Super (54464-57-2)	MAGNOLIA			
Persistence and degradability Rapidly degradable Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly degradable Iso E Super (54464-57-2) Iso E Super (54464-57-2)	Persistence and degradability	May cause long-term adverse effects in the environment. Not established.		
Amyl cinnamic aldehyde (122-40-7) Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly degradable Iso E Super (54464-57-2)	Hydroxy (107-75-5)			
Persistence and degradability Rapidly degradable Geranyl acetate (105-87-3) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Persistence and degradability Rapidly degradable	Persistence and degradability	Rapidly degradable		
Geranyl acetate (105-87-3) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly degradable Iso E Super (54464-57-2)	Amyl cinnamic aldehyde (122-40-7)			
Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly degradable Iso E Super (54464-57-2)	Persistence and degradability	Rapidly degradable		
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Persistence and degradability Rapidly degradable Iso E Super (54464-57-2)	Geranyl acetate (105-87-3)			
Persistence and degradability Rapidly degradable Benzyl acetate (140-11-4) Rapidly degradable Persistence and degradability Rapidly degradable Iso E Super (54464-57-2) Iso E Super (54464-57-2)	Persistence and degradability	Rapidly degradable		
Benzyl acetate (140-11-4) Persistence and degradability Iso E Super (54464-57-2)	tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)		
Persistence and degradability Rapidly degradable Iso E Super (54464-57-2)	Persistence and degradability	Rapidly degradable		
Iso E Super (54464-57-2)	Benzyl acetate (140-11-4)			
	Persistence and degradability	Rapidly degradable		
Persistence and degradability Rapidly degradable	Iso E Super (54464-57-2)			
	Persistence and degradability	Rapidly degradable		

Safety Data Sheet

Diethyl malonate (105-53-3)			
Persistence and degradability	Rapidly degradable		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable		
Cyclamal (103-95-7)			
Persistence and degradability	Rapidly degradable		
Benzyl salicylate (118-58-1)			
Persistence and degradability	Rapidly degradable		
Grapefruit oil (8016-20-4)			
Persistence and degradability	Rapidly degradable		
COUMARIN (91-64-5)			
Persistence and degradability	Rapidly degradable		
Eugenol (97-53-0)			
Persistence and degradability	Rapidly degradable		
Floralozone (67634-15-5)			
Persistence and degradability	Rapidly degradable		
Carbitol (111-90-0)			
Persistence and degradability	Rapidly degradable		
Petitgrain oil (8014-17-3)			
Persistence and degradability	Rapidly degradable		
Geranium oil Egyptian (8000-46-2)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
Cinnamic aldehyde (104-55-2)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Persistence and degradability	Rapidly degradable		
.alphaPinene (80-56-8)			
Persistence and degradability	Rapidly degradable		
.betaPinene (127-91-3)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
MAGNOLIA			
Bioaccumulative potential	Not established.		
Hydroxy (107-75-5)			
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Amyl cinnamic aldehyde (122-40-7)			
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)		
Geranyl acetate (105-87-3)			
Partition coefficient n-octanol/water (Log Pow)	4.04		
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)		
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)		
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)		
Diethyl malonate (105-53-3)			
Partition coefficient n-octanol/water (Log Pow)	0.96		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyli	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Cyclamal (103-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)		
Benzyl salicylate (118-58-1)			
Partition coefficient n-octanol/water (Log Pow)	4		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Carbitol (111-90-0)			
Partition coefficient n-octanol/water (Log Pow)	-0.8		
Petitgrain oil (8014-17-3)			
Partition coefficient n-octanol/water (Log Pow)	3.38 – 4.88		
Geranium oil Egyptian (8000-46-2)			
Bioaccumulative potential	Not established.		
Cinnamic aldehyde (104-55-2)			
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
.alphaPinene (80-56-8)			
Partition coefficient n-octanol/water (Log Pow)	4.1		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties	12.6. Endocrine disrupting properties		
No additional information available			

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations. 		
Ecological information	: Avoid release to the environment.		
HP Code	: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.		
	HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment		

SECTION 14: Transport information

In accordance with ADR / IMI	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name	·,	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	Cyclamal ; Eugenol ; Diethyl malonate ; Geranium oil Egyptian ; Hydroxy ; Benzyl salicylate ; Amyl cinnamic aldehyde ; Iso E Super ; Geranyl acetate ; (R)-p- mentha-1,8-diene; d- limonene ; Grapefruit oil ; tetrahydro-2-isobutyl-4- methylpyran-4-ol, mixed isomers (cis and trans)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Cyclamal ; Geranium oil Egyptian ; Benzyl salicylate ; Amyl cinnamic aldehyde ; Iso E Super ; Geranyl acetate ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; (R)-p-mentha- 1,8-diene; d-limonene ; Grapefruit oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
3(a)	(R)-p-mentha-1,8-diene; d-limonene ; Grapefruit oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
40.	(R)-p-mentha-1,8-diene; d-limonene ; Grapefruit oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions Water hazard class (WGK) List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Contains sensitizing substances according TRGS 907. Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Floralozone,Petitgrain oil are listed
SZW-lijst van mutagene stoffen	: Floralozone,Petitgrain oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information		

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal) Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation) Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	4 (Dermal) Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	ic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	

: None.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.