

PINEAPPLE & COCONUT

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/22/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : PINEAPPLE & COCONUT UFI : D9J3-T45C-M00U-N69D Product code : Parf_Pineapple_Coconut Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626

contact@kitlumanari.ro | www.kitlumanari.ro

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Benzyl salicylate; Orange oil ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-

naphthalenyl)ethanone; Linalool; Cyclamal; (R)-p-mentha-1,8-diene; d-limonene;

COUMARIN; Triplal (Vertocitral); Melonal

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	3 – 5.9986	Aquatic Chronic 3, H412
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	2.2 – 4.499	Aquatic Chronic 2, H411
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	2.1 – 4.2153	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	2 – 3.9991	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	1.7 – 3.4992	Aquatic Chronic 3, H412

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diethyl malonate	CAS-No.: 105-53-3 EC-No.: 203-305-9 REACH-no: 01-2119886972- 18	1.5 – 2.9987	Eye Irrit. 2, H319
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.2 – 2.4989	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.2 – 2.4989	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.4 – 0.7997	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
2-methylpentane-2,4-diol substance with national workplace exposure limit(s) (AT, BE, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, NO, CH)	CAS-No.: 107-41-5 EC-No.: 203-489-0 EC Index-No.: 603-053-00-3	0.4 – 0.7587	Skin Irrit. 2, H315 Eye Irrit. 2, H319
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.3 – 0.6744	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.3 – 0.5999	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.2 – 0.4999	Flam. Liq. 3, H226
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.2 – 0.4999	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.2 - 0.3999	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
	CAS-No.: 104-21-2 EC-No.: 203-185-8	0.2 – 0.391	Skin Sens. 1, H317

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.2981	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.1 – 0.2108	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.1 – 0.1999	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Aquatic Chronic 1, H410
Melonal	CAS-No.: 106-72-9 EC-No.: 203-427-2	0.1 – 0.1	Skin Sens. 1B, H317
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0 – 0.0391	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Evacuate unnecessary

personnel. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon

as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands and other exposed areas

open flames and other ignition sources. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No

smoking. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always week bends ofter handling the product

Always wash hands after handling the product.

8/22/2024 (Issue date) EN (English) 5/28

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place.

Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 25

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	

Benzyl acetate (140-11-4)		
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
2-methylpentane-2,4-diol (107-41-5)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	49 mg/m³	
	10 ppm	
MAK (OEL STEL)	49 mg/m³	
	10 ppm	
OEL C	49 mg/m³	
	10 ppm	
Belgium - Occupational Exposure Limits		
OEL STEL	123 mg/m³	
	25 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	123 mg/m³	
	25 ppm	
KGVI (OEL STEL)	123 mg/m³	
	25 ppm	
OEL chemical category	Skin notation	
Denmark - Occupational Exposure Limits		
OEL C	125 mg/m³	
	25 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	120 mg/m³	
	25 ppm	
HTP (OEL STEL)	200 mg/m³	
	40 ppm	
France - Occupational Exposure Limits		
VLE (OEL C/STEL)	125 mg/m³	
	25 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	125 mg/m³	
	25 ppm	
OEL STEL	125 mg/m³	

2-methylpentane-2,4-diol (107-41-5)		
	25 ppm	
Ireland - Occupational Exposure Limits		
OEL STEL	125 mg/m³	
	25 ppm	
Lithuania - Occupational Exposure Limits		
NRV (OEL C)	120 mg/m³	
	25 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	50 mg/m³ (vapor and inhalable fraction)	
NDSCh (OEL STEL)	100 mg/m³ (vapor and inhalable fraction)	
Portugal - Occupational Exposure Limits		
OEL C	25 ppm	
Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL)	123 mg/m³	
	25 ppm	
Sweden - Occupational Exposure Limits		
KGV (OEL STEL)	120 mg/m³	
	25 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	123 mg/m³	
	25 ppm	
WEL STEL (OEL STEL)	123 mg/m³	
	25 ppm	
Norway - Occupational Exposure Limits		
Takverdi (OEL C)	100 mg/m³	
	20 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	49 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	98 mg/m³ (aerosol, vapour)	
	20 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	25 ppm (vapor fraction)	
ACGIH OEL STEL	10 mg/m³ (inhalable particulate matter, aerosol only)	
	50 ppm (vapor fraction)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
	<u>. 1</u>	

	280 mg/m³ 50 ppm		
	50 ppm		
Germany - Occupational Exposure Limits (TRGS 900			
	Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation, Skin sensitization		
Slovenia - Occupational Exposure Limits			
OEL TWA	28 mg/m³		
	5 ppm		
OEL STEL	112 mg/m³		
	20 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	168 mg/m³		
	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	140 mg/m³		
	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	40 mg/m³		
	7 ppm		
KZGW (OEL STEL)	80 mg/m³		
	14 ppm		
OEL chemical category	Sensitizer		
isopentyl acetate (123-92-2)			
EU - Indicative Occupational Exposure Limit (IOEL)			
OEL TWA	270 mg/m³		
	50 ppm		
IOEL STEL	540 mg/m³		
	100 ppm		
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))		
	50 ppm (Pentyl acetate (all isomers))		

MAK (OEL STEL)	isopentyl acetate (123-92-2)		
Belgium - Occupational Exposure Limits	MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
OEL TWA 270 mg/m² 50 ppm 50 ppm OEL STEL 540 mg/m² Bulgaria - Occupational Exposure Limits 270 mg/m² OEL TWA 270 mg/m² 50 ppm 50 ppm OEL STEL 540 mg/m² GVI (OEL TWA) 270 mg/m² 50 ppm 50 ppm KSVI (OEL STEL) 50 ppm KSVI (OEL STEL) 540 mg/m² 100 ppm 100 ppm Cyprus - Occupational Exposure Limits 270 mg/m² OEL TWA 270 mg/m² 50 ppm 100 ppm Denmark - Occupational Exposure Limits 271 mg/m² (Amyl acetate, all isomers) OEL TWA 271 mg/m² (Amyl acetate, all isomers) OEL STEL 50 ppm (Amyl acetate, all isomers) Estonia - Occupational Exposure Limits 270 mg/m² Estonia - Occupational Exposure Limits 270 mg/m² Finland - Occupational Exposure Limits 270 mg/m² (Pentyl acetate) Finland - Occupational Exposure Limits 270 mg/m² (Pentyl acetate) Finland - Occupational Exposure Limits 270 mg/m² (Pentyl acetate) Finl		100 ppm (Pentylacetate)	
S0 ppm	Belgium - Occupational Exposure Limits		
Set Set	OEL TWA	270 mg/m³	
Bulgaria - Occupational Exposure Limits		50 ppm	
Bulgaria - Occupational Exposure Limits OEL TWA 270 mg/m² 50 ppm 50 ppm OEL STEL 540 mg/m² 500 ppm 600 ppm Croatia - Occupational Exposure Limits 270 mg/m² 50 ppm KGVI (OEL STEL) 540 mg/m² 100 ppm Cyprus - Occupational Exposure Limits 270 mg/m² OEL TWA 270 mg/m² 50 ppm 640 mg/m² 100 ppm 100 ppm Denmark - Occupational Exposure Limits 271 mg/m² (Amyl acetate, all isomers) OEL TWA 271 mg/m² (Amyl acetate, all isomers) OEL STEL 540 mg/m² Estonia - Occupational Exposure Limits 270 mg/m² OEL TWA 270 mg/m² 50 ppm 50 ppm OEL STEL 540 mg/m² 100 ppm 100 ppm Finland - Occupational Exposure Limits 270 mg/m² (Pentyl acetate) Finland - Occupational Exposure Limits 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m² 100 ppm 100 ppm <td>OEL STEL</td> <td>540 mg/m³</td>	OEL STEL	540 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Footial - Occupational Exposure Limits 700 mg/m³ GVI (OEL TWA) 270 mg/m³ 50 ppm KGVI (OEL STEL) KGVI (OEL STEL) 540 mg/m³ 100 ppm CVprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Denmark - Occupational Exposure Limits 271 mg/m³ (Amyl acetate, all isomers) OEL TWA 271 mg/m³ (Amyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm 100 ppm Estonia - Occupational Exposure Limits 270 mg/m² OEL STEL 540 mg/m³ 50 ppm 100 ppm Finland - Occupational Exposure Limits To mg/m² (Pentyl acetate) HTP (OEL TWA) 270 mg/m² (Pentyl acetate) For ppm (Pentyl acetate) 540 mg/m² 100 ppm 100 ppm		100 ppm	
SO ppm S	Bulgaria - Occupational Exposure Limits		
OEL STEL 540 mg/m³ 100 ppm Croatia - Occupational Exposure Limits 270 mg/m³ 50 ppm KGVI (OEL STEL) 540 mg/m³ 100 ppm Cyprus - Occupational Exposure Limits 270 mg/m³ 100 ppm CL TWA 270 mg/m³ 2 100 ppm OEL STEL 540 mg/m³ 2 100 ppm Denmark - Occupational Exposure Limits 271 mg/m³ (Amyl acetate, all isomers) OEL TWA 271 mg/m³ (Amyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm Estonia - Occupational Exposure Limits 270 mg/m³ 100 ppm Estonia - Occupational Exposure Limits 270 mg/m³ 100 ppm Finland - Occupational Exposure Limits 50 ppm (Pentyl acetate) Finland - Occupational Exposure Limits 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm France - Occupational Exposure Limits France - Occupational Exposure Limits	OEL TWA	270 mg/m³	
Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m² 50 ppm KGVI (OEL STEL) 540 mg/m² 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits OEL TWA 271 mg/m³ (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits OEL TWA 271 mg/m³ (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm France - Occupational Exposure Limits		50 ppm	
Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m³ 50 ppm 50 ppm KGVI (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm Denmark - Occupational Exposure Limits 271 mg/m³ (Annyl acetate, all isomers) OEL TWA 271 mg/m³ (Annyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm 100 ppm	OEL STEL	540 mg/m³	
SVI (OEL TWA) 270 mg/m³ 50 ppm		100 ppm	
S0 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ S40 mg/	Croatia - Occupational Exposure Limits		
KGVI (OEL STEL) 540 mg/m³ Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ Denmark - Occupational Exposure Limits OEL TWA 271 mg/m³ (Amyl acetate, all isomers) OEL STEL 540 mg/m³ Denmark - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ Denmark - Occupational Exposure Limits Finland - Occupational Exposure Limits Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 540 mg/m³ 100 ppm France - Occupational Exposure Limits	GVI (OEL TWA)	270 mg/m³	
100 ppm		50 ppm	
Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ 100 ppm 100 ppm Denmark - Occupational Exposure Limits OEL TWA 271 mg/m³ (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) Det STEL Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Finland - Occupational Exposure Limits 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ (100 ppm) France - Occupational Exposure Limits	KGVI (OEL STEL)	540 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ OEL STEL 540 mg/m³ Denmark - Occupational Exposure Limits 271 mg/m³ (Amyl acetate, all isomers) OEL TWA 271 mg/m³ (Amyl acetate, all isomers) OEL STEL 540 mg/m³ Estonia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) 540 mg/m³ France - Occupational Exposure Limits France - Occupational Exposure Limits		100 ppm	
50 ppm 50 ppm 540 mg/m³ 100 ppm 540 mg/m³ 100 ppm 540 mg/m³ (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) 640 mg/m³ 100 ppm 640 mg/m³ 640 mg/m³	Cyprus - Occupational Exposure Limits		
OEL STEL 540 mg/m³ Denmark - Occupational Exposure Limits 271 mg/m³ (Amyl acetate, all isomers) OEL TWA 271 mg/m³ (Amyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) 540 mg/m³ HTP (OEL STEL) 540 mg/m³ France - Occupational Exposure Limits France - Occupational Exposure Limits	OEL TWA	270 mg/m³	
100 ppm 100		50 ppm	
Denmark - Occupational Exposure Limits 271 mg/m³ (Amyl acetate, all isomers) OEL TWA 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ France - Occupational Exposure Limits France - Occupational Exposure Limits	OEL STEL	540 mg/m³	
OEL TWA 271 mg/m³ (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm France - Occupational Exposure Limits		100 ppm	
50 ppm (Amyl acetate, all isomers) 50 ppm (Amyl acetate, all isomers) 540 mg/m³	Denmark - Occupational Exposure Limits		
OEL STEL 540 mg/m³ 100 ppm 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ 540 mg/m³ 50 ppm OEL STEL 540 mg/m³ Finland - Occupational Exposure Limits 100 ppm Finland - Occupational Exposure Limits 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm 100 ppm	OEL TWA	271 mg/m³ (Amyl acetate, all isomers)	
100 ppm		50 ppm (Amyl acetate, all isomers)	
Estonia - Occupational Exposure Limits 270 mg/m³ 50 ppm 50 ppm	OEL STEL	540 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) 540 mg/m³ HTP (OEL STEL) 540 mg/m³ France - Occupational Exposure Limits 100 ppm		100 ppm	
50 ppm 50 ppm 540 mg/m³ 100 ppm Finland - Occupational Exposure Limits 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) 50 ppm (Pentyl acetate) 540 mg/m³ 100 ppm France - Occupational Exposure Limits 540 mg/m³ 100 ppm France - Occupational Exposure Limits 540 mg/m³ 100 ppm 550	Estonia - Occupational Exposure Limits		
OEL STEL 540 mg/m³ 100 ppm 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm 100 ppm	OEL TWA	270 mg/m³	
Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm France - Occupational Exposure Limits		50 ppm	
Finland - Occupational Exposure Limits HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm France - Occupational Exposure Limits	OEL STEL	540 mg/m³	
HTP (OEL TWA) 270 mg/m³ (Pentyl acetate) 50 ppm (Pentyl acetate)		100 ppm	
50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ 100 ppm France - Occupational Exposure Limits	Finland - Occupational Exposure Limits		
HTP (OEL STEL) 540 mg/m³ 100 ppm France - Occupational Exposure Limits	HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)	
100 ppm France - Occupational Exposure Limits		50 ppm (Pentyl acetate)	
France - Occupational Exposure Limits	HTP (OEL STEL)	540 mg/m³	
		100 ppm	
VME (OEL TWA) 270 mg/m³ (restrictive limit)	France - Occupational Exposure Limits		
	VME (OEL TWA)	270 mg/m³ (restrictive limit)	

isopentyl acetate (123-92-2)		
	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	270 mg/m³	
	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m³	
	50 ppm	
OEL STEL	520 mg/m³	
	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	

isopentyl acetate (123-92-2)				
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Malta - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Netherlands - Occupational Exposure Limits				
TGG-15min (OEL STEL)	530 mg/m³			
	98.1 ppm			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	250 mg/m³			
NDSCh (OEL STEL)	500 mg/m³			
Portugal - Occupational Exposure Limits				
OEL TWA	270 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value (Pentyl acetate, all isomers)			
OEL STEL	540 mg/m³ (indicative limit value)			
	100 ppm (indicative limit value)			
Romania - Occupational Exposure Limits	<u> </u>			
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Slovakia - Occupational Exposure Limits				
NPHV (OEL TWA)	270 mg/m³			
,	50 ppm			
NPHV (OEL C)	540 mg/m³			
Slovenia - Occupational Exposure Limits	o to mg.m.			
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
022 0122	100 ppm			
Spain - Occupational Exposure Limits	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value)			
VLA-EC (OEL STEL)	540 mg/m³			
	100 ppm			
	100 ββιι			

isopentyl acetate (123-92-2)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
	50 ppm (Pentyl acetates)	
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	260 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
	75 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	
Carbitol (111-90-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	35 mg/m³	
	6 ppm	
MAK (OEL STEL)	140 mg/m³	
	24 ppm	
Estonia - Occupational Exposure Limits		
Estonia - Occupational Exposure Limits		
Estonia - Occupational Exposure Limits OEL TWA	50.1 mg/m³	
	50.1 mg/m³ 10 ppm	
OEL TWA	10 ppm Skin notation	
OEL TWA OEL chemical category	10 ppm Skin notation	
OEL TWA OEL chemical category Germany - Occupational Exposure Limits (TRGS 96)	10 ppm Skin notation 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and	
OEL TWA OEL chemical category Germany - Occupational Exposure Limits (TRGS 96)	10 ppm Skin notation 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW	
OEL TWA OEL chemical category Germany - Occupational Exposure Limits (TRGS 90 AGW (OEL TWA)	10 ppm Skin notation 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW	
OEL TWA OEL chemical category Germany - Occupational Exposure Limits (TRGS 90 AGW (OEL TWA) Slovenia - Occupational Exposure Limits	Skin notation 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
OEL TWA OEL chemical category Germany - Occupational Exposure Limits (TRGS 90 AGW (OEL TWA) Slovenia - Occupational Exposure Limits	Skin notation 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 35 mg/m³	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbitol (111-90-0)	
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	80 mg/m³
	15 ppm
KGV (OEL STEL)	170 mg/m³
	30 ppm
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not available

Flammability : Not applicable, Combustible liquid

Lower explosion limit : Not available Upper explosion limit : Not available : 77 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available рΗ Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density · ≈ 0.98 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Combustible liquid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)	
LD50 oral	4600 mg/kg	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)	
Diethyl malonate (105-53-3)		
LD50 oral rat	14900 μl/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 16960 mg/kg (Source: ECHA_API)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
2-methylpentane-2,4-diol (107-41-5)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	12300 mg/kg (Source: NLM_HSDB)	
LC50 Inhalation - Rat	> 310 mg/m³ (Exposure time: 1 h Source: NLM_CIP)	

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
Allyl heptanoate (142-19-8)	Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	218 mg/kg		
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)		
LD50 dermal	810 mg/kg		
Allyl caproate (123-68-2)			
LD50 oral	218 mg/kg		
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)		
LD50 dermal	300 mg/kg		
COUMARIN (91-64-5)			
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rat	293 mg/kg (Source: ECHA_API)		
(104-21-2)			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
Triplal (Vertocitral) (68039-49-6)			
LD50 oral	2330 mg/kg		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
LC50 Inhalation - Rat	> 5.04 mg/l/4h		
Allyl amyl glycolate (67634-00-8)			
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	0.43 mg/l/4h		
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h		
Melonal (106-72-9)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
Carbitol (111-90-0)			
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)		
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)		
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)		
	Not classified		
Serious eye damage/irritation :	Not classified		
Respiratory or skin sensitisation :	May cause an allergic skin reaction. Not classified		
Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified		
Can on logor morey .	TTO SIGNOTIFICA		

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
IARC group	3 - Not classifiable	
COUMARIN (91-64-5)	COUMARIN (91-64-5)	
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	
Orange oil (8008-57-9)		
Hydrocarbon	Yes	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

: Not classified

(chronic)

1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
569 mg/l 96 h		
5.85 mg/l 48 h		
5.94 mg/l 72 h		
Diethyl malonate (105-53-3)		
10.3 – 13.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
202.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
508.2 mg/l (Species: Desmodesmus subspicatus)		
Linalool (78-70-6)		
88.3 mg/l (Species: Desmodesmus subspicatus)		

- according to the NEW COTT Regulation (EO) 1007/2000 amonada	5y (16galato) (16y 2525/676	
2-methylpentane-2,4-diol (107-41-5)		
LC50 - Fish [1]	10.5 (10500 – 11000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	2.7 (2700 – 3700) mg/l (Exposure time: 48 h - Species: Daphnia magna)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Allyl caproate (123-68-2)		
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Carbitol (111-90-0)		
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)	
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
Persistence and degradability	Not established.	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Verdox (88-41-5)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)	1	
Persistence and degradability	Rapidly degradable	
Orange oil (8008-57-9)		
Persistence and degradability	Rapidly degradable	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Persistence and degradability	Rapidly degradable	
Diethyl malonate (105-53-3)		
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	yl-2-naphthalenyl)ethanone (54464-57-2)	
Persistence and degradability	Rapidly degradable	
	•	

Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
Cyclamal (103-95-7)	
Persistence and degradability	Rapidly degradable
2-methylpentane-2,4-diol (107-41-5)	
Persistence and degradability	Rapidly degradable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Persistence and degradability	Rapidly degradable
Allyl heptanoate (142-19-8)	
Persistence and degradability	Rapidly degradable
isopentyl acetate (123-92-2)	
Persistence and degradability	Rapidly degradable
Allyl caproate (123-68-2)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
(104-21-2)	
Persistence and degradability	Rapidly degradable
Triplal (Vertocitral) (68039-49-6)	
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
Persistence and degradability	Rapidly degradable
Allyl amyl glycolate (67634-00-8)	
Persistence and degradability	Rapidly degradable
Melonal (106-72-9)	
Persistence and degradability	Rapidly degradable
Carbitol (111-90-0)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
Bioaccumulative potential	Not established.
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)	
Diethyl malonate (105-53-3)		
Partition coefficient n-octanol/water (Log Pow)	0.96	
Cyclamal (103-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)	
2-methylpentane-2,4-diol (107-41-5)		
Partition coefficient n-octanol/water (Log Pow)	< 0.14	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Allyl heptanoate (142-19-8)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)	
isopentyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	
Allyl caproate (123-68-2)		
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)	
(104-21-2)		
Partition coefficient n-octanol/water (Log Pow)	1.9 (at 35 °C)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Allyl amyl glycolate (67634-00-8)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 2.3)	
Melonal (106-72-9)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Additional information Ecological information HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose of contents/container in accordance with local/national laws and regulations.
 - Dispose in a safe manner in accordance with local/national regulations.
- : Handle empty containers with care because residual vapours are flammable.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9
14.3. Transport hazard	class(es)			
9	9	9	9	9
**************************************	**************************************	**************************************	**************************************	
14.4. Packing group				
III	III	III	III	111
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

8/22/2024 (Issue date) EN (English) 22/28

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) · F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID): LGBVTransport category (RID): 3Special provisions for carriage – Packages (RID): W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Orange oil ; (R)-p- mentha-1,8-diene; d- limonene ; isopentyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	; Benzyl salicylate; Orange oil; Diethyl malonate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Linalool; Cyclamal; 2- methylpentane-2,4-diol; (R)-p-mentha-1,8-diene; d-limonene; Allyl heptanoate; Allyl caproate; ; Triplal (Vertocitral); Allyl amyl glycolate; Melonal	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	; Benzyl acetate; Verdox; Benzyl salicylate; Orange oil; 2(3H)-Furanone, 5-heptyldihydro-; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Cyclamal; (R)-p-mentha-1,8-diene; d-limonene; Allyl heptanoate; Allyl caproate; Triplal (Vertocitral); 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB); Allyl amyl glycolate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ; (R)-p- mentha-1,8-diene; d- limonene ; isopentyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange oil ,Triplal (Vertocitral),Allyl amyl glycolate are listed

SZW-lijst van mutagene stoffen : Orange oil ,Triplal (Vertocitral),Allyl amyl glycolate are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – . . None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

: ATP 12