

PINK GRAPEFRUIT & JASMINE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/8/2020 Revision date: 10/23/2023 Supersedes version of: 4/4/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PINK GRAPEFRUIT & JASMINE
UFI : QUU7-N3S9-N004-7YYK

Product code : Parf_PinkGrapefruit_Jasmine
Type of product : Perfumes, fragrances

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626

contact@kitlumanari.ro | www.kitlumanari.ro

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Harmful if swallowed. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Benzyl benzoate; Grapefruit oil; Benzyl salicylate; Hexyl cinnamic aldehyde; Majantol;

Cyclamal; Linalool; Iso E Super; Amyl cinnamic aldehyde; Citronellol Pure; Citral; Linalyl

acetate; Nopyl acetate; COUMARIN; Geraniol; Lime oil distilled; Clary sage oil

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	29.625 – 59.25	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	2.4 – 4.8	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Grapefruit oil	CAS-No.: 8016-20-4 EC-No.: 600-007-4	1.775 – 3.55	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.95 – 1.9	Aquatic Chronic 3, H412
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.725 – 1.45	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.625 – 1.25	Skin Sens. 1, H317 Aquatic Chronic 2, H411
3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol	CAS-No.: 103694-68-4 EC-No.: 403-140-4 EC Index-No.: 603-138-00-5	0.005 – 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.45 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.425 – 0.85	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.36165 – 0.7233	Not classified
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5	0.35 – 0.7	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.325 – 0.65	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.325 – 0.65	Aquatic Chronic 3, H412
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.2 – 0.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.2 – 0.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.175 – 0.35	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.1255 – 0.26	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Nopyl acetate	CAS-No.: 128-51-8 EC-No.: 204-891-9	0.125 – 0.25	Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Skin Sens. 1B, H317

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Clary sage oil	CAS-No.: 8016-63-5 EC-No.: 616-984-5	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.06 – 0.12	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

: Rinse eyes with water as a precaution.

First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³

Carbitol (111-90-0)			
MAK (OEL TWA) [ppm]	6 ppm		
MAK (OEL STEL)	140 mg/m³		
MAK (OEL STEL) [ppm]	24 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	50.1 mg/m³		
OEL TWA	10 ppm		
OEL chemical category	Skin notation		
Germany - Occupational Exposure Limits (TRGS 90	00)		
AGW (OEL TWA) [1]	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Slovenia - Occupational Exposure Limits			
OEL TWA	35 mg/m³		
OEL TWA	6 ppm		
OEL STEL	70 mg/m³		
OEL STEL	12 ppm		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	80 mg/m³		
NGV (OEL TWA) [ppm]	15 ppm		
KTV (OEL STEL)	170 mg/m³		
KTV (OEL STEL) [ppm]	30 ppm		
OEL chemical category	Skin notation		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)		
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)		
Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
OEL TWA	10 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	61 mg/m³		
OEL TWA [2]	10 ppm		
OEL STEL	122 mg/m³		
OEL STEL	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL	30 ppm (calculated)		

Benzyl acetate (140-11-4)				
Latvia - Occupational Exposure Limits				
OEL TWA	5 mg/m³			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	5 mg/m³			
Portugal - Occupational Exposure Limits				
OEL TWA	10 ppm			
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen			
Romania - Occupational Exposure Limits				
OEL TWA	50 mg/m³			
OEL TWA	8 ppm			
OEL STEL	80 mg/m³			
OEL STEL	13 ppm			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [1]	62 mg/m³			
VLA-ED (OEL TWA) [2]	10 ppm			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	10 ppm			
ACGIH chemical category	Not Classifiable as a Human Carcinogen			
citral (5392-40-5)				
Belgium - Occupational Exposure Limits				
OEL TWA	32 mg/m³ (vapor and aerosol)			
OEL TWA	5 ppm (vapor and aerosol)			
OEL chemical category	Skin			
Ireland - Occupational Exposure Limits	Ireland - Occupational Exposure Limits			
OEL TWA [2]	5 ppm			
OEL STEL	15 ppm (calculated)			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	27 mg/m³			
NDSCh (OEL STEL)	54 mg/m³			
Portugal - Occupational Exposure Limits				
OEL TWA	5 ppm (inhalable fraction; vapor)			
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)			
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)			

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

citral (5392-40-5)

ACGIH chemical category

Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold: Not availableMelting point: Not applicableFreezing point: Not available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point : Not available
Flammability : Not applicable
Explosive limits : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : 89.9 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50°C Not available Density Not available Relative density : ≈ 0.97 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

ATE CLP (oral) 829.876 mg/kg bodyweight

benzyl benzoate (120-51-4)				
LD50 oral rat	500 mg/kg (Source: NLM_CIP)			
LD50 oral	1160 mg/kg bodyweight			
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)			
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)			
Grapefruit oil (8016-20-4)				
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)			
Anisic aldehyde (123-11-5)				
LD50 oral rat	> 2000 mg/kg (Source: OECD_SIDS)			
LD50 oral	3210 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)			
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: OECD_SIDS)			
Benzyl salicylate (118-58-1)				
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)			
LD50 oral	2200 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)			
Hexyl cinnamic aldehyde (101-86-0)				
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)			
LD50 oral	3100 mg/kg bodyweight			
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)			
LC50 Inhalation - Rat	> 5 mg/l/4h			
3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol (103694-68-4)			
LD50 oral	3440 mg/kg bodyweight			
LD50 dermal rabbit	> 5 ml/kg (Source: ECHA_API)			
Cyclamal (103-95-7)				
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)			
LD50 oral	3810 mg/kg bodyweight			
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)			
Carbitol (111-90-0)				
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)			
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)			
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)			
Linalool (78-70-6)				
LD50 oral	2790 mg/kg bodyweight			
Amyl cinnamic aldehyde (122-40-7)				
LD50 oral rat	3730 mg/kg (Source: CHEMVIEW)			

Amyl cinnamic aldehyde (122-40-7)			
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)		
Amyl salicylate (2050-08-0)			
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)		
LD50 oral	2000 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
Citronellol Pure (106-22-9)			
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)		
LD50 oral	3450 mg/kg bodyweight		
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)		
LD50 dermal	2650 mg/kg bodyweight		
citral (5392-40-5)			
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)		
Linalyl acetate (115-95-7)			
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)		
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)		
Nopyl acetate (128-51-8)			
LD50 oral rat	3 g/kg (Source: NLM_CIP)		
LD50 oral	2940 mg/kg bodyweight		
COUMARIN (91-64-5)			
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)		
LD50 oral	290 mg/kg bodyweight		
LD50 dermal rat	293 mg/kg (Source: ECHA_API)		
Geraniol (106-24-1)			
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)		
LD50 oral	3600 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)		
Lime oil distilled (8008-26-2)			
LD50 oral rat	5600 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Clary sage oil (8016-63-5)			
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)		

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(OTTOTIO)			
benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
NOEC (chronic)	0.168 mg/l		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		
Benzyl salicylate (118-58-1)			
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Carbitol (111-90-0)			
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		

Carbitol (111-90-0)	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
12.2. Persistence and degradability	
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Anisic aldehyde (123-11-5)	
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)
Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4
3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol (103694-68-4)
Partition coefficient n-octanol/water (Log Pow)	3.07 (at 20 °C)
Cyclamal (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
Carbitol (111-90-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.8
Amyl cinnamic aldehyde (122-40-7)	
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Amyl salicylate (2050-08-0)			
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)		
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)		
Citronellol Pure (106-22-9)			
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)		
citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)		
Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
Geraniol (106-24-1)			
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)		
ACETYL HEXAMETHYL TETRALIN (21145-77-7)			
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID			
14.1. UN number or ID number							
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082			
14.2. UN proper shipping	14.2. UN proper shipping name						
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)			
Transport document descr	iption						
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III			
14.3. Transport hazard o	class(es)						
9	9	9	9	9			
	9		**************************************				
14.4. Packing group							
III	III	III	111	III			
14.5. Environmental hazards							
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes			
No supplementary informatio	n available						

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates :

90 3082

Tunnel restriction code (ADR) : -

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Grapefruit oil ; Lime oil distilled	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	; benzyl benzoate; Grapefruit oil; Benzyl salicylate; Hexyl cinnamic aldehyde; 3-(2,2- dimethyl-3- hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3- methylphenyl)propanol; Cyclamal; Linalool; Iso E Super; Amyl cinnamic aldehyde; Amyl salicylate; Citronellol Pure; citral; Linalyl acetate; Nopyl acetate; Geraniol; Lime oil distilled; Clary sage oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	; benzyl benzoate; 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB); Grapefruit oil; Anisic aldehyde; Benzyl salicylate; Hexyl cinnamic aldehyde; 3-(2,2- dimethyl-3- hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3- methylphenyl)propanol; Cyclamal; Iso E Super; Amyl cinnamic aldehyde; Amyl salicylate; Benzyl acetate; Nopyl acetate; Lime oil distilled; Clary sage oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Grapefruit oil ; Lime oil distilled	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

 ${\sf SZW\text{-}lijst\ van\ reprotoxische\ stoffen-Borstvoeding}$

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

None of the components are listedNone of the components are listed

: None of the components are listed

None of the components are listedNone of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	

Abbreviations and acr	Abbreviations and acronyms:		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H360FD	May damage fertility. May damage the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 1A	Reproductive toxicity, Category 1A	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.