

Pink Blossom

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 29.09.2014 Revision date: 14.04.2023 Supersedes version of: 13.01.2020 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Pink Blossom

UFI : 6EKE-52FV-S00A-5WKV
Product code : Parf_Pink_Blossom
Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626

contact@kitlumanari.ro | www.kitlumanari.ro

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Acute Hazard,

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Benzyl benzoate; Hexyl cinnamic aldehyde; Iso E Super; Benzenepropanol, .beta...beta.. Contains

dimethyl-; Hexyl salicylate; Aldehyde C-16; Linalool; COUMARIN; Eugenol; 2-Buten-1-one,

1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-

Hazard statements (CLP) : H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	10,7 – 21,4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	6 – 12	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	5,6 – 11,2	Skin Sens. 1, H317 Aquatic Chronic 2, H411

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	2,7875 – 11,15	Eye Irrit. 2, H319
Benzenepropanol, .beta.,.betadimethyl-	CAS-No.: 13351-61-6 EC-No.: 236-400-9	0,05575 – 11,15	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	2,125 – 4,25	Eye Irrit. 2, H319
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	1,94 – 3,88	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1,6 – 3,2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Terpineol	CAS-No.: 8000-41-7 EC-No.: 232-268-1	0,75 – 1,5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0,6 – 1,2	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0,05575 – 1,115	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0,3 – 0,6	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0,275 – 0,55	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0,175 – 0,35	Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0,15 – 0,3	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0,05 – 0,1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

First-aid measures after skin contact

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where

possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON

CENTER/doctor if you feel unwell. Rinse mouth. Call a poison center or a doctor if you feel

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

14.04.2023 (Revision date) EN (English) 4/18

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not

eat, drink or smoke when using this product. Always wash hands after handling the product.

Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep

cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)

Belgium - Occupational Exposure Limits

OEL TWA 62 mg/m³

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Delit Community Communit			
Denmark - Occupational Exposure Limits	Benzyl acetate (140-11-4)		
OEL TWA [1] 61 mg/m² OEL TWA [2] 10 ppm OEL STEL 122 mg/m² OEL STEL 20 ppm Ireland - Occupational Exposure Limits OEL TWA [2] 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m² Lithuania - Occupational Exposure Limits OPTUgal - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 10 ppm OEL Chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m² OEL TWA 8 ppm OEL STEL 80 mg/m² OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m² VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA	10 ppm	
OEL TWA [2] 10 ppm OEL STEL 122 mg/m³ OEL STEL 20 ppm Ireland - Occupational Exposure Limits OEL TWA [2] 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL themical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m² OEL TWA 8 ppm OEL STEL 80 mg/m² OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits	Denmark - Occupational Exposure Limits		
OEL STEL 122 mg/m³ OEL STEL 20 ppm Ireland - Occupational Exposure Limits OEL TWA [2] 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA S mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL STEL 80 mg/m³ OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA [1]	61 mg/m³	
OEL STEL 20 ppm Ireland - Occupational Exposure Limits 10 ppm OEL TWA [2] 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits 5 mg/m³ IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spair - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA [2]	10 ppm	
Treland - Occupational Exposure Limits	OEL STEL	122 mg/m³	
OEL TWA [2] 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits 5 mg/m³ Lithuania - Occupational Exposure Limits Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL themical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL STEL	20 ppm	
OEL STEL Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA (ppm) 10 ppm	Ireland - Occupational Exposure Limits		
DEL TWA 5 mg/m³ Portugal - Occupational Exposure Limits DEL TWA 10 ppm OEL TWA 10 ppm OEL Chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL TWA 3 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA [2]	10 ppm	
DEL TWA 5 mg/m³ Portugal - Occupational Exposure Limits DEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL STEL	30 ppm (calculated)	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA	5 mg/m³	
Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	Lithuania - Occupational Exposure Limits		
OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	IPRV (OEL TWA)	5 mg/m³	
OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	Portugal - Occupational Exposure Limits		
Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA	10 ppm	
OEL TWA 50 mg/m³ OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
OEL TWA 8 ppm OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	Romania - Occupational Exposure Limits		
OEL STEL 80 mg/m³ OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA	50 mg/m³	
OEL STEL 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL TWA	8 ppm	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL STEL	80 mg/m³	
VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	OEL STEL	13 ppm	
VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	Spain - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm	VLA-ED (OEL TWA) [1]	62 mg/m³	
ACGIH OEL TWA [ppm] 10 ppm	VLA-ED (OEL TWA) [2]	10 ppm	
	USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category Not Classifiable as a Human Carcinogen	ACGIH OEL TWA [ppm]	10 ppm	
	ACGIH chemical category	Not Classifiable as a Human Carcinogen	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Particle characteristics

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.
Odour : characteristic. characteristic.

Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available
Flammability : Not applicable
Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : > 93,33 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 0,96 Relative vapour density at 20°C : Not available

: Not applicable

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ricate terrienty (minutation)		
ATE CLP (oral)	1972,06 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	

Ethyl vanillin (121-32-4)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Benzenepropanol, .beta.,.betadimethyl- (133	51-61-6)	
LD50 oral	1970 mg/kg bodyweight	
LD50 dermal rat	> 15000 mg/kg (Source: ECHA_API)	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Terpineol (8000-41-7)		
LD50 oral rat	2900 mg/kg (Source: IUCLID)	
LD50 oral	4300 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: IUCLID)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 oral	290 mg/kg bodyweight	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexe	n-1-yl)-, (E)- (24720-09-0)	
LD50 oral	1670 mg/kg bodyweight	
LD50 dermal rat	2150 – 2780 mg/kg (Source: ECHA_API)	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Buten-1-one, 1-(2,6,6-trimethyl-2-cycle	ohexen-1-yl)-, (E)- (24720-09-0)
LD50 dermal	2900 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Additional information	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7,456 mm²/s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met, Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

: Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Ecology - general

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

: Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term

(chronic)	
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2,32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0,168 mg/l
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81,4 – 94,3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4,2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalool (78-70-6)	
EC50 96h - Algae [1]	88,3 mg/l (Species: Desmodesmus subspicatus)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LC50 - Fish [1]	0,452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0,14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0,131 mg/l REACH Dossier
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
12.2. Persistence and degradability	
Persistence and degradability	Not established.
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3,97 (at 25 °C)
Bioaccumulative potential	Not established.
Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1,61 (at 25 °C)
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)
Partition coefficient n-octanol/water (Log Pow)	1,65 (at 23 °C (at pH >6.09-<6.74)
Benzenepropanol, .beta.,.betadimethyl- (133	51-61-6)
Partition coefficient n-octanol/water (Log Pow)	2,24 (at 23.8 °C (at pH 7)
Hexyl salicylate (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5,5 (at 30 °C (at pH 7)
Aldehyde C-16 (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2,4 (at 25 °C (cis isomer)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5,3 (at 25 °C (at pH 7)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1,96 (at 25 °C (at pH 7)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1,83 (at 30 °C (at pH 5.5)	
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)- (24720-09-0)		
BCF - Fish [1]	(>8.4 - <20)	
Partition coefficient n-octanol/water (Log Pow)	3,66 (at 25 °C (at pH 5.82)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- : HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shippin	g name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	
Transport document descr	iption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	
14.3. Transport hazard	14.3. Transport hazard class(es)				
9	9	9	9	9	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
**************************************	**************************************	**************************************	**************************************	**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

rortable talik al

(ADR)
Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) : T4 Tank instructions (IMDG) : TP1, TP29 Tank special provisions (IMDG) : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Reference code	Applicable on	Entry title or description
3(b)	; benzyl benzoate; Hexyl cinnamic aldehyde; Iso E Super; tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans); Benzenepropanol, .beta.,.betadimethyl-; Hexyl salicylate; Aldehyde C-16; Terpineol; Linalool; Eugenol; 2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	; benzyl benzoate; Hexyl cinnamic aldehyde; Iso E Super; Benzenepropanol, .beta.,.betadimethyl-; Hexyl salicylate; Aldehyde C-16; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB); Benzyl acetate; 2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

Terpineol is listed

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen : Terpineol is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed: None of the components are listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.