

TROPICANA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/22/2016 Revision date: 2/21/2024 Supersedes version of: 4/2/2020 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Tropicana

UFI : YXE2-G20F-800X-A6Q8

Product code : Parf_Tropicana
Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626

contact@kitlumanari.ro | www.kitlumanari.ro

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 1A H360
Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction. May damage fertility or the unborn child.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

Signal word (CLP) : Danger

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Hexyl cinnamic aldehyde; Aldehyde C-16; Citrus medica limonum (Lemon) peel oil ; Benzyl

salicylate; Lime oil distilled; Spearmint oil; Citronellol Pure; 2-Buten-1-one, 1-(2,6,6-

trimethyl-2-cyclohexen-1-yl)-, (E)-

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H360 - May damage fertility or the unborn child.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	1.625 – 3.25	Skin Sens. 1, H317 Aquatic Chronic 2, H411
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	1.5 – 3	Aquatic Chronic 3, H412
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	1.15 – 2.3	Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.85 – 1.7	Aquatic Chronic 3, H412
Terpineol	CAS-No.: 8000-41-7 EC-No.: 232-268-1	0.75 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.6 – 1.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.35 – 0.7	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.25 – 0.5	Not classified
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.2 – 0.4	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.2 – 0.4	Flam. Liq. 3, H226
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.2 – 0.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.125 – 0.25	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Rose oxide	CAS-No.: 16409-43-1 EC-No.: 240-457-5	0.105 – 0.21	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.105 – 0.21	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.1 – 0.2	Acute Tox. 4 (Oral), H302
Spearmint oil	CAS-No.: 8008-79-5 EC-No.: 616-927-4	0.05 – 0.1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diphenyl oxide substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0 – 0.01	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0 – 0.01	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Dimethyl sulfide substance with national workplace exposure limit(s) (BE, EE, ES, IE, LT, LV, PT, SE)	CAS-No.: 75-18-3 EC-No.: 200-846-2	0 – 0.01	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

: Combustible liquid. Fire hazard

Explosion hazard : May form flammable/explosive vapour-air mixture.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable

protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away

from Keep away from heat, sparks and flame. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. No open flames. No smoking. Wash hands and

other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and

 $eyes.\ A void\ breathing\ dust/fume/gas/mist/vapours/spray.$

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes.

Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

2/21/2024 (Revision date) EN (English) 5/28

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place

away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a

well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	

Benzyl acetate (140-11-4)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m³	
	1 ppm	
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m³	
	50 ppm	
IOEL STEL	540 mg/m³	
	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	

isopentyl acetate (123-92-2)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
	50 ppm		
OEL STEL	540 mg/m³		
	100 ppm		
Croatia - Occupational Exposure Limits			
GVI (OEL TWA)	270 mg/m³		
	50 ppm		
KGVI (OEL STEL)	540 mg/m³		
	100 ppm		
Cyprus - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
	50 ppm		
OEL STEL	540 mg/m³		
	100 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)		
	50 ppm (Amyl acetate, all isomers)		
OEL STEL	540 mg/m³		
	100 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
	50 ppm		
OEL STEL	540 mg/m³		
	100 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)		
	50 ppm (Pentyl acetate)		
HTP (OEL STEL)	540 mg/m³		
	100 ppm		
France - Occupational Exposure Limits			
VME (OEL TWA)	270 mg/m³ (restrictive limit)		
	50 ppm (restrictive limit)		
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)		
	100 ppm (restrictive limit)		
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA)	270 mg/m³		
	50 ppm		
1	I		

isopentyl acetate (123-92-2)		
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m³	
	50 ppm	
OEL STEL	520 mg/m³	
	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	

isopentyl acetate (123-92-2)		
OEL STEL	540 mg/m³	
	100 ppm	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	530 mg/m³	
	98.1 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m³	
NDSCh (OEL STEL)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value (Pentyl acetate, all isomers)	
OEL STEL	540 mg/m³ (indicative limit value)	
	100 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	270 mg/m³	
	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m³	
	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
	50 ppm (Pentyl acetates)	
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	260 mg/m³	

isopentyl acetate (123-92-2)		
	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
	75 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	
Ethyl acetoacetate (141-97-9)		
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	19 ppm	
OEL STEL	200 mg/m³	
	38 ppm	
Diphenyl oxide (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	7 mg/m³	
	1 ppm	
IOEL STEL	14 mg/m³	
	2 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	7 mg/m³	
	1 ppm	
MAK (OEL STEL)	14 mg/m³	
	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapor)	
	1 ppm (vapor)	
OEL STEL	14 mg/m³ (vapor)	
	2 ppm (vapor)	
Bulgaria - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	

(GVI (OEL STEL) 2 Cyprus - Occupational Exposure Limits	7 mg/m³ 1 ppm 14 mg/m³ 2 ppm	
(GVI (OEL STEL) 2 Cyprus - Occupational Exposure Limits	1 ppm 14 mg/m³	
Cyprus - Occupational Exposure Limits	14 mg/m³	
Cyprus - Occupational Exposure Limits	-	
Cyprus - Occupational Exposure Limits	2 ppm	
DEL TWA	7 mg/m³	
1	1 ppm	
DEL STEL 1	14 mg/m³	
2	2 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	5 mg/m³	
Denmark - Occupational Exposure Limits		
DEL TWA 7	7 mg/m³	
1	1 ppm	
DEL STEL 1	14 mg/m³	
2	2 ppm	
Estonia - Occupational Exposure Limits		
DEL TWA 7	7 mg/m³	
1	1 ppm	
DEL STEL 1	14 mg/m³	
2	2 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	7 mg/m³	
1	1 ppm	
HTP (OEL STEL)	14 mg/m³	
2	2 ppm	
France - Occupational Exposure Limits		
/ME (OEL TWA) 7	7 mg/m³ (indicative limit)	
1	1 ppm (indicative limit)	
/LE (OEL C/STEL)	14 mg/m³ (indicative limit)	
2	2 ppm (indicative limit)	
Germany - Occupational Exposure Limits (TRGS 900)		
	7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
Gibraltar - Occupational Exposure Limits		
DEL TWA	7 mg/m³	
	1 ppm	

Diphenyl oxide (101-84-8)		
OEL STEL	14 mg/m³	
	200 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	7 mg/m³	
CK (OEL STEL)	14 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapour)	
	1 ppm (vapour)	
OEL STEL	14 mg/m³ (vapour)	
	2 ppm (vapour)	
Italy - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	
	1 ppm	
TPRV (OEL STEL)	14 mg/m³	
	2 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	7 mg/m³	
	1 ppm	

Diphenyl oxide (101-84-8)		
TGG-15min (OEL STEL)	14 mg/m³	
	2 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	7 mg/m³	
NDSCh (OEL STEL)	14 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm (vapor)	
OEL STEL	14 mg/m³ (indicative limit value)	
	2 ppm (indicative limit value-vapor)	
Romania - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	7 mg/m³	
	1 ppm	
NPHV (OEL C)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	7.1 mg/m³ (vapor)	
	1 ppm (vapor)	
VLA-EC (OEL STEL)	14.2 mg/m³ (vapor)	
	2 ppm (vapor)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	7 mg/m³	
	1 ppm	
KGV (OEL STEL)	14 mg/m³	
	2 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	7 mg/m³	
	1 ppm	
WEL STEL (OEL STEL)	14 mg/m³	
	2 ppm	
	I	

Diphenyl oxide (101-84-8)		
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	7 mg/m³	
	1 ppm	
Korttidsverdi (OEL STEL)	14 mg/m³ (value from the regulation)	
	2 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	7 mg/m³ (aerosol, vapour)	
	1 ppm (aerosol, vapour)	
KZGW (OEL STEL)	14 mg/m³ (aerosol, vapour)	
	2 ppm (aerosol, vapour)	
OEL chemical category	Category 2 reproductive toxin	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	1 ppm (vapor)	
ACGIH OEL STEL	2 ppm (vapor fraction)	
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	OS (OEL TWA) 240 mg/m³	
Slovenia - Occupational Exposure Limits		
	22 mg/m³	
OEL TWA	22 (119/11)	
OEL TWA	5 ppm	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl alcohol (100-51-6)			
	10 ppm		
OEL chemical category	Potential for cutaneous absorption		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)		
	5 ppm (aerosol, vapour)		
OEL chemical category	Skin notation		
Dimethyl sulfide (75-18-3)			
Belgium - Occupational Exposure Limits			
OEL TWA	26 mg/m³		
	10 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	1 ppm (total concentration of Dimethyl disulphide, Dimethyl sulphide and Methyl mercaptan)		
Ireland - Occupational Exposure Limits			
OEL TWA	10 ppm		
OEL STEL	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	1 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA	10 ppm		
Spain - Occupational Exposure Limits	Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	10 ppm		
Sweden - Occupational Exposure Limits	Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	1 ppm (total sum of Dimethyl disulfide, Dimethyl sulfide and Methyl thiol (Sulfides)		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	10 ppm		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available
Flammability : Not applicable
Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : 85 °C (closed cup) ASTM D7094

Auto-ignition temperature Not available Decomposition temperature Not available рΗ Not available Viscosity, kinematic Not available : Not available Solubility Partition coefficient n-octanol/water (Log Kow) Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 0.93 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

node toxiony (initial autori)	Not slassing	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)	

Verdox (88-41-5)		
LD50 oral	4600 mg/kg bodyweight	
Terpineol (8000-41-7)		
LD50 oral rat	2900 mg/kg (Source: IUCLID)	
LD50 oral	4300 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: IUCLID)	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Citrus medica limonum (Lemon) peel oil (800	8-56-8)	
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)	
benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Allyl caproate (123-68-2)		
LD50 oral	300 mg/kg bodyweight	
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)	
LD50 dermal	300 mg/kg bodyweight	
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h	
Ethyl acetoacetate (141-97-9)		
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)	
Rose oxide (16409-43-1)		
LD50 oral rat	4300 mg/kg (Source: NLM_CIP)	
LD50 oral	4300 mg/kg bodyweight	
Lime oil distilled (8008-26-2)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Spearmint oil (8008-79-5)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	4900 mg/kg bodyweight	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 oral	3450 mg/kg bodyweight	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citronellol Pure (106-22-9)		
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 dermal	2650 mg/kg bodyweight	
Diphenyl oxide (101-84-8)		
LD50 oral rat	2450 mg/kg (Source: NLM_CIP)	
LD50 oral	2830 mg/kg bodyweight	
LD50 dermal rabbit	> 7940 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1620 mg/kg bodyweight	
LD50 dermal	2500 mg/kg bodyweight	
Dimethyl sulfide (75-18-3)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA)	
LD50 oral	3500 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat [ppm]	40250 ppm/4h	
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexel	n-1-yl)-, (E)- (24720-09-0)	
LD50 oral	1670 mg/kg bodyweight	
LD50 dermal rat	2150 – 2780 mg/kg (Source: ECHA_API)	
LD50 dermal	2900 mg/kg bodyweight	
Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity :	Not classified Not classified May cause an allergic skin reaction. Not classified Not classified	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
STOT-single exposure : STOT-repeated exposure :	May damage fertility or the unborn child. Not classified Not classified Not classified	
11.2 Information on other herords	140t Glassinou	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

: Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

2/21/2024 (Revision date) EN (English) 20/28

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

2(3H)-Furanone, 5-heptyldihydro- (104-	2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LC50 - Fish [1]	569 mg/l 96 h		
EC50 - Crustacea [1]	5.85 mg/l 48 h		
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h		
Aldehyde C-16 (77-83-8)			
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)		
benzaldehyde (100-52-7)			
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)		
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
Benzyl salicylate (118-58-1)			
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Allyl caproate (123-68-2)			
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Ethyl acetoacetate (141-97-9)			
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)		
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)		
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)		
benzyl alcohol (100-51-6)			
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)		
Dimethyl sulfide (75-18-3)	Dimethyl sulfide (75-18-3)		
LC50 - Fish [1]	213 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)		
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: Daphnia pulex)		

12.2. Persistence and degradability

Persistence and degradability	Not established.	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Persistence and degradability	Rapidly degradable	

Benzyl acetate (140-11-4)			
Persistence and degradability	Rapidly degradable		
Verdox (88-41-5)			
Persistence and degradability	Rapidly degradable		
Terpineol (8000-41-7)	Terpineol (8000-41-7)		
Persistence and degradability	Rapidly degradable		
Aldehyde C-16 (77-83-8)			
Persistence and degradability	Rapidly degradable		
Citrus medica limonum (Lemon) peel oil (800	8-56-8)		
Persistence and degradability	Rapidly degradable		
benzaldehyde (100-52-7)			
Persistence and degradability	Rapidly degradable		
Benzyl salicylate (118-58-1)			
Persistence and degradability	Rapidly degradable		
Allyl caproate (123-68-2)			
Persistence and degradability	Rapidly degradable		
isopentyl acetate (123-92-2)			
Persistence and degradability	Rapidly degradable		
Ethyl acetoacetate (141-97-9)			
Persistence and degradability	Rapidly degradable		
Rose oxide (16409-43-1)			
Persistence and degradability	Rapidly degradable		
Lime oil distilled (8008-26-2)			
Persistence and degradability	Rapidly degradable		
Spearmint oil (8008-79-5)			
Persistence and degradability	Rapidly degradable		
Citronellol Pure (106-22-9)			
Persistence and degradability	Rapidly degradable		
Diphenyl oxide (101-84-8)			
Persistence and degradability	Rapidly degradable		
benzyl alcohol (100-51-6)			
Persistence and degradability	Rapidly degradable		
Dimethyl sulfide (75-18-3)			
Persistence and degradability	Rapidly degradable		
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)- (24720-09-0)			
Persistence and degradability	Rapidly degradable		

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

Bioaccumulative potential	Not established.		
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)		
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)		
Aldehyde C-16 (77-83-8)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)		
benzaldehyde (100-52-7)			
BCF - Fish [1]	(no significant bioaccumulation)		
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)		
Benzyl salicylate (118-58-1)			
Partition coefficient n-octanol/water (Log Pow)	4		
Allyl caproate (123-68-2)			
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)		
isopentyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)		
Ethyl acetoacetate (141-97-9)			
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)		
Rose oxide (16409-43-1)			
Partition coefficient n-octanol/water (Log Pow)	3.3 (at 23 °C (at pH 6.5)		
Citronellol Pure (106-22-9)			
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)		
Diphenyl oxide (101-84-8)			
BCF - Fish [1]	(470 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	4.21 (at 25 °C)		
benzyl alcohol (100-51-6)			
Partition coefficient n-octanol/water (Log Pow)	1.05		
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)- (24720-09-0)			
BCF - Fish [1]	(>8.4 - <20)		
Partition coefficient n-octanol/water (Log Pow)	3.66 (at 25 °C (at pH 5.82)		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Additional information Ecological information

HP Code

- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : Dispose of contents/container in accordance with local/national laws and regulations.
- Dispose in a safe manner in accordance with local/national regulations.

 Handle empty containers with care because residual vapours are flammable.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (R	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	isopentyl acetate; Lime oil distilled; Citrus medica limonum (Lemon) peel oil; Spearmint oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories and 2, 2.15 types A to F	
3(b)	; Hexyl cinnamic aldehyde; Allyl caproate; Rose oxide; Benzyl salicylate; Aldehyde C-16; Lime oil distilled; Citrus medica limonum (Lemon) peel oil; Spearmint oil; Citronellol Pure; Terpineol; 2- Buten-1-one, 1-(2,6,6- trimethyl-2-cyclohexen-1- yl)-, (E)-	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	; Hexyl cinnamic aldehyde; 2(3H)-Furanone, 5- heptyldihydro-; Verdox; Allyl caproate; Benzyl salicylate; Benzyl acetate; Aldehyde C-16; Lime oil distilled; Citrus medica limonum (Lemon) peel oil; Spearmint oil; 2-Buten- 1-one, 1-(2,6,6-trimethyl- 2-cyclohexen-1-yl)-, (E)-	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	isopentyl acetate; Lime oil distilled; Citrus medica limonum (Lemon) peel oil; Spearmint oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases				
Code	Description			
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide			

Germany

Employment restrictions	:	Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK)	:	WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
Chemicals Prohibition Ordinance (ChemVerbotsV)	:	This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject to the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

ABM category	: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic
	environment
SZW-lijst van kankerverwekkende stoffen	: Terpineol.Lemon oil are listed

SZW-lijst van mutagene stoffen : Terpineol,Lemon oil are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Dominark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines
	for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Other information : None.

Full text of H- and EUF	I-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H332	Harmful if inhaled.		
H360	May damage fertility or the unborn child.		
H360FD	May damage fertility. May damage the unborn child.		
H361	Suspected of damaging fertility or the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Repr. 1A	Reproductive toxicity, Category 1A		
Repr. 2	Reproductive toxicity, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.