

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/21/2023 Revision date: 3/7/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Dark Chocolate

UFI : YK7G-T2UG-A009-DCWA Product code : parf dark chocolate Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, BUCHAREST, SECTOR 4 +40771326626

contact@kitlumanari.ro | www.kitlumanari.ro

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H302 - Harmful if swallowed.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P330 - Rinse mouth. P391 - Collect spillage.

EUH-statements : EUH208 - Contains Isovaleraldehyde, Acetyl Propionyl. May produce an allergic reaction.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	44.625 – 89.25	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1 – 2	Acute Tox. 4 (Oral), H302
Isoamyl phenylacetate	CAS-No.: 102-19-2 EC-No.: 203-012-6	0.75 – 1.5	Aquatic Chronic 2, H411
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.5 – 1	Eye Irrit. 2, H319
2-furaldehyde substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, NO, CH)	CAS-No.: 98-01-1 EC-No.: 202-627-7 EC Index-No.: 605-010-00-4	0.25 – 0.5	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335 Aquatic Chronic 3, H412
Acetyl Propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.25 – 0.5	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isovaleraldehyde substance with national workplace exposure limit(s) (AT, DE, LT, SI)	CAS-No.: 590-86-3 EC-No.: 209-691-5	0.125 – 0.25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT SE 3, H335 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

3/7/2024 (Revision date) EN (English) 3/18

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-furaldehyde (98-01-1)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	20 mg/m³	
	5 ppm	
OEL chemical category	Skin notation, Group B Carcinogen	
Belgium - Occupational Exposure Limits		
OEL TWA	8 mg/m³	
	2 ppm	
OEL chemical category	Skin	
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (Furfurol)	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	8 mg/m³	
	2 ppm	
KGVI (OEL STEL)	20 mg/m³	
	5 ppm	
OEL chemical category	Skin notation	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	10 mg/m³	
OEL chemical category	Potential for cutaneous absorption	

Safety Data Sheet

OEL TWA 7.9 mg/m² OEL STEL 15.8 mg/m² 4 ppm 4 ppm OEL chemical category Potential for cutaneous absorption Eatonia - Occupational Exposure Limits 8 mg/m² OEL TWA 8 mg/m² 2 ppm 20 mg/m² 5 ppm 5 ppm OEL chemical category Skin notation Finland - Occupational Exposure Limits 8 mg/m² 17 ppm 2 ppm HTP (OEL TWA) 8 mg/m² 2 ppm Potential category OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) VLE (OEL C/STEL) 8 mg/m² 2 ppm 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values ELV BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL Chemical category 3 ppm OEL Chemical category 40 mg/m³ 10 ppm OEL Chemical category	2-furaldehyde (98-01-1)		
DEL STEL 15.8 mg/m³ 4 ppm OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 8 mg/m³ 2 ppm OEL STEL 20 mg/m³ 5 ppm OEL chemical category Skin notation Finiand - Occupational Exposure Limits HTP (OEL TWA) 8 mg/m³ 2 ppm HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits WLE (OEL CISTEL) 8 mg/m³ 2 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits WLE (OEL CISTEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits KK (OEL TWA) 8 mg/m³ Hungary - Occupational Exposure Limits	Denmark - Occupational Exposure Limits		
OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 8 mg/m³ 2 ppm OEL STEL 20 mg/m³ 5 ppm OEL chemical category Skin notation Finiand - Occupational Exposure Limits HTP (OEL TWA) 8 mg/m² 2 ppm HTP (OEL STEL) 20 mg/m² 5 ppm OEL chemical category Skin notation Finiand - Occupational Exposure Limits HTP (OEL STEL) 20 mg/m² 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Potential for cutaneous absorption France - Biological limit values BLV Parameter. Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m² 5 ppm OEL STEL 40 mg/m² 5 ppm OEL STEL 40 mg/m² 5 ppm OEL Chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³ 8 mg/m³ 8 mg/m³	OEL TWA	7.9 mg/m³	
A ppm		2 ppm	
Description Potential for cutaneous absorption Estonia - Occupational Exposure Limits 8 mg/m² OEL TWA 8 mg/m² 2 ppm 20 mg/m² 5 ppm 5 ppm OEL chemical category 8 mg/m² 1 ppm 5 ppm HTP (OEL TWA) 8 mg/m² 2 ppm 2 ppm HTP (OEL STEL) 20 mg/m² 5 ppm Petential for cutaneous absorption France - Occupational Exposure Limits Petential for cutaneous absorption VLE (OEL C/STEL) 8 mg/m² 2 ppm 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits 20 mg/m² OEL TWA 20 mg/m² OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits K (OEL TWA) 8 mg/m²	OEL STEL	15.8 mg/m³	
Estonia - Occupational Exposure Limits OEL TWA 8 mg/m³ 2 ppm OEL STEL 20 mg/m³ 5 ppm OEL chemical category Skin notation Finiand - Occupational Exposure Limits HTP (OEL TWA) 8 mg/m³ 2 ppm HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Potential for cutaneous absorption France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits K(OEL TWA) 8 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption		4 ppm	
DEL TWA B mg/m² 2 ppm	OEL chemical category	Potential for cutaneous absorption	
2 ppm	Estonia - Occupational Exposure Limits		
OEL chemical category Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) 8 mg/m³ 2 ppm HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption	OEL TWA	8 mg/m³	
S ppm OEL chemical category Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) 8 mg/m³ 2 ppm HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³		2 ppm	
OEL chemical category Skin notation Finiand - Occupational Exposure Limits HTP (OEL TWA) 8 mg/m³ 2 ppm HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m² 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 10 ppm	OEL STEL	20 mg/m³	
Finland - Occupational Exposure Limits HTP (OEL TWA) 8 mg/m³ 2 ppm HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³		5 ppm	
HTP (OEL TWA) 8 mg/m³ 2 ppm HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³	OEL chemical category	Skin notation	
2 ppm 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption Prance - Occupational Exposure Limits 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 Carcinogen category 2 Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption 8 mg/m³ AK (OEL TWA) 8 mg/m³ 9 mg/m³	Finland - Occupational Exposure Limits		
HTP (OEL STEL) 20 mg/m³ 5 ppm OEL chemical category Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by casesis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³	HTP (OEL TWA)	8 mg/m³	
S ppm		2 ppm	
Potential for cutaneous absorption France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³	HTP (OEL STEL)	20 mg/m³	
France - Occupational Exposure Limits VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³		5 ppm	
VLE (OEL C/STEL) 8 mg/m³ 2 ppm OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³	OEL chemical category	Potential for cutaneous absorption	
OEL chemical category Carcinogen category 2 France - Biological limit values BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³	France - Occupational Exposure Limits		
Carcinogen category 2 France - Biological limit values BLV	VLE (OEL C/STEL)	8 mg/m³	
France - Biological limit values BLV		2 ppm	
BLV Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³	OEL chemical category	Carcinogen category 2	
Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source) Greece - Occupational Exposure Limits OEL TWA 20 mg/m³ 5 ppm OEL STEL 40 mg/m³ 10 ppm OEL chemical category Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³ 8 mg/m³	France - Biological limit values		
OEL TWA 20 mg/m³ 5 ppm 5 ppm OEL STEL 40 mg/m³ 10 ppm 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³	BLV	Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the	
DEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³	Greece - Occupational Exposure Limits		
OEL STEL 40 mg/m³ 10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³	OEL TWA	20 mg/m³	
10 ppm OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³		5 ppm	
OEL chemical category skin - potential for cutaneous absorption Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³	OEL STEL	40 mg/m³	
Hungary - Occupational Exposure Limits AK (OEL TWA) 8 mg/m³		10 ppm	
AK (OEL TWA) 8 mg/m³	OEL chemical category	skin - potential for cutaneous absorption	
	Hungary - Occupational Exposure Limits		
CK (OEL STEL) 20 mg/m³	AK (OEL TWA)	8 mg/m³	
	CK (OEL STEL)	20 mg/m³	
OEL chemical category Sensitizer, Potential for cutaneous absorption	OEL chemical category	Sensitizer, Potential for cutaneous absorption	
Ireland - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
OEL TWA 8 mg/m³	OEL TWA	8 mg/m³	
2 ppm		2 ppm	

Safety Data Sheet

2-furaldehyde (98-01-1)				
OEL STEL	20 mg/m³			
	5 ppm			
OEL chemical category	Potential for cutaneous absorption			
Latvia - Occupational Exposure Limits				
OEL TWA	10 mg/m³			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	8 mg/m³			
	2 ppm			
TPRV (OEL STEL)	20 mg/m³			
	5 ppm			
OEL chemical category	Carcinogen, Skin notation			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	10 mg/m³			
NDSCh (OEL STEL)	25 mg/m³			
Portugal - Occupational Exposure Limits	ı			
OEL TWA	2 ppm			
OEL chemical category	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, skin - potential for cutaneous exposure			
Romania - Occupational Exposure Limits	· ·			
OEL TWA	10 mg/m³			
	2.5 ppm			
OEL STEL	15 mg/m³			
	4 ppm			
OEL chemical category	C2			
Slovakia - Occupational Exposure Limits				
NPHV (OEL TWA)	7.9 mg/m³			
	2 ppm			
OEL chemical category	Potential for cutaneous absorption			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	8 mg/m³			
	2 ppm			
OEL chemical category	skin - potential for cutaneous absorption			
Spain - Biological limit values				
BLV	200 mg/l Parameter: Furoic acid - Medium: urine - Sampling time: end of shift (with hydrolysis)			
Sweden - Occupational Exposure Limits				
NGV (OEL TWA)	8 mg/m³			
	2 ppm			
KGV (OEL STEL)	20 mg/m³			
	5 ppm			
	1			

Safety Data Sheet

2-furaldehyde (98-01-1)		
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	8 mg/m³	
	2 ppm	
WEL STEL (OEL STEL)	20 mg/m³	
	5 ppm	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	8 mg/m³	
	2 ppm	
Korttidsverdi (OEL STEL)	16 mg/m³ (value calculated)	
	4 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	8 mg/m³	
	2 ppm	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	0.2 ppm	
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans, Skin - potential significant contribution to overall exposure by the cutaneous route	
USA - ACGIH - Biological Exposure Indices		
BEI	200 mg/l Parameter: Furoic acid with hydrolysis - Medium: urine - Sampling time: end of shift (nonspecific)	
Isovaleraldehyde (590-86-3)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	39 mg/m³	
	10 ppm	
MAK (OEL STEL)	39 mg/m³	
	10 ppm	
OEL C	39 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	39 mg/m³	
	10 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Slovenia - Occupational Exposure Limits		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

In accordance of the control of the		
Isovaleraldehyde (590-86-3)		
	10 ppm	
OEL STEL	39 mg/m³	
	10 ppm	
Acetyl Propionyl (600-14-6)		
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	0.083 mg/m³	
	0.02 ppm	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	0.083 mg/m³	
	0.02 ppm	
OEL STEL	0.083 mg/m³	
	0.02 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	0.08 mg/m³	
	0.02 ppm	
KZGW (OEL STEL)	0.16 mg/m³	
	0.04 ppm	
OEL chemical category	Sensitizer, Skin notation	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: light yellow. amber. Conforms to standard. Colour

: characteristic. characteristic. Odour

Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available

: > 93.3 °C (closed cup) ASTM D7094 Flash point

Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available

Solubility : Not soluble in water alone. Soluble in oils/fats.

Partition coefficient n-octanol/water (Log Kow) Not available : Not available Vapour pressure : Not available Vapour pressure at 50°C Density : Not available Relative density :≈1

: Not available Relative vapour density at 20°C Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

node toxioity (initialation)	The diagonica
Dark Chocolate	
ATE CLP (oral)	542.773 mg/kg bodyweight
benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Ethyl maltol (4940-11-8)	
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)
LD50 oral	1200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
2-furaldehyde (98-01-1)	
LD50 oral rat	125 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	500 – 1000 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	756 mg/m³ (Exposure time: 1 h Source: WHO)
LC50 Inhalation - Rat (Vapours)	1 mg/l
Isovaleraldehyde (590-86-3)	
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2730 mg/kg (Source: NLM_CIP)
LD50 dermal	2534 mg/kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isovaleraldehyde (590-86-3)	
LC50 Inhalation - Rat	42.7 mg/l/4h
Acetyl Propionyl (600-14-6)	
LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)
LD50 dermal	2500 mg/kg bodyweight
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	Not classified
	Not classified
	Not classified
• •	Not classified
2-furaldehyde (98-01-1)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
2-furaldehyde (98-01-1)	
STOT-single exposure	May cause respiratory irritation.
Isovaleraldehyde (590-86-3)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Acetyl Propionyl (600-14-6)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

		_			
1	, 1	Τо	VI	CI	W
LZ.	20	ıv		CI	LY

: Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Ecology - general

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)	
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)

Safety Data Sheet

LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]
	Source: EPA)
2-furaldehyde (98-01-1)	
LC50 - Fish [1]	13.4 – 19.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	16.79 – 26.35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Isovaleraldehyde (590-86-3)	
LC50 - Fish [1]	2.98 – 3.54 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
EC50 - Crustacea [1]	177 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	80 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	78 mg/l (Species: Desmodesmus subspicatus)
12.2. Persistence and degradability	
Dark Chocolate	
Persistence and degradability	Rapidly degradable
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Ethyl maltol (4940-11-8)	
Persistence and degradability	Rapidly degradable
Isoamyl phenylacetate (102-19-2)	
Persistence and degradability	Rapidly degradable
Ethyl vanillin (121-32-4)	
Persistence and degradability	Rapidly degradable
2-furaldehyde (98-01-1)	
Persistence and degradability	Rapidly degradable
Isovaleraldehyde (590-86-3)	
Persistence and degradability	Rapidly degradable
Acetyl Propionyl (600-14-6)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Ethyl maltol (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isoamyl phenylacetate (102-19-2)		
Partition coefficient n-octanol/water (Log Pow) 4.08 (at 25 °C)		
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C)		
2-furaldehyde (98-01-1)		
Partition coefficient n-octanol/water (Log Pow) 0.67		
Isovaleraldehyde (590-86-3)		
Partition coefficient n-octanol/water (Log Pow)	1.5 (at 25 °C (at pH 7)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
Transport document descr	Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	
14.3. Transport hazard	14.3. Transport hazard class(es)				
9	9	9	9	9	
**************************************	**************************************	**************************************	**************************************	**************************************	
14.4. Packing group	14.4. Packing group				
III	III	III	III	III	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

 IBC packing instructions (IMDG)
 : IBC03

 Tank instructions (IMDG)
 : T4

 Tank special provisions (IMDG)
 : TP1, TP29

 EmS-No. (Fire)
 : F-A

 EmS-No. (Spillage)
 : S-F

 Stowage category (IMDG)
 : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	2-furaldehyde ; Isovaleraldehyde ; Acetyl Propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Dark Chocolate; benzyl benzoate; 2-furaldehyde; Isovaleraldehyde; Acetyl Propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Dark Chocolate; benzyl benzoate; Isoamyl phenylacetate; 2- furaldehyde; Isovaleraldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	2-furaldehyde ; Isovaleraldehyde ; Acetyl Propionyl	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 74	Occupational disorders caused by furfural and furfuryl alcohol
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
EUH208	Contains Isovaleraldehyde, Acetyl Propionyl. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.