

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/20/2020 Revision date: 2/25/2025 Supersedes version of: 5/14/2024 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Trade name : Orchid Noir

UFI : PYAA-Y2WE-E00A-6GTD

Product code : parf orchid noir Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, Giurgiu, Sat Bacu

contact@kitlumanari.ro | www.kitlumanari.ro

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 Skin sensitisation, Category 1 H317 Reproductive toxicity, Category 2 H361 Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment - Chronic Hazard, H410

Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS07 GHS08 GHS09

Signal word (CLP) : Warning

Contains : Hexyl salicylate; Patchouli oil; Citronellol Pure; Linalyl acetate; Hydroxy; Geraniol; Nerol;

Cashmeran; Helional; Geranyl acetate; Bourgeonal

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H361 - Suspected of damaging fertility or the unborn child. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-29	9.4 – 18.8	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	8.7 – 17.3501	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	4.8 – 9.6	Eye Irrit. 2, H319
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	3.4 – 6.85	Skin Sens. 1B, H317 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	3.1 – 6.15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	1.3 – 2.65	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

2/25/2025 (Revision date) EN (English) 2/22

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	1.109 – 2.1325	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.8 – 1.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.5 – 0.9	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.15 – 0.455	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131- 40	0.2 – 0.35	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.09 – 0.325	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.1 – 0.25	Aquatic Chronic 3, H412
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.1 – 0.2	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
	CAS-No.: 104-21-2 EC-No.: 203-185-8	0.1 – 0.2	Skin Sens. 1, H317
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.1 – 0.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Indoflor crystals	CAS-No.: 18096-62-3 EC-No.: 241-997-4	0.1 – 0.15	Repr. 2, H361
Bourgeonal	CAS-No.: 18127-01-0 EC-No.: 242-016-2	0.1 – 0.1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.003 – 0.0195	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0001	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

41 F	Descrintini	n of firet :	aid measures

4. I. Description of first aid measures	
First-aid measures general	 Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Suspected of damaging fertility or the unborn child. Not expected to present a significant

hazard under anticipated conditions of normal use.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

First-aid measures after ingestion

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

2/25/2025 (Revision date) EN (English) 5/22

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Belgium - Occupational Exposure Limits OEL TWA Belgium - Occupational Exposure Limits OEL chemical category Skin Ireland - Occupational Exposure Limits OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (DEL TWA) 27 mg/m² NDSCh (DEL STEL) Portugal - Occupational Exposure Limits OEL TWA 5 ppm (inhalable fraction; vapor) Sensilizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for culture use exposure VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) Sensilizer, skin - potential for cultaneous absorption USA - ACGIH - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensilizer, skin - potential for cultaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cultaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m² 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m² 10 ppm Del TWA OEL STEL 122 mg/m² 20 ppm Ireland - Occupational Exposure Limits OEL TWA 5 mg/m² 10 ppm OEL STEL SOURTH OCCUPATIONAL STEP STEP STEP STEP STEP STEP STEP STEP	-it-st (5202 40 5)		
QEL TWA 32 mg/m² (vapor and aerosol) OEL chemical category Skin Iroland - Occupational Exposure Limits OEL TWA 5 ppm (calculated) OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m³ NDS (OEL STEL) Portugal - Occupational Exposure Limits CEL TWA 5 ppm (inhalable fraction; vapor) OEL TWA OEL TWA OEL TWA 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits VA ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH Occupational Exposure Limits OEL TWA 5 ppm (inhalable fraction and vapor) ACGIH Occupational Exposure Limits OEL TWA 62 mg/m² 10 ppm	citral (5392-40-5)		
Spm (vapor and aerosol)			
Skin	OEL TWA	32 mg/m³ (vapor and aerosol)	
Ireland - Occupational Exposure Limits OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m² NDSCh (OEL STEL) 54 mg/m² Portugal - Occupational Exposure Limits 5 ppm (inhalable fraction; vapor) OEL Chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) ACGIH Chemical category Nol Classiflable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm		5 ppm (vapor and aerosol)	
OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 5 ppm (inhalable fraction; vapor) Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaineous exposure VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category 5 ppm (inhalable fraction and vapor) OEL chemical category 5 ppm (inhalable fraction and vapor) OEL chemical category 5 ppm (inhalable fraction and vapor) OEL ACGIH - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL TWA 61 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 12 ppm² 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated)	OEL chemical category	Skin	
Poland - Occupational Exposure Limits Spm (calculated) Poland - Occupational Exposure Limits Spm (inhalable fraction; vapor) Spm (in	Ireland - Occupational Exposure Limits		
Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m² NDSCh (OEL STEL) 54 mg/m² Portugal - Occupational Exposure Limits OEL TWA 5 ppm (inhalable fraction; vapor) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure Limits ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure to the cutaneous route, dermal sensitizer	OEL TWA	5 ppm	
NDS (OEL TWA) 27 mg/m² NDSCh (OEL STEL) 54 mg/m² Portugal - Occupational Exposure Limits OEL TWA 5 ppm (inhalable fraction; vapor) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m² 10 ppm OEL STEL 61 mg/m² 10 ppm OEL STEL 12 mg/m² 20 ppm Iroland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated)	OEL STEL	15 ppm (calculated)	
NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 5ppm (inhalable fraction; vapor) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5ppm (inhalable fraction and vapor) Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits OEL TWA 5 ppm (inhalable fraction; vapor) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) Not Classifiable as a Human Carcinogen, skin - potential significant contribution to overall exposure Limits OEL TWA 5 ppm (inhalable fraction and vapor) Not Classifiable as a Human Carcinogen, skin - potential significant contribution to overall exposure Limits OEL TWA 62 ppm 62 ppm 64 ppm 65 ppm (inhalable fraction and vapor) Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm 66	NDS (OEL TWA)	27 mg/m³	
OEL TWA 5 ppm (inhalable fraction; vapor) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	NDSCh (OEL STEL)	54 mg/m³	
Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) ACGIH chemical category Portional Exposure Limits ACGIH chemical category Portional Exposure Limits ACGIH chemical category Portional Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	Portugal - Occupational Exposure Limits		
cutaneous exposure Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 5 ppm (inhalable fraction and vapor) OEL chemical category Sensitizer, skin - potential for cutaneous absorption USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure texposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 30 ppm (calculated) Latvia - Occupational Exposure Limits	OEL TWA	5 ppm (inhalable fraction; vapor)	
VLA-ED (OEL TWA) OEL chemical category Sensitizer, skin - potential for cutaneous absorption WSA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA Sppm (inhalable fraction and vapor) ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m² 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA OEL TWA 10 ppm OEL TWA OEL TWA OEL TWA 10 ppm OEL TWA OEL T	OEL chemical category		
OEL chemical category USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 91 ppm OEL STEL 10 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL STEL 11 ppm OEL STEL 12 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm OEL STEL 11 ppm OEL STEL 12 mg/m³ 20 ppm	Spain - Occupational Exposure Limits		
ACGIH - Occupational Exposure Limits ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 01 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
ACGIH OEL TWA 5 ppm (inhalable fraction and vapor) ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 01 ppm OEL STEL 30 ppm COEL TWA 30 ppm (calculated) Latvia - Occupational Exposure Limits	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
ACGIH chemical category Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits		
Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm 10 ppm OEL STEL 10 ppm 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm	ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	ACGIH chemical category		
OEL TWA 62 mg/m³ Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm 10 ppm OEL STEL 122 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	Benzyl acetate (140-11-4)		
10 ppm	Belgium - Occupational Exposure Limits		
Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm 10 ppm Latvia - Occupational Exposure Limits	OEL TWA	62 mg/m³	
OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits		10 ppm	
DEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	Denmark - Occupational Exposure Limits		
OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	OEL TWA	61 mg/m³	
Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits		10 ppm	
Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	OEL STEL	122 mg/m³	
OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits		20 ppm	
OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
Latvia - Occupational Exposure Limits	OEL TWA	10 ppm	
	OEL STEL	30 ppm (calculated)	
OEL TWA 5 mg/m³	Latvia - Occupational Exposure Limits		
	OEL TWA	5 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Renzyl acotate (140 11 4)		
Benzyl acetate (140-11-4)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits	I	
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	15 ppm	
OEL STEL	200 mg/m³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available
Flammability : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point Not available Auto-ignition temperature Decomposition temperature Not available Not available рΗ Viscosity, kinematic Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.000370548 mm Hg (calculated value)

Vapour pressure at 50° C : Not available Density : Not available Relative density : ≈ 0.96 Relative vapour density at 20° C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 2.6401 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	> 5.04 mg/l/4h

Safety Data Sheet

benzyl benzoate (120-51-4)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg (Source: ECHA)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Phenylethyl alcohol (60-12-8)		
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)	
LD50 oral	1610 mg/kg	
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 4.63 mg/l/4h	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 dermal	2650 mg/kg bodyweight	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)	
Hydroxy (107-75-5)		
LD50 oral rat	> 6400 mg/kg (Source: ECHA)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

citral (5392-40-5)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
Cashmeran (33704-61-9)	
LD50 oral rat	2685 mg/kg (Source: ECHA_API)
LD50 oral	2900 mg/kg bodyweight
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
(104-21-2)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)
Indoflor crystals (18096-62-3)	
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Bourgeonal (18127-01-0)	
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: ECHA_API)
Allyl amyl glycolate (67634-00-8)	
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	0.43 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h
Sandela (66068-84-6)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 5.27 mg/l/4h
Alcohol C-10 (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation Germ cell mutagenicity	: May cause an allergic skin reaction. : Not classified
Carcinogenicity	: Not classified
Caronogenicity	. เพนะผลออกแอน

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)		
IARC group		3 - Not classifiable
Reproductive toxicity	:	Suspected of damaging fertility or the unborn child.
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Cashmeran (33704-61-9)		
STOT-repeated exposure		May cause damage to organs through prolonged or repeated exposure.
Bourgeonal (18127-01-0)		
STOT-repeated exposure		May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	:	Not classified
benzyl benzoate (120-51-4)		
Viscosity, kinematic		7.456 mm²/s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

chronic)

(chronic)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Phenylethyl alcohol (60-12-8)		
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
Geraniol (106-24-1)		
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	

Nerol (106-25-2)

Safety Data Sheet

citral (5392-40-5) ECS0 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) ECS0 98h - Algae [1] 10 mg/l (Species: Desmodesmus subspicatus) ECS0 - Fish [1] 10 mg/l (Species: Desmodesmus subspicatus) Cashmeran (33704-61-9) LCS0 - Fish [1] 10 3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Alcohol C-10 (112-30-1) LC50 - Fish [1] 2 2 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 4 12 - 6 2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus (static) Source: EPA) LC50 - Fish [2] 4 12 - 6 2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus (static) Source: EPA) LC50 - Fish [2] 4 12 - 6 2 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidy degradable bonzyl bonzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-oh, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidy degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidy degradable Phonylothyl alcohol (60-12-8) Persistence and degradability Rapidy degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidy degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidy degradable Hydroxy (107-76-5) Persistence and degradability Rapidy degradable Hydroxy (107-76-5) Persistence and degradability Rapidy degradable Persistence and degradability Rapidy degradable	LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus) Cashmeran (33704-61-9) LC50 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Alcohol C-10 (112-30-1) LC50 - Fish [1] 2.2 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 4.12 - 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LC50 - Fish [2] 4.12 - 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) EC50 - Crustacea [1] 3 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Porsistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. totrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl sallcylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylothyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Phenylothyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	citral (5392-40-5)	
EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Cashmeran (33704-61-9) LC50 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Alcohol C-10 (112-30-1) LC50 - Fish [1] 2.2 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 4.12 - 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) EC50 - Crustacea [1] 3 mg/l (Exposure time: 48 h - Species: Lepomis macrochirus [static] Source: EPA) EC50 - Crustacea and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl saticylate (6259-76-3) Persistence and degradability Rapidly degradable Phonylithyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Coraniol (106-24-1)	EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Cashmeran (33704-61-9) LC59 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Alcohol C-10 (112-30-1) LC50 - Fish [1] 22 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through] Source: EPA) LC50 - Fish [2] 4.12 - 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) EC50 - Crustacea [1] 3 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) EC50 - Crustacea (1] 3 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hoxyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phonylathyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-8) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Ceraniol (106-24-1)	EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
LC50 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Alcohol C-10 (112-30-1) LC50 - Fish [1] 2.2 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through] Source: EPA) LC50 - Fish [2] 4.12 - 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) LC50 - Crustacea [1] 3 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2 Persistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,3,8-hexamethyllindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mlxed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Ceraniol (106-24-1)	EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
Alcohol C-10 (112-30-1) LC50 - Fish [1]	Cashmeran (33704-61-9)	
LC50 - Fish [1] 2.2 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 4.12 - 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) EC50 - Crustacea [1] 3 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,5,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Nay cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Source: EPA) LC50 - Fish [2] 4.12 - 6.2 rg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) EC50 - Crustacea [1] 3 rg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Repidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. totrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Repidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Alcohol C-10 (112-30-1)	
EPA) EC50 - Crustacea [1] 3 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	LC50 - Fish [1]	
12.2. Persistence and degradability Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	LC50 - Fish [2]	
Orchid Noir Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchoull oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Persistence and degradability Not established. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchoull oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	12.2. Persistence and degradability	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) Persistence and degradability Rapidly degradable benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Orchid Noir	
Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Not established.
benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
Persistence and degradability May cause long-term adverse effects in the environment. tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Rapidly degradable
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	benzyl benzoate (120-51-4)	
Persistence and degradability Rapidly degradable Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	May cause long-term adverse effects in the environment.
Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)
Persistence and degradability Rapidly degradable Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Rapidly degradable
Phenylethyl alcohol (60-12-8) Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Hexyl salicylate (6259-76-3)	
Persistence and degradability Rapidly degradable Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Rapidly degradable
Patchouli oil (8014-09-3) Persistence and degradability Rapidly degradable Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Phenylethyl alcohol (60-12-8)	
Persistence and degradability Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Rapidly degradable
Citronellol Pure (106-22-9) Persistence and degradability Rapidly degradable Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Patchouli oil (8014-09-3)	
Persistence and degradability Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Rapidly degradable
Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Citronellol Pure (106-22-9)	
Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Rapidly degradable
Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Linalyl acetate (115-95-7)	
Persistence and degradability Rapidly degradable Geraniol (106-24-1)	Persistence and degradability	Rapidly degradable
Geraniol (106-24-1)	Hydroxy (107-75-5)	
	Persistence and degradability	Rapidly degradable
Persistence and degradability Rapidly degradable	Geraniol (106-24-1)	
	Persistence and degradability	Rapidly degradable

Safety Data Sheet

Nerol (106-25-2)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
Cashmeran (33704-61-9)		
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Helional (1205-17-0)		
Persistence and degradability	Rapidly degradable	
(104-21-2)		
Persistence and degradability	Rapidly degradable	
Geranyl acetate (105-87-3)		
Persistence and degradability	Rapidly degradable	
Indoflor crystals (18096-62-3)		
Persistence and degradability	Rapidly degradable	
Bourgeonal (18127-01-0)		
Persistence and degradability	Rapidly degradable	
Allyl amyl glycolate (67634-00-8)		
Persistence and degradability	Rapidly degradable	
Sandela (66068-84-6)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
Orchid Noir		
Bioaccumulative potential	Not established.	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)		
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hexyl salicylate (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)
Phenylethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)
Citronellol Pure (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
Geraniol (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
Nerol (106-25-2)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)
citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Cashmeran (33704-61-9)	
BCF - Fish [1]	(81 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 20 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
(104-21-2)	
Partition coefficient n-octanol/water (Log Pow)	1.9 (at 35 °C)
Geranyl acetate (105-87-3)	
Partition coefficient n-octanol/water (Log Pow)	4.04
Indoflor crystals (18096-62-3)	
Partition coefficient n-octanol/water (Log Pow)	1.76 (at 22.8 °C (at pH 7)
Bourgeonal (18127-01-0)	
Partition coefficient n-octanol/water (Log Pow)	3.2 (at 20 °C (at pH 7)
Allyl amyl glycolate (67634-00-8)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 2.3)
Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information HP Code

- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III
14.3. Transport hazard	class(es)			
9	9	9	9	9
**************************************	**************************************	**************************************	**************************************	**************************************
14.4. Packing group	14.4. Packing group			
III	III	III	III	III

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG) Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T4 : TP1, TP29 Tank special provisions (IMDG) : F-A EmS-No. (Fire) EmS-No. (Spillage) S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Orchid Noir; benzyl benzoate; tetrahydro-2- isobutyl-4-methylpyran-4- ol, mixed isomers (cis and trans); Hexyl salicylate; Phenylethyl alcohol; Patchouli oil; Citronellol Pure; Linalyl acetate; Hydroxy; Geraniol; Nerol; citral; Cashmeran; Helional;; Geranyl acetate; Bourgeonal; Allyl amyl glycolate; Sandela	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	Orchid Noir; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB); benzyl benzoate; Hexyl salicylate; Patchouli oil; Cashmeran; Benzyl acetate; Helional; Geranyl acetate; Bourgeonal; Allyl amyl glycolate; Sandela; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 2.6401 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
	Observe restrictions according Act on the Protection of Young People in Employment
	(JArbSchG).
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
Major Accidents Ordinance (12. BlmSchV)	: Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

ABM category

: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW-lijst van kankerverwekkende stoffen

: Allyl amyl glycolate, Sandela are listed

: None of the components are listed

SZW-lijst van mutagene stoffen : Allyl amyl glycolate,Sandela are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

2/25/2025 (Revision date) EN (English) 19/22

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Denmark

Classification remarks
Danish National Regulations

- : Emergency management guidelines for the storage of flammable liquids must be followed
- : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : None.

Full text of H- and EUH	H-statements:
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.