## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/26/2024 Revision date: 10/2/2025 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Trade name : PARADISE

UFI : MD2N-6CJP-300D-1HM8

Product code : parf\_paradise
Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Use of the substance/mixture

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Function or use category : Odour agents

#### 1.3. Details of the supplier of the safety data sheet

BAKED GAMES SRL ROMANIA, Giurgiu, Sat Bacu

contact@kitlumanari.ro | www.kitlumanari.ro

### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Acute Hazard,

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP)

: Warning

Contains

Benzyl benzoate; Linalyl acetate; CUPRESSUS FUNEBRIS WOOD OIL; Linalool; Hexyl salicylate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Vertofix; Citronellol Pure; d-Limonene; ACETYL HEXAMETHYL TETRALIN; Cedramber; Geranyl acetate; (ETHOXYMETHOXY)CYCLODODECANE; Citral; Helional; Lime oil distilled; Grapefruit oil; Anise oil (Spanish); Orange oil; Cyclamal; Dipentene

Hazard statements (CLP)

: H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (CLP)

H410 - Very toxic to aquatic life with long lasting effects. : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### Component

Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

p-cresol (106-44-5)(1)

(1) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Name	Product identifier	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate		Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	4 – 8	Aquatic Chronic 2, H411
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.2 – 2.3759998	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	1 – 2	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1 – 1.9060088	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6 EC Index-No.: 607-772-00-3	0.9 – 1.8846	Skin Sens. 1B, H317 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.9 – 1.85	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	CAS-No.: 111879-80-2 EC-No.: 422-320-3 EC Index-No.: 606-092-00-4	0.9 – 1.8	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.9 – 1.7	Aquatic Chronic 2, H411
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.6 – 1.15	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.6 – 1.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.5 – 1.076	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	CAS-No.: 139504-68-0 EC-No.: 412-300-2 EC Index-No.: 603-154-00-2 REACH-no: 01-0000015959- 52	0.5 – 1	Aquatic Chronic 2, H411
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.5 – 1	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.5 – 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sandal Mysore Core	CAS-No.: 28219-60-5 EC-No.: 248-907-2	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.4 – 0.7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.3 – 0.526	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
(ETHOXYMETHOXY)CYCLODODECANE	CAS-No.: 58567-11-6 EC-No.: 261-332-1	0.2 – 0.4	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.2 – 0.375	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 EC Index-No.: 605-042-00-9 REACH-no: 01-2120740119- 58	0.2 – 0.3	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Grapefruit oil	CAS-No.: 8016-20-4 EC-No.: 600-007-4	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Anise oil (Spanish)	CAS-No.: 8007-70-3 EC-No.: 616-914-3	0.1 – 0.2	Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.1 – 0.158	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.1 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
dipentene; limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3 EC-No.: 205-341-0	0.1 – 0.114	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 0.042	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0 – 0.0040386	Aquatic Chronic 3, H412
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0014	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0004	Flam. Liq. 3, H226
p-cresol substance with national workplace exposure limit(s) (AT, DE, DK, FI, PL, PT, SE, SK)	CAS-No.: 106-44-5 EC-No.: 203-398-6 EC Index-No.: 604-004-00-9	0 – 0.000004	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Citric acid substance with national workplace exposure limit(s) (CZ, DE, CH)	CAS-No.: 77-92-9 EC-No.: 201-069-1 EC Index-No.: 607-750-00-3 REACH-no: 01-2119457026-	0 – 0.000002	Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Suspected of causing cancer. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice

(show the label where possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs:

Get medical advice/attention. Wash with plenty of water/ Get medical advice/attention.

Get medical advice/attention. Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Call a poison center or a doctor if you feel

unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Suspected of damaging fertility or the unborn child. Not expected to present a significant

hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

10/2/2025 (Revision date) EN (English) 6/31

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

ventilation in process area to prevent formation of vapour. Avoid breathing

dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and

eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool. Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

incompatible materials . Sources of ignition. Direct s

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Germany

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2

Joint storage permitted for : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B,

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

10/2/2025 (Revision date) EN (English) 7/31

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

National occupational exposure and biological limit values

5)		
Finland - Occupational Exposure Limits		
140 mg/m³		
25 ppm		
280 mg/m³		
50 ppm		
00)		
28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Skin notation, Skin sensitization		
28 mg/m³		
5 ppm		
112 mg/m³		
20 ppm		
Potential for cutaneous absorption		
Spain - Occupational Exposure Limits		
168 mg/m³		
30 ppm		
Sensitizer, skin - potential for cutaneous absorption		
140 mg/m³		
25 ppm		
175 mg/m³ (value calculated)		
37.5 ppm (value calculated)		
Allergenic substance		
Switzerland - Occupational Exposure Limits		
40 mg/m³		
7 ppm		
80 mg/m³		
14 ppm		
Sensitizer		

# Safety Data Sheet

citral (5392-40-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	32 mg/m³ (vapor and aerosol)
	5 ppm (vapor and aerosol)
OEL chemical category	Skin
Ireland - Occupational Exposure Limits	
OEL TWA	5 ppm
OEL STEL	15 ppm (calculated)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	27 mg/m³
NDSCh (OEL STEL)	54 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	5 ppm (inhalable fraction; vapor)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	5 ppm (inhalable fraction and vapor)
ACGIH® chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
dipentene; limonene (138-86-3)	
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer coniferous resin sensitizes the skin
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³

# Safety Data Sheet

dipentene; limonene (138-86-3)	
	50 ppm
OEL chemical category	Skin sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Skin sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³

# Safety Data Sheet

.alphaPinene (80-56-8)		
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH® chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	10 ppm	
ACGIH® chemical category	Not Classifiable as a Human Carcinogen	

# Safety Data Sheet

Citric acid (77-92-9)		
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	4 mg/m³ (dust)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	2 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	2 mg/m³ (inhalable dust)	
KZGW (OEL STEL)	4 mg/m³ (inhalable dust)	
p-cresol (106-44-5)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m³ (Cresol all isomers)	
	5 ppm (Cresol all isomers)	
MAK (OEL STEL)	44 mg/m³ (Cresol, all isomers)	
	10 ppm (Cresol, all isomers)	
OEL chemical category	Skin notation	
Denmark - Occupational Exposure Limits		
OEL TWA	22 mg/m³ (Cresol, all isomers)	
	5 ppm (Cresol, all isomers)	
OEL STEL	44 mg/m³ (Cresol, all isomers)	
	10 ppm (Cresol, all isomers)	
OEL chemical category	Potential for cutaneous absorption	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	22 mg/m³ (Cresol)	
	5 ppm (Cresol)	
HTP (OEL STEL)	45 mg/m³	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	4.5 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	22 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm (inhalable fraction; vapor)	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	

# Safety Data Sheet

p-cresol (106-44-5)			
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA)	22 mg/m³		
,	5 ppm		
OEL chemical category	Potential for cutaneous absorption		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	4.5 mg/m³		
(622)	1 ppm		
KGV (OEL STEL)	9 mg/m³		
	2 ppm		
OEL chemical category	Skin notation		
USA - ACGIH - Occupational Exposure Limits			
ACGIH® TLV® TWA	20 mg/m³ (inhalable fraction and vapor)		
ACGIH® chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route		
Alcohol C-10 (112-30-1)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	10 mg/m³		
Germany - Occupational Exposure Limits (TRGS 90	Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Latvia - Occupational Exposure Limits			
OEL TWA	10 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	10 mg/m³		
Romania - Occupational Exposure Limits			
OEL TWA	100 mg/m³		
	15 ppm		
OEL STEL	200 mg/m³		
	30 ppm		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)		
	10 ppm (aerosol, vapour)		
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)		
	10 ppm (aerosol, vapour)		
Aldehyde C-6 (66-25-1)			
Finland - Occupational Exposure Limits			
HTP (OEL STEL)	42 mg/m³		
	10 ppm		

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³

#### 8.2. Exposure controls

#### **Appropriate engineering controls**

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

## Respiratory protection

### Respiratory protection:

Wear appropriate mask

#### **Environmental exposure controls**

### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. : Not available Odour threshold Melting point : Not applicable Freezing point : Not available : Not available Boiling point Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93.3 °C Auto-ignition temperature : Not available Decomposition temperature : Not available pН : Not available Viscosity, kinematic : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.000474615 mm Hg (calculated value)

Vapour pressure at 50°C : Not available

Density : Not available

Relative density : ~101

Relative vapour density at 20°C : Not available

Particle characteristics : Not applicable

#### 9.2. Other information

#### Other safety characteristics

VOC content : 3.9389416 % (calculated value)(CARB VOC) (%w/w)

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

PARADISE	
ATE CLP (oral)	857.203 mg/kg bodyweight
benzyl benzoate (120-51-4)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
LD50 oral	1160 mg/kg
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)

# Safety Data Sheet

Methyl Inone (mixture of isomers) (1335-46-2)			
Linaly  acetate (115-95-7)	Methyl ionone (mixture of isomers) (1335-46-2)		
Linalyl acetate (115-95-7)			
Linalyl acetate (115-95-7)			
LD50 oral rat	LD50 dermal	2900 mg/kg	
LD50 dermal rabbit	Linalyl acetate (115-95-7)		
LC50 Inhalation - Rat	LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
Linatool (78-70-6)	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LD50 oral rat   2790 mg/kg (Source: NLM_CIP)	LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)	
LD50 oral   2790 mg/kg   LD50 dermal rabbit   5610 mg/kg (Source: ECHA_API)	Linalool (78-70-6)		
LD50 dermal rabbit	LD50 oral rat	2790 mg/kg (Source: NLM_CIP)	
Hexyl salicylate (6259-76-3)   LD50 oral rat	LD50 oral	2790 mg/kg	
LD50 oral rat	LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)	
D50 dermal rabbit	Hexyl salicylate (6259-76-3)		
Deta-lonone (14901-07-6)   LD50 oral rat	LD50 oral rat	> 5 g/kg (Source: ECHA)	
LD50 oral rat	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
LD50 oral   3940 mg/kg	beta-lonone (14901-07-6)		
Vertofix (32388-55-9)         4500 mg/kg           LD50 oral         4500 mg/kg (Source: ECHA_API)           Citronellol Pure (106-22-9)           LD50 oral rat         3450 mg/kg (Source: NLM_CIP)           LD50 oral         3450 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         2650 mg/kg (Source: EPA_HPV)           LD50 dermal         2650 mg/kg           (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           Dihydromyrcenol (18479-58-8)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral         3020 mg/kg           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)           LD50 dermal rat         > 2000 mg/kg (Source: ECHA_API)           Patchouli oil (8014-09-3)	LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)	
LD50 oral	LD50 oral	3940 mg/kg	
D50 dermal rabbit	Vertofix (32388-55-9)		
Citronellol Pure (106-22-9)           LD50 oral rat         3450 mg/kg (Source: NLM_CIP)           LD50 oral         3450 mg/kg           LD50 dermal rabbit         2650 mg/kg (Source: EPA_HPV)           LD50 dermal         2650 mg/kg           (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)         (Source: CHEMVIEW)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           Dihydromyrcenol (18479-58-8)         (Source: CHEMVIEW)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral         3020 mg/kg           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)         LD50 dermal rat           LD50 dermal rat         > 2000 mg/kg (Source: ECHA_API)           Patchouli oil (8014-09-3)	LD50 oral	4500 mg/kg	
LD50 oral rat       3450 mg/kg (Source: NLM_CIP)         LD50 oral       3450 mg/kg         LD50 dermal rabbit       2650 mg/kg (Source: EPA_HPV)         LD50 dermal       2650 mg/kg         (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)         LD50 oral rat       4400 mg/kg (Source: CHEMVIEW)         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         Dihydromyrcenol (18479-58-8)         LD50 oral rat       3600 mg/kg (Source: NLM_CIP)         LD50 oral       3020 mg/kg         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)         LD50 dermal rat       > 2000 mg/kg (Source: ECHA_API)         Patchouli oil (8014-09-3)	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
LD50 oral       3450 mg/kg         LD50 dermal rabbit       2650 mg/kg (Source: EPA_HPV)         LD50 dermal       2650 mg/kg         (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)         LD50 oral rat       4400 mg/kg (Source: CHEMVIEW)         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         Dihydromyrcenol (18479-58-8)         LD50 oral rat       3600 mg/kg (Source: NLM_CIP)         LD50 oral       3020 mg/kg         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)         LD50 dermal rat       > 2000 mg/kg (Source: ECHA_API)         Patchouli oil (8014-09-3)	Citronellol Pure (106-22-9)		
LD50 dermal rabbit 2650 mg/kg (Source: EPA_HPV)  LD50 dermal 2650 mg/kg  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)  LD50 oral rat 4400 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit > 5 g/kg (Source: CHEMVIEW)  Dihydromyrcenol (18479-58-8)  LD50 oral rat 3600 mg/kg (Source: NLM_CIP)  LD50 oral 3020 mg/kg  LD50 dermal rabbit > 5 g/kg (Source: CHEMVIEW)  1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)  LD50 dermal rat > 2000 mg/kg (Source: ECHA_API)  Patchouli oil (8014-09-3)	LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 dermal 2650 mg/kg  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)  LD50 oral rat 4400 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit > 5 g/kg (Source: CHEMVIEW)  Dihydromyrcenol (18479-58-8)  LD50 oral rat 3600 mg/kg (Source: NLM_CIP)  LD50 oral 3020 mg/kg  LD50 dermal rabbit > 5 g/kg (Source: CHEMVIEW)  1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)  LD50 dermal rat > 2000 mg/kg (Source: ECHA_API)  Patchouli oil (8014-09-3)	LD50 oral	3450 mg/kg	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)  LD50 oral rat	LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 oral rat       4400 mg/kg (Source: CHEMVIEW)         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         Dihydromyrcenol (18479-58-8)         LD50 oral rat       3600 mg/kg (Source: NLM_CIP)         LD50 oral       3020 mg/kg         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)         LD50 dermal rat       > 2000 mg/kg (Source: ECHA_API)         Patchouli oil (8014-09-3)	LD50 dermal	2650 mg/kg	
Dihydromyrcenol (18479-58-8)   LD50 oral rat   3600 mg/kg (Source: NLM_CIP)     LD50 oral   3020 mg/kg     LD50 dermal rabbit   > 5 g/kg (Source: CHEMVIEW)     1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)     LD50 dermal rat   > 2000 mg/kg (Source: ECHA_API)     Patchouli oil (8014-09-3)	(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Dihydromyrcenol (18479-58-8)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral         3020 mg/kg           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)           LD50 dermal rat         > 2000 mg/kg (Source: ECHA_API)           Patchouli oil (8014-09-3)	LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 oral rat       3600 mg/kg (Source: NLM_CIP)         LD50 oral       3020 mg/kg         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)         LD50 dermal rat       > 2000 mg/kg (Source: ECHA_API)         Patchouli oil (8014-09-3)	LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
LD50 oral       3020 mg/kg         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)         LD50 dermal rat       > 2000 mg/kg (Source: ECHA_API)         Patchouli oil (8014-09-3)	Dihydromyrcenol (18479-58-8)		
LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)           LD50 dermal rat         > 2000 mg/kg (Source: ECHA_API)           Patchouli oil (8014-09-3)	LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)  LD50 dermal rat > 2000 mg/kg (Source: ECHA_API)  Patchouli oil (8014-09-3)	LD50 oral	3020 mg/kg	
LD50 dermal rat > 2000 mg/kg (Source: ECHA_API)  Patchouli oil (8014-09-3)	LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Patchouli oil (8014-09-3)	1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)		
	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral rat > 5 g/kg (Source: NLM_CIP)	Patchouli oil (8014-09-3)		
	LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	

# Safety Data Sheet

ACETYL HEXAMETHYL TETRALIN (21145-77-7)		
LD50 oral rat	570 mg/kg (Source: NLM_CIP)	
LD50 oral	1000 mg/kg	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	
(ETHOXYMETHOXY)CYCLODODECANE (5856	67-11-6)	
LD50 oral rat	> 5 g/kg (Source: ECHA)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Lime oil distilled (8008-26-2)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Grapefruit oil (8016-20-4)		
LD50 oral rat	> 5 g/kg (Source: ECHA)	
Anise oil (Spanish) (8007-70-3)		
LD50 oral rat	2250 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
dipentene; limonene (138-86-3)		
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	

# Safety Data Sheet

Citric acid (77-92-9)		
LD50 oral rat	3 g/kg (Source: NLM_CIP)	
LD50 oral	3800 mg/kg	
LD50 dermal rat	> 2000 mg/kg (Source: EU_CLH)	
p-cresol (106-44-5)		
LD50 oral rat	207 mg/kg (Source: JAPAN_GHS)	
LD50 oral	207 mg/kg	
LD50 dermal rabbit	300 mg/kg (Source: JAPAN_GHS)	
LD50 dermal	300 mg/kg	
LC50 Inhalation - Rat	> 710 mg/m³ (Exposure time: 1 h Source: OECD_SIDS)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Skin corrosion/irritation :	Causes skin irritation.	
Citric acid (77-92-9)		
рН	2.1 (conc: 0.1 M (solution)	
Serious eye damage/irritation :	Causes serious eye irritation.	
Citric acid (77-92-9)		
pH	2.1 (conc: 0.1 M (solution)	
	May cause an allergic skin reaction.  Not classified	
	Not classified	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
IARC group	3 - Not classifiable	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
	Not classified Not classified	
Citric acid (77-92-9)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	
benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	
<del></del>		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

dipentene; limonene (138-86-3)	
Hydrocarbon	Yes
.alphaPinene (80-56-8)	
Hydrocarbon	Yes

#### 11.2. Information on other hazards

#### Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met, Harmful if swallowed.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

(acute

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Methyl ionone (mixture of isomers) (1335-46-2	2)	
LC50 - Fish [1]	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
Linalool (78-70-6)		
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)	
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
.alphaPinene (80-56-8)		
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)	
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Citric acid (77-92-9)		
LC50 - Fish [1]	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus Source: OECD_SIDS)	

# Safety Data Sheet

p-cresol (106-44-5)		
LC50 - Fish [1]	15.9 – 17 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	19 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	21.1 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.2. Persistence and degradability		
PARADISE		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Ethylene brassylate (105-95-3)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Methyl ionone (mixture of isomers) (1335-46-2)		
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
CUPRESSUS FUNEBRIS WOOD OIL (85085-29-6)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
Hexyl salicylate (6259-76-3)		
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	yl-2-naphthalenyl)ethanone (54464-57-2)	
Persistence and degradability	Rapidly degradable	
reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one (111879-80-2)		
Persistence and degradability	Rapidly degradable	
beta-lonone (14901-07-6)		
Persistence and degradability	Rapidly degradable	

# Safety Data Sheet

Vertofix (32388-55-9)		
Persistence and degradability	Rapidly degradable	
Citronellol Pure (106-22-9)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Persistence and degradability	Rapidly degradable	
Dihydromyrcenol (18479-58-8)		
Persistence and degradability	Rapidly degradable	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139	504-68-0)	
Persistence and degradability	Rapidly degradable	
Patchouli oil (8014-09-3)		
Persistence and degradability	Rapidly degradable	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Persistence and degradability	Rapidly degradable	
Sandal Mysore Core (28219-60-5)		
Persistence and degradability	Rapidly degradable	
Cedramber (19870-74-7)		
Persistence and degradability	Rapidly degradable	
Geranyl acetate (105-87-3)		
Persistence and degradability	Rapidly degradable	
(ETHOXYMETHOXY)CYCLODODECANE (5856	67-11-6)	
Persistence and degradability	May cause long-term adverse effects in the environment, Not established.	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
Helional (1205-17-0)		
Persistence and degradability	Rapidly degradable	
Lime oil distilled (8008-26-2)		
Persistence and degradability	Rapidly degradable	
Grapefruit oil (8016-20-4)		
Persistence and degradability	Rapidly degradable	
Anise oil (Spanish) (8007-70-3)		
Persistence and degradability	Rapidly degradable	
Orange oil (8008-57-9)		
Persistence and degradability	Rapidly degradable	
Cyclamal (103-95-7)		
Persistence and degradability	Not established.	

# Safety Data Sheet

dipentene; limonene (138-86-3)	dipentene; limonene (138-86-3)		
Persistence and degradability	Rapidly degradable		
.alphaPinene (80-56-8)			
Persistence and degradability	Rapidly degradable		
Benzyl acetate (140-11-4)			
Persistence and degradability	Rapidly degradable		
Citric acid (77-92-9)			
Persistence and degradability	Rapidly degradable		
p-cresol (106-44-5)			
Persistence and degradability	Rapidly degradable		
Alcohol C-10 (112-30-1)			
Persistence and degradability	Rapidly degradable		
Aldehyde C-6 (66-25-1)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
PARADISE			
Bioaccumulative potential	Not established.		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
Ethylene brassylate (105-95-3)			
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)		
Bioaccumulative potential	Not established.		
Methyl ionone (mixture of isomers) (1335-46-2	2)		
Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)		
Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
Linalool (78-70-6)			
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)		
Hexyl salicylate (6259-76-3)			
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)			
Partition coefficient n-octanol/water (Log Pow)	5.65 (at 30°C)		
beta-lonone (14901-07-6)			
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)		

# Safety Data Sheet

Vertofix (2238-55-9)   (3920 dimensionloss (organ w.w.)			
Partition coefficient n-octanol/water (Log Pow) 5.6 – 5.9  Citronellol Puro (106-22-9)  Partition coefficient n-octanol/water (Log Pow) 3.41 (at 25 °C)  (R)-p-mentha-1,8-dilene; d-Ilmonene (5899-27-5)  Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)  Dihydromyrcenol (18479-58-8)  Partition coefficient n-octanol/water (Log Pow) 3.25 (at 40 °C (at pH 7.2)  Dihydromyrcenol (18479-58-8)  Partition coefficient n-octanol/water (Log Pow) 3.25 (at 40 °C (at pH 7.2)  1-(2-tert-butyl)cyclohexyloxy)-2-butanol (139504-68-0)  BCF - Fish [1] (173 dimensionless)  Partition coefficient n-octanol/water (Log Pow) Not established  ACETYL HEXAMETHYL TETRALIN (21145-77-7)  Partition coefficient n-octanol/water (Log Pow) 5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow) 3.8  Goranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bleaccumulative potential Not established.  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) 8.2.78 – \$4.88  Cyclamal (103-98-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bleaccumulative potential Not established.  alphaPinone (80-68-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Vertofix (32388-55-9)		
Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  3.41 (at 25 °C)  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Dihydromyrcenol (18479-58-8)  Partition coefficient n-octanol/water (Log Pow)  3.25 (at 40 °C (at pH 7)  1 (2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)  BCF - Fish [1]  (173 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  Not established  ACETYL HEXAMETHYL TETRALIN (21145-77-7)  Partition coefficient n-octanol/water (Log Pow)  5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow)  3.8  Geranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow)  4.04  (ETHOXYMETHOXY) CYCLODODECANE (58567-11-6)  BCF - Fish [1]  (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow)  5.4 (at 25 °C)  Bioaccumulative potential  Not established.  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow)  2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow)  3.4 (at 35 °C)  Bioaccumulative potential  Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  3.4 (at 35 °C)  Bioaccumulative potential  Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  4.1  Benzyl acetate (140-11-4)	BCF - Fish [1]	(3920 dimensionless (organ w.w.)	
Partition coefficient n-octanol/water (Log Pow)  [R]-p-mentha-1,8-diene; d-limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  [A 38 (at 37 °C (at pH 7.2)  [A 38 (at 38 °C (at pH 7.2)  [A 38 (at 38 °C (at pH 7.2)  [A 48 (at 38 °C	Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow)	Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)  Dihydromyrcenol (18479-58-8) Partition coefficient n-octanol/water (Log Pow)  3.25 (at 40 °C (at pH 7)  1-((2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)  BCF - Fish [1] (173 dimensionless)  Patrition coefficient n-octanol/water (Log Pow) Not established  ACETYL HEXAMETHYL TETRALIN (21145-77-7) Partition coefficient n-octanol/water (Log Pow) 5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5) Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  citral (392-40-5) Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Hellonal (1205-17-0) Partition coefficient n-octanol/water (Log Pow) 2.78 – ≤ 4.88  Cyclamal (103-95-7) Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C) Bioaccumulative potential Not established.  Cyclamal (103-95-7) Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C) Bioaccumulative potential Not established.  aiphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
Dihydromyrcenol (18479-58-8)   Partition coefficient n-octanol/water (Log Pow)   3.25 (at 40 °C (at pH 7)     1-([2-tert-buty/l)cyclohexyloxy]-2-butanol (139504-68-0)     BCF - Fish [1]	(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow)   3.25 (at 40 °C (at pH 7)	Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)  BCF - Fish [1] [173 dimensionless)  Patchouli oii (8014-09-3)  Partition coefficient n-octanol/water (Log Pow) Not established  ACETYL HEXAMETHYL TETRALIN (21145-77-7)  Partition coefficient n-octanol/water (Log Pow) 5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow) 3.8  Geranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] [530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.78 = ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  Active (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Dihydromyrcenol (18479-58-8)		
Patchouli oil (8014-09-3)   Patrition coefficient n-octanol/water (Log Pow)   Not established	Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)	
Patchouli oil (8014-09-3)  Partition coefficient n-octanol/water (Log Pow)   Not established  ACETYL HEXAMETHYL TETRALIN (21145-77-7)  Partition coefficient n-octanol/water (Log Pow)   5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow)   3.8  Geranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow)   4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1]   (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow)   5.4 (at 25 °C)  Bioaccumulative potential   Not established.  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow)   2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow)   2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow)   2.78 – ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow)   3.4 (at 35 °C)  Bioaccumulative potential   Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)   4.1  Benzyl acetate (140-11-4)	1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139	504-68-0)	
Partition coefficient n-octanol/water (Log Pow) Not established  ACETYL HEXAMETHYL TETRALIN (21145-77-7)  Partition coefficient n-octanol/water (Log Pow) 5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow) 3.8  Geranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	BCF - Fish [1]	(173 dimensionless)	
ACETYL HEXAMETHYL TETRALIN (21145-77-7)  Partition coefficient n-octanol/water (Log Pow) 5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow) 3.8  Geranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Patchouli oil (8014-09-3)		
Partition coefficient n-octanol/water (Log Pow) 5.7 (at 24 °C)  Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow) 3.8  Geranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	Not established	
Sandal Mysore Core (28219-60-5)  Partition coefficient n-octanol/water (Log Pow) 3.8  Geranyl acetate (105-87-3)  Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODOBECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Partition coefficient n-octanol/water (Log Pow)         3.8           Geranyl acetate (105-87-3)         4.04           (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)         (530 dimensionless (whole body w.w.)           BCF - Fish [1]         (530 dimensionless (whole body w.w.)           Partition coefficient n-octanol/water (Log Pow)         5.4 (at 25 °C)           Bioaccumulative potential         Not established.           citral (5392-40-5)         2.76 (at 25 °C)           Partition coefficient n-octanol/water (Log Pow)         2.76 (at 25 °C)           Helional (1205-17-0)           Partition coefficient n-octanol/water (Log Pow)         2.4 (at 25 °C)           Orange oil (8008-57-9)           Partition coefficient n-octanol/water (Log Pow)         ≥ 2.78 – ≤ 4.88           Cyclamal (103-95-7)           Partition coefficient n-octanol/water (Log Pow)         3.4 (at 35 °C)           Bioaccumulative potential         Not established.           .alphaPinene (80-56-8)           Partition coefficient n-octanol/water (Log Pow)         4.1           Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)	
Geranyl acetate (105-87-3)   Partition coefficient n-octanol/water (Log Pow) 4.04   (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)   BCF - Fish [1] (530 dimensionless (whole body w.w.)   Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)   Bioaccumulative potential Not established.   citral (5392-40-5) 2.76 (at 25 °C)   Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)   Helional (1205-17-0)   Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)   Orange oil (8008-57-9)   Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 - ≤ 4.88   Cyclamal (103-95-7)   Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)   Bioaccumulative potential Not established.   .alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1   Benzyl acetate (140-11-4)	Sandal Mysore Core (28219-60-5)		
Partition coefficient n-octanol/water (Log Pow) 4.04  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 - ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	3.8	
(ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 – ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Geranyl acetate (105-87-3)		
BCF - Fish [1] (530 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 − ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	4.04	
Partition coefficient n-octanol/water (Log Pow) 5.4 (at 25 °C)  Bioaccumulative potential Not established.  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 − ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	(ETHOXYMETHOXY)CYCLODODECANE (5856	7-11-6)	
Bioaccumulative potential  Not established.  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow)  Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow)  ≥ 2.78 − ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow)  3.4 (at 35 °C)  Bioaccumulative potential  Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  4.1  Benzyl acetate (140-11-4)	BCF - Fish [1]	(530 dimensionless (whole body w.w.)	
citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow)  Bioaccumulative potential  Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	5.4 (at 25 °C)	
Partition coefficient n-octanol/water (Log Pow)    2.76 (at 25 °C)	Bioaccumulative potential	Not established.	
Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 − ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  .alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Orange oil (8008-57-9)  Partition coefficient n-octanol/water (Log Pow)  ≥ 2.78 – ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow)  3.4 (at 35 °C)  Bioaccumulative potential  Not established.  .alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Orange oil (8008-57-9)         Partition coefficient n-octanol/water (Log Pow)       ≥ 2.78 - ≤ 4.88         Cyclamal (103-95-7)         Partition coefficient n-octanol/water (Log Pow)       3.4 (at 35 °C)         Bioaccumulative potential       Not established.         .alphaPinene (80-56-8)         Partition coefficient n-octanol/water (Log Pow)       4.1         Benzyl acetate (140-11-4)	Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 – ≤ 4.88  Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  .alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
Cyclamal (103-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)  Bioaccumulative potential Not established.  .alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow) 4.1  Benzyl acetate (140-11-4)	Orange oil (8008-57-9)		
Partition coefficient n-octanol/water (Log Pow)  Bioaccumulative potential  Not established.  alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  4.1  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	≥ 2.78 – ≤ 4.88	
Bioaccumulative potential  .alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  Benzyl acetate (140-11-4)	Cyclamal (103-95-7)		
.alphaPinene (80-56-8)  Partition coefficient n-octanol/water (Log Pow)  Benzyl acetate (140-11-4)	Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)	
Partition coefficient n-octanol/water (Log Pow)  4.1  Benzyl acetate (140-11-4)	Bioaccumulative potential	Not established.	
Benzyl acetate (140-11-4)	.alphaPinene (80-56-8)		
	Partition coefficient n-octanol/water (Log Pow)	4.1	
Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)	Benzyl acetate (140-11-4)		
	Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citric acid (77-92-9)		
Partition coefficient n-octanol/water (Log Pow)	-1.72 (at 20 °C)	
p-cresol (106-44-5)		
Partition coefficient n-octanol/water (Log Pow)	1.94	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

PARADISE		
Other information	Avoid release to the environment.	
benzyl benzoate (120-51-4)		
Other information	Avoid release to the environment.	
Ethylene brassylate (105-95-3)		
Other information	Avoid release to the environment.	
(ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)		
Other information	Avoid release to the environment.	
Cyclamal (103-95-7)		
Other information	Avoid release to the environment.	

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
	**************************************	**************************************		**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available		<u> </u>	<u> </u>

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

**Inland waterway transport** 

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU-Regulations**

## **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	d-Limonene ; Lime oil distilled ; Grapefruit oil ; Orange oil ; Dipentene ; .alphaPinene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	PARADISE; Benzyl benzoate; Methyl ionone (mixture of isomers); Linalyl acetate; CUPRESSUS FUNEBRIS WOOD OIL; Linalool; Hexyl salicylate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Vertofix; Citronellol Pure; d-Limonene; Dihydromyrcenol; Patchouli oil; Sandal Mysore Core; Cedramber; Geranyl acetate; (ETHOXYMETHOXY)CY CLODODECANE; Citral; Helional; Lime oil distilled; Grapefruit oil; Anise oil (Spanish); Orange oil; Cyclamal; Dipentene; .alphaPinene; para- Cresol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	PARADISE; Benzyl benzoate; Ethylene brassylate; Methyl ionone (mixture of isomers); CUPRESSUS FUNEBRIS WOOD OIL; Hexyl salicylate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Oxacyclohexadec-12- en-2-one, (12E)-; betalonone; Vertofix; d-Limonene; Ambercore; Patchouli oil; Sandal Mysore Core; Cedramber; Geranyl acetate; (ETHOXYMETHOXY)CY CLODODECANE; Helional; Lime oil distilled; Grapefruit oil; Anise oil (Spanish); Orange oil; Cyclamal; Dipentene; alphaPinene; Benzyl acetate; para-Cresol; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### VOC Directive (2004/42)

VOC content : 3.9389416 % (calculated value)(CARB VOC) (%w/w)

#### **Explosives Precursors Regulation (EU 2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **National regulations**

#### Germany

VOC ordinance (ChemVOCFarbV) : VOC content 3.9389416 % (calculated value)(CARB VOC)

(%w/w)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK)

Major Accidents Ordinance (12. BlmSchV) : Is not subject to the Major Accidents Ordinance (12. BlmSchV)

**Netherlands** 

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

: CUPRESSUS FUNEBRIS WOOD OIL, Orange oil are listed SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen : CUPRESSUS FUNEBRIS WOOD OIL, Orange oil are listed

SZW-lijst van reprotoxische stoffen - Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen -

: None of the components are listed

SZW-lijst van reprotoxische stoffen - Ontwikkeling : Hexyl salicylate is listed

Vruchtbaarheid

#### **Denmark**

Classification remarks **Danish National Regulations**  : Emergency management guidelines for the storage of flammable liquids must be followed

Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### **Poland**

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as ammended)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Other information · None

10/2/2025 (Revision date) EN (English) 29/31

# Safety Data Sheet

Full text of H- and EUH-statements:			
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Carc. 2	Carcinogenicity, Category 2		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Muta. 2	Germ cell mutagenicity, Category 2		
Repr. 2	Reproductive toxicity, Category 2		
Skin Corr. 1	Skin corrosion/irritation, Category 1		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation		
H226	Flammable liquid and vapour.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H341	Suspected of causing genetic defects.		
H351	Suspected of causing cancer.		
H361	Suspected of damaging fertility or the unborn child.		
H361d	Suspected of damaging the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.